



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines


Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>



71





Handwritten label with fields:

PRESS	7. 1997
SHELF	61
Nº	161

Below the label is a faint circular stamp.

1666 c 171.





mu

HUMAN PHYSIOLOGY:

DESIGNED FOR

COLLEGES AND THE HIGHER CLASSES IN SCHOOLS,

AND

FOR GENERAL READING.

BY WORTHINGTON HOOKER, M. D.,
PROFESSOR OF THE THEORY AND PRACTICE OF MEDICINE IN YALE COLLEGE;
AUTHOR OF "PHYSICIAN AND PATIENT."

Illustrated by nearly 200 Engravings.

NEW YORK:
SHELDON AND COMPANY, PUBLISHERS,
500 BROADWAY,
1867.

ENTERED according to Act of Congress, in the year 1854, by
 WORTHINGTON HOOKER, M. D.,
 In the Clerk's Office of the District Court of the United States for the
 District of Connecticut.

COLLEGE AND SCHOOL TEXT-BOOKS

BY
 EMINENT PRACTICAL TEACHERS.

BULLIONS' SERIES OF GRAMMARS, ETC.

INTRODUCTION TO ANALYT. AND PRAC. GRAMMAR. 40 cts.
 ANALYTICAL AND PRACTICAL ENGLISH GRAMMAR. 75 cents.
 EXERCISES IN ANALYSIS AND PARSING. 18 cents.
 LATIN LESSONS, by Spencer, 75 cents, introductory to Bullions'
 LATIN GRAMMAR. \$1 25.
 *LATIN READER. \$1 25. *LATIN EXERCISES. \$1 25.
 CÆSAR. \$1 25. CICERO. \$1 25. SALLUST. \$1 12.
 *LATIN ENGLISH DICTIONARY (with Synonyms). 25 00.
 GREEK LESSONS. 85 cents. GREEK GRAMMAR. \$1 50.
 *GREEK READER. \$2 50. *COOPER'S VIRGIL. \$2 25.

THE NORMAL MATHEMATICAL SERIES.

STODDARD'S JUVENILE MENTAL ARITHMETIC. 22 cents.
 STODDARD'S INTELLECTUAL ARITHMETIC. 25 cents.
 STODDARD'S RUDIMENTS OF ARITHMETIC. 50 cents.
 STODDARD'S PRACTICAL ARITHMETIC. 70 cents.
 STODDARD & HENKLE'S ELEMENTARY ALGEBRA. \$1 00.
 STODDARD & HENKLE'S UNIVERSITY ALGEBRA. \$1 75.
 *KEY TO S.'S INTEL. AND PRAC. ARITHMETIC. 60 cents.
 *KEY TO S. & H.'S ELEMENTARY ALGEBRA. \$1 00.
 *KEY TO S. & H.'S UNIVERSITY ALGEBRA. \$1 75.

FRENCH AND GERMAN.

KEETELS' NEW METHOD OF LEARNING FRENCH. \$1 50.
 PEISSNER'S ELEMENTS OF THE GERMAN LANGUAGE. \$1 50.

PHYSIOLOGY, LOGIC, ASTRONOMY, ETC.

HOOKE'S HUMAN PHYSIOLOGY. \$1 50. FIRST BOOK. 50 cts.
 WHATELY'S ELEM. OF LOGIC. \$1 50. RHETORIC. \$1 50.
 THOMPSON'S LAWS OF THOUGHT. \$1 50.
 WAYLAND'S INTELLECTUAL PHILOSOPHY. \$1 50.
 BROCKLESBY'S ASTRONOMY. \$1 50. *METEOROLOGY. \$1 00.
 PALMER'S PRACTICAL BOOK-KEEPING. 75 cents.
 COMSTOCK'S NAT. PHILOSOPHY. \$1 50. CHEMISTRY. \$1 50.

Also several other Text Books by good Authors, for which, see our Catalogue, which is furnished gratis. We furnish to Teachers for Examination, postpaid by mail, a copy of any of the above books not having a * annexed, at half price. Those marked with a * we send on receipt of the prices annexed.

SHELDON & CO.,
 Publishers, New York.

Manufactured by Case, Lockwood & Co., Hartford, Conn.

CONTENTS.

PART I.

CHAPTER I.	PAGE.
ORGANIZED AND UNORGANIZED SUBSTANCES.	13
CHAPTER II.	
THE DISTINCTION BETWEEN ANIMALS AND PLANTS.	2
CHAPTER III.	
MAN IN HIS RELATIONS TO THE THREE KINGDOMS OF NATURE,	27

PART II.

CHAPTER IV.	
GENERAL VIEWS OF PHYSIOLOGY, WITH A BRIEF ACCOUNT OF SOME OF THE STRUCTURES OF THE BODY,	35
CHAPTER V.	
DIGESTION,	42
CHAPTER VI.	
CIRCULATION OF THE BLOOD,	64
CHAPTER VII.	
RESPIRATION,	86
CHAPTER VIII.	
FORMATION AND REPAIR,	109
CHAPTER IX.	
CELL LIFE,	123

PART III.

	PAGE
CHAPTER X.	
THE NERVOUS SYSTEM,	139
CHAPTER XI.	
THE BONES,	170
CHAPTER XII.	
THE MUSCLES,	196
CHAPTER XIII.	
THE LANGUAGE OF THE MUSCLES,	222
CHAPTER XIV.	
THE VOICE,	243
CHAPTER XV.	
THE EAR,	271
CHAPTER XVI.	
THE EYE,	287
CHAPTER XVII.	
CONNECTION OF THE MIND WITH THE BODY, . . .	318
CHAPTER XVIII.	
DIFFERENCES BETWEEN MAN AND THE INFERIOR ANIMALS, .	347
CHAPTER XIX.	
VARIETIES OF THE HUMAN RACE,	367
CHAPTER XX.	
LIFE AND DEATH,	381
CHAPTER XXI.	
HYGIENE,	390
APPENDIX,	411

P R E F A C E.

I HAVE aimed so to write this book, that it shall be fitted both for general reading, and for instruction. It is designed for the family as well as for the school. It seemed desirable that these two objects should be accomplished at the same time, and I have not found them to be at all incompatible. The instruction needed by the family on this subject, differs not from that which is required in the school-room, either in regard to the facts to be communicated, or the manner in which it should be done. No one will question the truth of this, so far as the facts are concerned. But it is true even as to the mode of communicating them. In both cases there need to be clearness in statement, and fullness of illustration. Actual instruction is to be given in both cases, and to minds that are very nearly in the same attitude. I could not, therefore, see the necessity of writing a book on this subject for the people which should differ from one written for the school. Besides, it has seemed to me desirable that there should be a greater community of interest between the school and the family than as yet exists; and this object books equally interesting to both will tend to promote.

It may be proper for me to say a word in relation to the style of the work. I have adopted the style of the lecture-room, because, that while it is not inconsistent with conciseness, it is the more natural mode of instruction, especially when so much reference is made to illustrative figures. It has enabled me also to keep in view more effectually the attitude of the minds I address. I have had my readers before me continually as an imaginary audience. I have avoided technical terms as far as possible. Whenever they are used they are sufficiently explained at the time, so that no glossary is needed. Some points commonly considered hard to be understood are treated of, but I have endeavored to simplify them, by

full illustration, and by a presentation of the truth uncomplicated with speculations and hypotheses. And these points are so introduced, that the mind is prepared by the previous investigation to understand them. I have aimed so to arrange the topics, as to have a preparation constantly going on in the mind of the student, fitting him for the proper understanding of what is to come after. By this natural gradation in the development of the whole subject some of the deep things in Physiology can be made clear, which it would otherwise be impossible for the student to understand. It is proper to state here, that I intend to prepare a work for younger scholars, in which some of the simple points in Physiology will be illustrated. This, by familiarizing their minds with the subject, will fit them for a more thorough understanding of the present work.

Although Physiology is becoming a prominent study in the schools and colleges in some parts of our country, its importance is no where as yet appreciated as it should be. It should be made a regular branch in our Educational System. This has been already done in France. "A competent knowledge," says Carpenter, "of Animal Physiology and Zoology is there required from every candidate for University honors; and men of the highest scientific reputation do not think it beneath them to write elementary books, for the instruction of the beginner."

The importance of Physiology as a study, will appear from various considerations.

Many of the subjects comprised in Physiology have, in the case of most students, been already studied in a different phase, or mode, in other branches. Thus, if the student has attended to the Mechanical Powers in his Natural Philosophy, he finds in the human body the principles of the pulley and the lever illustrated in great variety and perfection. The principles in relation to strength in the form and arrangement of structure he sees exemplified in the frame-work of the body in the most admirable manner. If he has studied Hydraulics, he sees in the body the most perfect, and at the same time the most complicated hydraulic machinery, working incessantly throughout life in the circulation of the blood. The principles of Pneumatics he finds applied in the respiration—those of Optics in the eye—those of Acoustics in the ear—and those of Musical Sounds in the apparatus of the voice. And then, his chemical

knowledge meets with new applications in his observation of the changes and the processes going on in the body.

The relations, then, of Physiology to some of the common branches taught in the higher classes in schools, are of the most intimate character. Physiology, in part, merely extends these branches into a new and interesting field; and the student who has once entered this field recurs to these same branches with a renewed interest. Hydraulics, Pneumatics, Optics, &c., have now a new attraction for him, from this, to him novel, application of their principles. The interest thus awakened in his mind is worth much in itself, aside from the mere addition made to his knowledge. And the interest is enhanced by the consideration, that in the human body he sees the applications of these principles to mechanism that exhibits the skill of perfect wisdom and almighty power.

But there are relations of Physiology to still other studies which should be noticed.

The analogies that exist between the human body and all other living things, in relation to structure and growth, are numerous and striking. Though life is so diverse in its processes and in the forms which we see it evolve in the whole range of animated nature, it in some important respects displays a great similarity, which it is interesting to trace throughout its diversified manifestations. Growth, or nutrition, as you will see in the following pages, is essentially the same in the Plant as it is in the Animal. Botany, therefore, taught as it should be, has quite an intimate relation to Animal Physiology. The Science of Life is, in many respects, one Science; and if, in studying any of its subdivisions, we fail to take this broad view of it, and to trace out the analogies referred to, we lose a large part of the interest of the study. Human Physiology, the subject of study in this book, is but a part of a science which offers to the student wide fields of observation exceedingly diversified and full of interest. This being so, I could not avoid in the following pages making occasional reference to the analogies existing between the phenomena of life as exhibited in the human system, and those which we see in the living world around us. So that as the student proceeds with the study, he will find himself interested in the phenomena of life in whatever form they are presented.

This leads me to say that this study of nature, in its broad common relations and its beautiful and extensive analogies, should be made very prominent in our systems of education. It is the application of the principles of abstract science to the forms, and especially the *living* forms of nature all about us, that gives interest to these principles, and makes us to understand and appreciate them. It is here that we find a very serious defect in the prevalent mode of education, even at the present time, notwithstanding all our improvements. Let us look at it a moment. We live in the midst of a material world, animate and inanimate, and have daily converse, so to speak, with material forms of every variety, presenting phenomena of the highest interest and of endless diversity. And yet, through almost all the period of childhood, and perhaps we may say youth also, this book of nature is in the school-room very nearly a sealed book. The very process of education shuts in the pupil from this broad contemplation of the world in which he lives. He is drilled through spelling, reading, grammar, &c., but he is left in total ignorance of the beautiful flowers, and the majestic trees outside of the school-room. How very few even of thoroughly educated adults, know the processes by which a plant or a tree grows! And the same can be said of other phenomena of nature.

The defect which I have pointed out runs through the whole of education. We can see it even in the prevalent mode of teaching the natural sciences themselves. One would suppose that here the facts, the phenomena, would command the chief attention of the teacher and the student. But it is very commonly not so. The mere technicalities and the classification are made much too prominent. Botany, really one of the most interesting of all branches of natural science, is thus ordinarily made one of the driest of studies. To teach this aright, the phenomena of vegetation, so varied and so beautiful, should constitute the chief material of instruction, and the mere classification should be considered, although necessary, as wholly a secondary thing.

The great facts of the world, both of mind and matter, should furnish really the *material* for education, and those branches that are ordinarily pursued with such assiduity should be considered as merely subsidiary to the teaching of these facts. The whole order of education must be re-

versed. Instead of beginning the child's education with learning to spell and read, the object should be to make him an observer of nature, and the spelling and reading should be done in connection with this, and as subsidiary to it. Things and not words, or mere signs, should from the first, constitute the substantial part of instruction. The child should be made, at home, in the school, and everywhere, a naturalist in the largest sense of that word. We should aim to impart to him a spirit in consonance with the following precept of Hugh Miller, the famous self-taught geologist. "Learn to make a right use of your eyes; the commonest things are worth looking at—even stones and weeds, and the most familiar animals."

As it is now, no one becomes a naturalist early in life, except in spite of the tendencies of his education. The study of nature is not only not encouraged, but is absolutely discouraged in our educational system. If any one, like Hugh Miller, by the force of a taste that can not be repressed by the training of the school-room, undertakes to make a "right use of his eyes," and curiously examines "stones and weeds," he is regarded by the world of spellers and readers and grammarians and cipherers, as a strange genius. But he is pursuing from an irresistible internal force, the very course that I would have every student, even from his childhood, encouraged to pursue, in a measure at least, by the external circumstances of his education. The tendencies of his training should be decidedly in this direction.

If the general mode of education were changed in the manner indicated, education would have much less of the character of mere drudgery than it now has. Not that there would be any the less labor; but the labor would be made lighter by the interest imparted to it—the interest, which always results from the study of facts and phenomena, and never from the learning of mere words and technicalities and classifications. I would gladly dwell on this subject, and show by varied illustrations how the mode of instruction referred to, should be pursued, and especially with younger scholars; but the limits of a preface will not allow me to enter so large a field.

The change which I have pointed out can not be effected at once. It will require time. Confirmed traditional customs are to be done away,

the habits of teachers are to be altered, and the proper books are to a great extent to be yet written, especially such as are fitted for the first years of education.

If the study of nature should be thus made prominent in education, human physiology would be considered altogether its most interesting and important branch, and for several reasons. First: there is no where to be found so curious a collection of mechanisms, or so interesting and wonderful a series of processes, as in the human body. In nothing else in the wide world are the principles of so many departments of science so extensively and perfectly exemplified. Life works here its most complicated set of machinery. Secondly: the singular and mysterious connection of the immaterial and immortal soul with the material and perishable body, gives intense interest to this study. In Physiology we do not study matter alone, or spirit alone, but both matter and spirit united, and often acting together. This circumstance distinguishes this from all other studies. Thirdly: it is *our own* frames, moved by the spirit within us, that we study. The subject has a personal interest for us, that is not presented by most studies, and by none in so large a degree as in this. And Fourthly: the study is of great importance, because a judicious and efficient Hygiene must be based upon a knowledge of the laws of physiology. We cannot know how to keep our functions in the condition of health, without understanding the laws that regulate them. I have said but little in this book in regard to hygiene, and that only incidentally, because that subject would require of itself a whole volume to elucidate it properly.

I have not thought it proper to indulge to any great extent in those reflections, which the contemplation of so perfect and diversified a congeries of mechanisms as are presented in man would naturally suggest, in regard to the skill of the great builder of the universe. Such reflections would extend the book to too great length. Besides, they are so readily suggested to the mind of both teacher and scholar, that it is entirely unnecessary for the author to dwell on them.

I have treated of some subjects, on which, from the difficulty of understanding them, there has been a disposition in many minds to go beyond what we know, and indulge in unwarranted speculation. On these

points I have taken pains to draw the line very distinctly between what is known, and what is supposed. I deem it to be important to prevent the minds of the young from being led away from the simple truths of science by ingenious speculations and plausible reasonings. Let me not be understood to deery all hypothesis. I only object to the mingling of facts and suppositions together in one indiscriminate mass, as is often done. The disposition to do this, which is more common than is generally supposed, exerts so injurious an influence upon the habits of the mind, and so confuses its views of truth, that we ought to look upon it as one of the most serious evils to be guarded against in education. It is really one of the most prominent obstacles to the progress of truth on all subjects, both in individual minds, and in the minds of the community at large. This disposition, so apt to be fostered in the enthusiastic mind of youth, by ingenious but dreamy speculations, should be corrected at the outset, and the mind should in its forming stage, be habituated to the discrimination between the proved, the true, and that which rests on presumptive, perhaps merely plausible evidence. This discrimination should therefore be exemplified in books designed for instruction, and this I have attempted in the present volume.

I have divided the book into Three Parts. The First, which I have made as short as possible, is merely *preliminary* to the consideration of the particular subject of the book. In the Second Part, I present the human structure, simply as a *structure*, and show how it is constructed and kept in repair. In the Third Part, I treat of all those subjects which relate to the *uses* for which the structure is designed. This natural division of the whole subject, not only presents it to the mind of the student in an interesting point of view, but secures that natural gradation in its development, which I have spoken of as being necessary to a clear understanding of its deeper and more intricate portions.

NOTE.

SINCE the book was first published, the Author has, in obedience to the requests of many Teachers, added a chapter on HYGIENE, and also an APPENDIX containing questions. A full INDEX is also subjoined.

PHYSIOLOGY.

PART FIRST,

CONTAINING,

CHAPTER I.—ORGANIZED AND UNORGANIZED SUBSTANCES. CHAPTER II.—THE DISTINCTION BETWEEN ANIMALS AND PLANTS. CHAPTER III.—MAN IN HIS RELATIONS TO THE THREE KINGDOMS OF NATURE.

CHAPTER I.

ORGANIZED AND UNORGANIZED SUBSTANCES.

1. THE crystal and the plant are both wonderful *growths*. As you look at them, you think of the crystal as having been formed, and of the plant as having grown. But in one sense they have both grown to be what they are. The crystal was once a minute nucleus, and the plant was once a little germ.

2. In one respect they are alike in their growth—both have increased from particles taken from things around them. But the processes by which this is done are different in the two cases. The crystal has increased or grown by layer after layer of particles. There are no spaces or passages by which particles of matter can be introduced inside of it. Any part of it, when once formed, is not altered. It can receive additions upon the *outside* alone. But it is not so with the plant. This enlarges by particles which are introduced into passages and interstices. It grows, as it is expressed, by *absorption* or by *intussusception*.

3. How, now, is this absorption effected? It is done by certain vessels or *organs*, constructed in the root of the plant for this purpose. These take up or absorb fluid matter from the earth. There are other organs which circulate this fluid through all the plant; and others still which use it for the purpose of growth or formation. There are no such organs in the crystal, for it has no *inner* growth. The plant is therefore said to be an *organized* substance or being, and the crystal is an *unorganized* substance. And so we speak of the *organic* structure, or the *organization* of plants.

Organized beings. Mechanical, chemical, and vital principles.

4. These organs, which thus absorb, and circulate, and construct, do not act simply on *mechanical* principles. The plant is not merely soaked with fluid, which the heat of the sun may expel, as it does water from a porous mineral substance. These organs are active agents, and they perform their duty with a force, and after a manner, for which no mechanical principles can account. No mechanical powers could alone supply the leaves of the mighty tree of the forest with sap from its deep roots; much less could they form these leaves.

5. Neither do these organs act simply on *chemical* principles. While man, through the agency of chemistry, can form some of the crystals which are found in nature, he can not by any arrangement of constituents make a plant, a flower, or a leaf. And the plant, left alone to the action of chemical principles, wilts; and at length ceases to be a plant, and becomes common unorganized matter.

6. Mechanical and chemical principles, it is true, are both employed to some extent in the growth of plants; but they are under the control of other principles, which we term *vital*. And so we speak of the plant not only as an *organized substance*, but as a *living being*.

7. What I have said of plants, in distinction from minerals, may also be said of animals. They are also *organized living beings*, and they have generally a more complex organization than plants, as you will see as I proceed.

8. The whole material world, then, that we see around us, we divide into two parts—the unorganized and lifeless, and the organized and living. The distinctions thus pointed out between organized and unorganized matter are essential and fundamental. But let us look at some other distinctions, which either arise from these or accompany them.

9. One distinction is this. All the parts of the mineral are independent of each other, while it is otherwise with the plant or the animal. Accordingly, we examine the properties of minerals in a different way from those of plants and animals. The chemist can ascertain all the properties of a crystal or a rock, if you give him but a small piece of it. But the botanist can not ascertain all the properties of a plant by looking at some one part of it. If he examine the flower, this gives him no knowledge of the root. In order to know all about the plant, he must examine every part by itself, and then look at it in its relations to the other parts. The same can be said of the physiologist, in his investigation of the properties of animals.

10. As the crystal is forming by layer after layer of particles, no change is effected in these particles as they are becoming arranged in the layers. But in the case of the living organized being, a change is produced in the particles which are taken up by the absorbents. And the change, ordinarily, is both a gradual and a complex one. In the plant, a change is produced in the particles in the very act of absorption; but this change is only the beginning of a process which is afterwards perfected. The sap is not thoroughly fitted for nutrition when it first begins to circulate. It is carried up through the vessels of the trunk or stalk to the leaves. There the last step of the process is taken, and the sap is now ready to be used in the growth of the plant or tree. So, also, in the animal, the nutritious part of the food, taken up by the absorbents in the digestive organs, is first acted upon by certain little glands, through which it passes, is then poured into the circulation, to be mingled with the blood, and is carried with the blood to the lungs, to be exposed to the air; and thus it is fitted for the nutrition or growth of the body. This process, which is thus carried on in the plant and in the animal, is very properly called *assimilation*. For the particles that are taken up by the absorbents in the root of the plant are, by this process, made *like* to the plant; and the particles taken up by the absorbents in the stomach* are made *like* to the animal. So obvious is this, in the case of the animal, that some French physiologist speaks of the blood as *chair coulante*, or running flesh.

11. Another prominent distinction between organized and unorganized substances is in relation to *permanency*. Constant change appears in all organized bodies; while permanency is written upon all substances which are unorganized. In organized beings, continual change is going on at every point. It is a condition of their being. This is true, not only of the decline of a plant or animal, but even of its growth. For, in its growth, as the parts enlarge internally as well as externally, they change not only the arrangement of the particles, but, to a great extent, they change the particles themselves. It is

* The word stomach requires some little explanation, as it is used in physiology in two senses—in a limited sense, and also in an extended one. It is used in its limited sense, as referring to the cavity at the beginning of the *alimentary canal*, as it is termed; this latter term being applied to the series of cavities, the stomach and the small and large intestines, which are found in the digestive apparatus in the higher orders of animals. In comparisons, however, between these animals and those which have a more simple digestive apparatus, the word stomach is used in a more extended sense, as being synonymous with the term *alimentary canal*. It is used in this sense, also, when, as in the present case, it is referred to in a comparison between animals and vegetables.

Organized substances changing. Unorganized permanent.

true, as well of the towering tree as of the tiny plant, that these changes have been going on during all its growth; so that, at its maturity, it is, both in relation to the arrangement of its particles, and in relation to the particles themselves, a very different thing from what it was when it pushed its gerin up through the ground, or even when it was but a small tree. Not only has it received into its interstices and passages new particles, but it has thrown off from the pores of its leaves, those outlets for the refuse of plants, vast quantities of particles which are no longer of use in its structure. So, in all animals, the same internal changes are going on, and to a much greater extent; because, from the activity of their nature, there is more of wear and tear, and, therefore, more of refuse matter to be disposed of. As you will see in another part of this book, the human body, that most complicated of organized beings, undergoes these changes very largely.

12. It is not thus with unorganized substances. The crystal, so fast as it is formed, becomes permanent. No changes occur *within* it. In itself, it is unchangeable. It can not change its own particles, as the plant or the animal does. It can be changed only by external addition, or by external diminution, through the influence of agents acting upon its surface.

13. With the constant changes going on in organic nature, there is constant succession. Plants and animals produce other plants and animals, and themselves die, making room for their successors. But the crystal does not form other crystals, and then crumble into dust. In itself, it is both *unchangeable* and *unproductive*.

14. This distinction between organized and unorganized substances, in relation to change and succession, meets the eye everywhere. The mountains, the rocks, and even the stones under our feet, remain the same year after year, while all vegetable and animal life is ever changing its forms and manifestations. There are the changes of growth, and the changes of decay and death, all around and within us; and they are strangely mingled together. There is death even in the changes of life, as the waste particles are taken away, and are replaced by the new; and life springs out of the very bosom of death, as from decayed nature new forms of vigor and beauty arise. The mountains stand as they have stood, as the passing generations have looked upon them, while the continual changes of vegetation have been going on upon and around them. The seasons crown their battlements with the emblems

of their ever-returning mutations of life, decay, and death, and even the mighty trees, that have shed their leaves from year to year, in obedience to the great law of change, but have themselves stood, at length bow their heads to the same law, and give place to other lords of the forest. From the "everlasting hills," which thus remain the same, though change is ever about and upon them, man gets the unchangeable and imperishable rock to construct his habitation, while he himself is changeable and perishable—the creature of a day, whose life is as a vapor. He wears the precious stones, and traffics in the golden ores, which have existed from the creation of the world, through all the changing and dying generations, and passes away, leaving them to others as changeable and perishable as himself.

15. Another distinction between organized and unorganized substances relates to the forms which they assume. There is regularity in both, but it is different in each. Unorganized matter is disposed to arrange its particles in straight lines, and with angles mathematically exact. You see this in the beautiful crystal; and you also see it, less definitely, but magnificently, displayed in the regular battlements and columns of rocks and mountains. The tendency is to regularity; and irregularity is the result of interfering circumstances. A similar disposition to regularity is manifest in organized substances, but in a different manner. It is disposed to curved, rather than straight lines, and seldom makes lines or angles with mathematical exactness. We see this law of regularity exemplified both in animal and vegetable life. The leaf, for example, has the same general shape, that is, the same general arrangement of particles, when it attains its full size, that it had when it was small; and the same can be said of the arm of the man, compared with his arm when a child. Illustrations might be cited to any extent, but these are sufficient.

16. While the law of regularity is not commonly as exact in organized substances as it is in the unorganized, it is quite as authoritative. While it does not ordinarily observe the perfectly straight lines and the unvarying angles which we always find in the crystal, the general plan and contour are very strictly preserved amid all the changes of animal and vegetable life. And, in some cases, the same mathematical exactness that we find in the mineral world is found in organized beings. I know not that this is ever true of straight lines and angles; but it is often true of curved lines. There are many very

Regularity in form—in some cases wonderful.

beautiful examples in the vegetable world. I will give but a single one. If you look at the common white daisy, before the hundreds of little buds in its bosom have opened into tiny flowers, you will see them arranged with great exactness in crossing curved lines, such as you often see on the back of a watch case. A similar arrangement you will find in many flowers.

17. This regularity is more wonderful in organized substances than in the unorganized, because it rules in them in the midst of constant change. In the case of the crystal, as there are no internal changes in it, and as each layer of it, when formed, is permanent, regularity is comparatively, so to speak, easily secured. But in the case of the leaf, as it is growing to its full size, and of the arm, as it grows from infancy to be the stalwart arm of manhood, continual change is going on at every point; and regularity here is obviously a more difficult achievement.

18. This regularity appears still more wonderful, when we look at the infinite variety of forms in organized matter, in both the vegetable and the animal world. In all these forms, each part of every animal and of every plant maintains its own peculiar plan and contour. Take, for example, the leaf in its endless varieties. How definitely does each variety preserve its individual character, and how easily is it distinguished from every other variety! The same can be said of every part of every organized being.

19. Another circumstance still must be mentioned, as adding to the wonderfulness of this regularity. It has been scrupulously maintained, through all the changes of the world from its creation, when God pronounced the works of his hands to be "very good." The leaf of every tree, for example, is like the leaf of its ancestral trees back to that time; and so it will be in all its successors to the end of the world. "The trees of the garden," which delighted the eyes of our first parents, and refreshed them with their shade in their innocence, and amid which they hid themselves after their sin from the presence of their Maker, undoubtedly had the same characteristic shapes, and the same leaves and flowers which their successors present to our eyes.

20. Again, it is interesting to notice that, in the midst of this regularity, so strictly maintained in each specific form from age to age, there is a measure of irregularity allowed. While each kind of tree, for example, has specific characteristics in

the arrangements of branches and other parts, and in the shapes of its leaves, no two trees of the same kind are exactly alike, and there is always much variety in the leaves of the same kind. The wonder is, that so much latitude is allowed in this respect, and yet the specific characteristics of each kind are so thoroughly preserved. We can readily see that if a pattern, definite in all its details, were to be copied exactly in each kind of vegetable and animal form, the distinctions between them could be more easily preserved. But Omnipotence is able to combine a wide latitude and variety of form in each kind, with a strict and uniform preservation of its characteristic contour and arrangement. We have a striking exemplification of the above remarks in the variety of the human countenance. While the face of man is so entirely different from the face of every other animal, at the same time, among the hundreds of millions of the human family, how uncommon it is to find two faces that are very nearly alike.

21. In the animal world, we see remarkable examples of the preservation of regularity of form in the exact correspondence which exists so commonly between the two halves of the body. For example, the brain has two halves, which are precisely alike, and the same is true of the nerves which are distributed from it. And so of other parts. But, mingled with this symmetrical arrangement of parts, there are other parts which are irregular in their shape. This is the case with the stomach, the heart, the liver, &c. There are some animals which are altogether destitute of this arrangement of two similar halves of the body. The oyster is a familiar example. The shell of this animal is strikingly in contrast, in this respect, with the shells of some other of the bivalve tribe, as, for instance, the common clam.

22. There is a distinction between organized and unorganized substances, in regard to *size*, which must not pass unnoticed in this connection. The size of unorganized bodies has no fixed limit. A crystal or a rock may grow to any imaginable size, if the particles forming it are sufficiently abundant. But organized bodies have limits fixed to their growth. There is, it is true, more or less latitude to these limits; but they are so well defined in the case of most vegetables and animals, that when growth reaches much beyond or below the limit, it is recognized as a remarkable fact. Gigantic and dwarfish varieties are rare exceptions to the general rule.

23. The last distinction, between organized and unorganized

Difference between organized and unorganized in structure and elements.

substances, which I shall mention relates to their *structure*. While unorganized substances are made of one form of matter, either solid or liquid, or gaseous, organized bodies are made of a mixture of fluids and solids. They are therefore more or less soft and flexible; while the solid, unorganized substances are hard and brittle. There is a still further difference in structure. Organized substances are much more compound than the unorganized. Most of the unorganized substances are composed of only two or three elements. Thus, air is composed of oxygen and nitrogen, water of oxygen and hydrogen; and most of the mineral salts are composed of three elements—as, for example, carbonate of lime, or chalk, which is composed of oxygen, carbon, and calcium, the mineral base of lime. But organized substances are composed of at least three or four elements, and sometimes more. The four principal elements in the composition of organized bodies are, oxygen, nitrogen, hydrogen, and carbon. But there are other elements introduced for special purposes. Thus, carbonate of lime (a combination of calcium with two of the common elements, carbon and oxygen,) is diffused very generally throughout the textures of plants, giving them firmness and strength. In the grass tribe, siliceous matter is deposited under the surface, producing the necessary combination of strength and lightness, a very small quantity of the siliceous matter answering the purpose. In animals of the higher orders, phosphate and carbonate of lime compose in part the framework of the body. We find iron, too, in the blood. Of the fifty-four elementary substances discovered in mineral bodies, only eighteen or nineteen have been found in plants and animals, and some of these in very small amounts. The *essential* components of living substances are the four *non-metallic* elements mentioned above—oxygen, hydrogen, nitrogen, and carbon; while the bulk of the inorganic world is composed of the metals and their compounds, viz., the alkalies and the earths. And it is interesting to observe that, of the four elements which compose the bulk of the animal and vegetable world, both the fluids and the solids, three are *gaseous*, while but one, carbon, is a solid substance.

CHAPTER II.

THE DISTINCTIONS BETWEEN ANIMALS AND PLANTS.

24. HAVING pointed out in the first chapter the distinctions between organized and unorganized substances, I now proceed to consider the distinctions between the two classes of organized beings—animals and vegetables. I shall first notice those differences which are obvious when we look at the great majority of animals and vegetables; and shall then point out those which are *essential*, in order that we may have a clearer view of those exceptional cases, in regard to which it is somewhat difficult to decide to which of the two kingdoms they belong.

25. One of the most obvious distinctions is in relation to *locomotion*. The plant remains in one place; while the animal moves about, in the air, or in the water, or upon the surface of the earth. And the structures of the animal and the plant of course differ, so as to accommodate these two very different modes of existence. I will particularize. As the animal moves from place to place, it must, for this reason, if for no other, have an apparatus of nourishment and growth different from that of the plant. The plant, by means of its absorbents in the roots, takes up from the earth, in the form of sap, its nutrition, or food, as it may very properly be called. The moving about of the animal would in itself forbid its deriving its food directly from the earth, even if the earth contained the proper materials for its nourishment. Another contrivance must therefore be resorted to, in order to effect nutrition in its case. So a cavity is provided in its body, called a stomach, into which nutritious substances can be introduced. And this cavity is lined with absorbents, which there do for the animal just what the absorbents in the roots of the plant do for the plant.

26. Besides the stomach, there are other great central organs which are peculiar to most animals, in distinction from vegetables—as the heart, the liver, the lungs, &c. In the plant, there are no such central organs upon which the whole plant depends. Branches and roots may be cut off extensively, and even a large portion of the stem or trunk may be destroyed; and yet what remains of the plant may still live. And

even more than this. A small portion of it may be made to take root and live by itself. It is not so with most animals. Mutilation can not be carried far without injuring some large organ which is essential to the life of the whole; and no part taken from its extremities can be made in any way to live by itself.

27. Another obvious distinction is this. Animals are *sentient* and *spontaneously-moving* beings, while vegetables are not. The animal *feels* the action of agents upon it, and this it can not do without consciousness and thought. The evidences of the existence of consciousness and thought, and the consequent spontaneous motion, are very slight in some animals. Still, there is no doubt of their existence in these cases. We see these evidences plainly in the great majority of animals; and we infer, very properly, the existence of sensation and thought in those exceptional cases, where the evidences are doubtful or absent, as we find in them other marks of animal in distinction from vegetable life.

28. The distinctions which I have mentioned are those which we see generally existing. Let us see how far they are essential and universal.

29. The distinction in regard to locomotion, if we look at the animal as a whole, has its exceptions. There are some animals that are entirely confined to one spot during all their existence, as the coral animal and the sponge. But, while some animals are thus confined, they have the power of spontaneous motion in some of their parts, which is exercised for the purpose of obtaining food, and, in some cases, for the avoidance of danger. This power is not possessed by any plant. Some few plants, as the sensitive plant and the Venus catch-fly, (*dionæa muscipula*.) exhibit a property which resembles it, but it is essentially a different thing. In these cases, the influence of the stimulus that excites the motion is communicated from particle to particle, from the point where the stimulus is applied; and the motion is only in one direction, and not in various directions, as is the case with spontaneous animal motions. This can be very readily seen, if we compare the motion of the sensitive plant or the catch-fly with those of the little fresh-water polype, called the Hydra. This animal, of which I give you here an enlarged representation, and also a representation of its natural size, is found in ponds. It attaches itself to any floating object—a stick or straw, as seen in the Figure—by a kind of sucker. Thus supporting itself, it stretches out its long

Digestive cavity. Nervous system. None in plants.

arms, to take for its food any minute worm or insect which may float within their reach. When it catches one, it directs it to the mouth, *a*, which opens into the stomach or general cavity. Now, in doing all this, there is a variety, a compound character in the motion, which is in plain contrast with the simple motion of the leaves of the catch-fly and the sensitive plant.

30. The distinction, in relation to a digestive cavity, can not be made out in the case of some of the lower animals. And, if it could be, it is not an *essential* distinction. For it only relates to a mere difference of arrangement in the absorbents that take up the nutritious substance in the two cases. The absorbents in the stomach of the animal, as before remarked, perform the same office that the absorbents do in the root of the plant. They only do it in a different place, and after a different manner. The same remarks, substantially, can be made in regard to the other large central organs which are found in most animals.

31. The last of the distinctions, which I mentioned as being commonly observed, is really the essential distinction between plants and animals. I mean the capacity for sensation and spontaneous motion, which exists only in the animal. There is nothing truly analogous to this in the plant. And we, accordingly, find a peculiar structure in animals, devoted to these functions, and others connected with them. This structure is the nervous system. No trace of such a structure has ever been discovered in any plant. If there were any true analogy between animal motion and the motions of the sensitive plant and the catch-fly, we should be able to find in them traces of nervous structure; for the structure of these plants is so plainly developed, that its constituent parts are easily distinguished.

32. The nervous system is evidently not essential to nutrition, for this is as well effected in the plant as in the animal.

FIG. 1.



HYDRA.

This is accomplished in both in substantially the same way. The means by which it is done, and its arrangements are modified, as you have seen, in the two cases, to suit the differing circumstances. The nervous system, observe, then, is, for particular purposes, superadded in the animal to what is common both to the animal and the plant, and so constitutes the essential difference between them. And so, all the functions relating to nutrition, which are of course common to plants and animals, are called functions of *organic* life. But the functions which are performed by the system superadded in the animal, the chief of which are sensation and spontaneous motion, are termed functions of *animal* life. These are sometimes also called functions of *relation*, from the especial connection which they form between the animal and all that is around him.

33. These animal functions, sensation and spontaneous motion, imply thought and will. The order of action is this: sensation—thought in regard to it—action of the will in consequence of thought—then, from this action, an impression carried through nerves to organs termed muscles—motion in them from their contraction. This order, however, is not always observed. The first link, sensation, may be absent. Thought, without any preceding sensation, may prompt the will, and spontaneous motion results. The action of the will, too, may be left out, or may be in opposition. Thus, emotions may produce action of the muscles, the will not concurring, and perhaps opposing; as when we laugh at what is ridiculous, or weep at what is sad, in spite of restraining efforts dictated by the will.

34. There are also instinctive motions, and motions which are termed automatic, with which the will has no direct connection. And the connection of sensation with them is, in some cases at least, doubtful. The action of the muscles, in swallowing, breathing, &c., and the action of that compound muscle, the heart, are examples of motions more or less disconnected from the will, and also from sensation. The action of the heart is wholly removed from the direct influence of the will, and it is at least not obvious that it is influenced directly by sensation. It is influenced indirectly by both, through the agency of emotions awakened by them. The muscles of breathing, on the other hand, though ordinarily involuntary, may be directly influenced both by the will and by sensation. You can at will breathe faster and more deeply, and sensations of uneasiness in the chest modify the breathing.

35. For all these different actions, thus produced in different ways, there are central parts of the nervous system upon which the causes of these actions produce the impressions or impulses from which the actions result. Thus, when a sensation is followed by a spontaneous action of muscles, an impression is conveyed by nerves to the central organ; the will there acts, and the impulse there given by this action of the will is carried by other nerves to the muscles, which execute the intended movement.

36. These central parts or organs, which are the media, the instruments of impressions, are in different parts of the body of the animal; but the most important of them is what we call the brain. This part is developed most in those animals that give the greatest evidences of intelligence; and, therefore, it is more prominent in man than in any other animal.

37. It may be remarked, as a general truth, that the nervous system, and its associate or subordinate system, the muscular, are developed in different degrees or forms, to suit the different characters and wants of animals. In man, they are more complex and perfect than in any other animal. The brain, in him, is a large organ, occupying the skull. The spinal marrow, and other central parts, and the nerves, are largely developed. And the muscles which are moved by this nervous system form a large portion of the bulk of the body. The organs of nutrition, analogous to those which make up nearly the whole of the plant, occupy the two cavities of the trunk of the body, the thoracic and the abdominal. But, as we descend in the animal kingdom, the nervous system becomes continually less prominent, and the system of mere nutrition more so. We at length come to animals, in which the nervous system is a mere small appendage to the system of nutrition, and only serves to direct the muscles in securing the food of the animal. In some of these, we not only do not find a brain, but we fail to discover any traces of a nervous system. This is true of the Hydra, noticed in § 29.

38. The nervous system, which so clearly distinguishes most animals from all plants, is fairly presumed to exist, though in an exceedingly slight degree, in those beings in which it can not be found, but in which we find other characteristics of the animal kingdom. And it is presumed, also, that the exercise of thought and the action of the will, which most animals so plainly exhibit, while they become less and less obvious as we descend in the scale, are not wholly obliterated in the very

No nervous system in some animals; yet feeling and thought.

lowest animals. It may, perhaps, be said, that as muscular action, as mentioned in § 34, is sometimes produced even in man without the intervention of thought or the will, it may be produced in animals of the lowest order altogether in this way. But we may more rationally infer that, as the chief object of motion in them is the securing of food, it is guided by the action of a will in obedience to their sensations. In other words, it is truly a spontaneous, and not a mere automatic motion. And it is probable that there is in the very lowest of animals some degree, though it may indeed be slight, of enjoyment in the sensations received from the moving water about it, and from the satisfying of its wants in the process of nutrition. We will take the Hydra, a representation of which is given in Fig. 1, page 23, as an illustration of the above remarks. It is a minute gelatinous animal, in which no nervous or muscular fibres can be found. And yet it has an extraordinary power of extending and contracting itself. When it is alarmed, it draws in its arms, and shrinks into the form of a little globule; and if you should see it in this condition, you would not suspect that it had any arms or tentacula. But when it is searching for food, it often extends its body and its arms to a great length; and when it grasps its prey, it puts it into its stomach, which constitutes, so far as we can see, its whole body. We can not conceive of all these motions, thus executed to effect certain definite objects, without the agency of a will, and without sensations to prompt the will and guide the motions. The animal must have a power of choice, or it would put a bit of stick or straw into its stomach as readily as a worm or an insect. But the tentacula never grasp, among the various bits of things which float against them, any thing beside the appropriate food of the animal. And it undoubtedly enjoys its food as really, though perhaps not as vividly, as any human epicure; and has in some measure the same pleasurable sensations which locomotion produces in us, as it floats along so quietly, with its arms hanging down from its body. Though there be no nervous fibres to be seen in the loose gelatinous structure of this little creature, yet, as the phenomena which it exhibits are known to be produced by the nervous system in those animals whose structure is more plainly and thoroughly developed, we justly infer that there must be nervous matter, in some form, in this and other similar animals.

39. One more important distinction between animals and

plants remains to be noticed. It relates to their chemical composition. I stated, in § 23, that organized substances are composed mostly of four elements—oxygen, hydrogen, nitrogen, and carbon. Plants differ from animals, in having but little nitrogen in their composition. It was formerly supposed that they contained none of this element. It is found only in particular parts of plants, as the seeds. We may regard carbon as the most characteristic constituent of vegetables, and nitrogen of animals. And in this connection it is interesting to observe that, while carbon is largely thrown off from the lungs of animals, in the shape of carbonic-acid gas, it is as largely absorbed by the leaves of plants. Of this fact I shall take more particular notice when I come to the subject of respiration.

CHAPTER III.

MAN IN HIS RELATIONS TO THE THREE KINGDOMS OF NATURE.

40. MAN is commonly spoken of as being at the head of the animal kingdom, and in the book of the naturalist is made an order of the class termed Mammalia. As the basis of the whole classification is mere material organization, and has no reference at all to mental or spiritual endowments, the classification, in regard to man, is in its principle correct. At the same time, it must be admitted, that it fails to recognize altogether the *essential* distinctions between man and other animals. These distinctions, making, as they do, a wide gap—"an impassable chasm," as Professor Guyot expresses it—between man and the inferior animals, are to be found in certain peculiar spiritual endowments which man possesses. These I will notice now in the briefest manner, leaving it for another part of this book to treat more fully of this and other kindred subjects. One of these endowments is the power of *abstract reasoning*. Other animals in a certain sense reason, that is, they make inferences; but they never arrive at any general or abstract truths. Another endowment is a moral one, linking man in his spiritual nature to the Deity. It is *conscience*, or the knowledge and sense of what is right, in distinction from what is wrong. Other animals, in obedience to the passions of fear and love,

sometimes appear to the superficial observer to have an idea of what is right, as such; but there is not the slightest evidence that they really have any such knowledge.

41. In view of these endowments of man, it is wrong to consider him merely as being at the head of the animal kingdom. He is something more than this. He is so much and so distinctly more, that the accepted classification of him, on the ground of mere difference of organization, gives a most inadequate idea of his true position in the scale of being. It leaves entirely out of view the *essential* distinctions; and it separates man from other animals, as you will see, by a distinction of organization which is of rather a trivial, perhaps questionable, character.

42. The force of this view of the subject is enhanced, if we take into consideration that great fact, revealed to us by God in his Word, that man is destined to *immortality*. It may be objected that, as this fact is learned only by revelation, and not by observation, it is not to be regarded as a scientific fact. But, granting that there is truth in the objection, it certainly is allowable to allude to the revelations of Scripture, as confirming or enforcing views developed by scientific observation. This is all that I have done in this case. The view which I have presented is based upon endowments that are recognized by the scientific observer, without the aid of revelation; and I appeal to the revealed fact of man's immortality, as adding force to this view, and not as being at all necessary to the establishment of its truth.

43. Let us look at this subject in another point of view. The grand essential distinction between animals and plants lies, as you have seen in the last chapter, in the fact that animals have a nervous system. Now, with this system, as you have also seen, appear certain mental manifestations. These differ widely in different animals, and are most prominent in those in which this system is most prominent and complicated. As we trace upward these complications, when we come to man, we find certain mental manifestations, which separate him by "an impassable chasm" from all other animals. Till we arrive at him, the difference is one of *degree*, for the most part. But in his case it is a difference of *kind*, and a very wide one. Of such a difference the naturalist should certainly take very distinct cognizance; and, if it be not consistent for him to do so in his classification, great force and prominence should be given to these views in his instructions on this subject. As the super-

The hand of man. No other animal really has such a member.

adding of the nervous system separates the animal from the plant, so, also, as Professor Guyot very justly maintains, the superadding of such endowments as we find in man separates him, by a chasm quite as "impassable," from other animals.

44. The distinction commonly received as the ground of classification for man, I have said, is a trivial, perhaps a questionable one. He is said to have two hands, and so makes the order Bimana; while apes and monkeys are said to have four hands, and are, therefore, considered as making the order Quadrumana. Now, if we observe carefully and fully the wonderful endowments of the human hand, we shall hardly be willing to allow that monkeys and apes have four such members. With a full view of the capabilities of the human hand, those members can not be considered as hands, but as members possessing some of the properties of both hands and feet. They are given to these animals to enable them to climb with facility, and to grasp their food; and they have none of that infinite variety of motion, which is so striking a peculiarity of the hand of intelligent man. The ground upon which they are said to have four hands is that which is thus stated by Cuvier. "That which constitutes the *hand*, properly so called, is the faculty of opposing the thumb to the other fingers, so as to seize upon the most minute objects." No animal besides man has this arrangement, except the Quadrumana. It is claimed, therefore, that they have hands, although they are very imperfect when compared with the hand of man. The imperfection is indeed so great, as to make us at least reluctant to admit the claim set up by the naturalist. "While," says Carpenter, "the thumb in the human hand can be brought into exact opposition to the extremities of all the fingers, whether singly or in combination, in those Quadrumana which most nearly approach man, the thumb is so short, and the fingers so much elongated, that their tips can scarcely be brought into opposition, and the thumb and fingers are so weak, that they can never be opposed to each other with any degree of force. Hence, although admirably adapted for clinging round bodies of a certain size, such as the small branches of trees, &c., the extremities of the Quadrumana can never seize any minute object with such precision, nor support large ones with such firmness, as are essential to the dexterous performance of operations for which the hand is admirably adapted." Indeed, what is called the thumb of the Quadrumana is so short and slender, that Eustachius, the anatomist, very properly said that, regarded as an

Other peculiarities. Chin. Erect posture. Weeping and laughing.

imitation of the thumb of man, it is a ridiculous affair. If then, we take into view the extensive and varied capabilities of the human hand, we must agree with Sir Charles Bell, when he says that "we ought to define the hand as belonging exclusively to man." This view of the subject has always impressed itself upon the minds of acute observers in all ages. Aristotle said, that man alone possesses hands deserving of the name. Anaxagoras said, that "man is the wisest of animals, because he possesses hands." And the opinion, thus uttered by these philosophers some centuries before the Christian era, is fully echoed at the present time.

45. It would seem, then, that, if mere organization be adhered to, as the basis of classification, it is desirable that some ground of distinction in relation to man be fixed upon, which is more definite than the commonly received one. It is to be remembered, however, that, in classification, some one very obvious peculiarity that presents itself to the eye is ordinarily made use of as a mark of distinction, while accurate and full discriminations are followed out entirely separately from the mere classification. This is done in the case of man. His structure differs in *many* respects from that of the inferior animals. It would make this chapter too long to point out all the differences. Some of them are important, while others are not. As an example of the latter, I will mention the fact, that no animal but man has a *chin*. Every other animal has its lower jaw retreating from the teeth, instead of projecting forward below, as in man. One of the most important and striking peculiarities of man's structure is that general arrangement which enables him to be in the *erect posture*. No other animal naturally assumes this posture, or is able to maintain it for any length of time; and most animals assume one which is entirely the opposite of this. Even the monkey, when taught by man to stand and walk, is by no means erect; but his lower limbs are crooked, and the moment that he escapes the necessity of being an imitator, he is on all fours. There is a distinction of an interesting character, which concerns both the nervous and muscular systems. I refer to the fact, that no animal but man can shed tears, or perform those muscular motions which are necessary to the acts of weeping and laughing. In view of this marked distinction, man has sometimes been designated as "a laughing and crying animal."

46. But the great essential distinctions, to which all the rest are really tributary, are, as I have before stated, of a mental or

spiritual character. And these should always be made peculiarly prominent, whenever the distinctions between man and the inferior animals are treated of by the naturalist. This should be done, not only because they are essential, but also because, as I have just hinted, all other distinctions are subordinate and tributary to them. It is the mental peculiarities of man, for the most part at least, that render necessary those peculiarities which distinguish his organization from that of other animals. I will not dwell on this point, as I shall speak of it in another part of this book.

47. In view of this whole subject, it may be said, that the classification upon which I have commented is not of itself of very great importance, provided that the definite distinctions, which have been pointed out as existing between man and other animals, be clearly recognized by the naturalist. The tendency, however, evidently is, to lose sight of these distinctions in the exclusive regard which is paid to mere material organization. This tendency, it is true, is effectually counteracted in the case of the great majority of scientific men, by the comprehensive and Christian views which they take of the whole subject; but, still, it manifestly exists, and gives rise to many sceptical notions, especially in superficial and theorizing observers. Great care, then, should be taken to oppose this tendency in all public teaching on this subject, whether it be done by books or lectures.

48. There is a disposition, on the part of some writers, to obliterate the grand distinction between man and the inferior animals, and other distinctions which are stamped by the Creator upon his works. Some go so far as to maintain, that there is not only no line to be drawn between the animal and the vegetable kingdoms, but none even between organized and unorganized substances. Robinet, and many other European authors, teach that all matter has living properties, and that every object that we see, whether mineral, vegetable, or animal, is the result of repeated and progressive efforts of nature. The ultimate aim of these efforts is considered to be the formation of man, who is looked upon as the perfection of organization evolved by these efforts. In advocating this theory, they make great use of resemblances and analogies, and even represent the fantastic shapes which minerals sometimes assume, from their slight resemblance to parts of the human body, "as so many proofs," in the language of Carpenter, "of this long and bungling apprenticeship of nature to man-making." Although

such ridiculous doctrines are seldom formally advanced, there is a disposition in many scientific men to indulge in speculations which have more or less resemblance to them. They seem disposed to confuse with the veil of mystic scepticism the clear characters which God has imprinted upon the manifestations of his power. It is well, therefore, to fix these characters definitely in the mind, in order to guard against the fascinating and bewildering speculations of a false science. A true science, forsaking the mazes of speculation, and inquiring only for the facts, reads with admiration and reverence the clear lines of God's handiwork, and attributes to no imaginary agency, termed Nature, what bears the marks of exquisite design and Almighty power.

49. An idea, somewhat akin to that of Robinet, is sometimes entertained, viz., that the varieties in the mineral, vegetable, and animal kingdoms are mere gradations in nature. There would be some plausibility in this notion if it were difficult to distinguish the minerals of the most perfect kind from the lowest plant, and then the plants of the highest order from the lowest animal. But the difficulty lies in other quarters. The most perfect in the three kingdoms are distinguished from each other in the most marked manner; and it is only when the characteristic qualities are the least developed that there is any difficulty. One kingdom is a no more perfect formation than another. The crystal, with its exact lines and angles—the plant, with its curvilinear and less definite shapes—and the symmetrical animal, are equally perfect in their kind. Each is made for a definite purpose, and is perfectly adapted to that purpose. In none is there any imperfection which could be remedied by endowments taken from another kingdom of nature. In the vast variety of forms which nature presents, there is to be seen no vain struggling after a higher and better state. There is no progressiveness, aiming at an ideal perfection. Neither are there gradations leading to it. All the works of the Creator are perfectly adapted to the spheres which they fill. They were all, from "man, made in His image," down to the humblest animal or plant, pronounced to be "very good," as they came from His hand.

50. Let me not be understood to say that there are no gradations in nature. There are some of a very interesting character; but they do not obey any such laws as those which are indicated by Robinet and other fanciful theorizers. There are gradations in both the animal and vegetable world. You ob-

serve them as you go from the simplest plant up to the most complicated. And so of animals. But these two kingdoms of nature are separate in their gradations, and are not in one series together, as is represented by Robinet. And the gradation in each kingdom is by no means an unbroken and regular one, going up, step by step, from the lowest to the highest. For example, in the animal kingdom, there are not constant and regular additions made, as you trace the gradations upward. And though man stands at the top of the series, it is not as a compound, made up of all the excellencies found below him, with additional excellencies peculiar to himself. Superior as he is, as a whole, to all other animals, yet in some respects he is inferior to many of them. He is inferior to them in the wonderful capabilities of instinct. Some animals can do some things better than he can. The monkey is a better climber. Some animals can do what he can not. Birds and winged insects fly, but he can not. These points could be illustrated to any extent, but this will suffice.

51. Man is often spoken of as being the most *perfect* of animals. This, as you will see from what was said in a previous paragraph, is not true in the strict sense of the word. His organization is more complicated, and he has more and higher endowments than any other animal; but the perfection of structure, and of adaptation in contrivance to the purposes aimed at, is as manifest in all the varieties of animals as it is in man.

52. In one respect, there is a gradation existing through the three kingdoms of nature. It is in regard to formation or nutrition. All the elements which are found in the composition of animals exist in the mineral world. But these elements, with very few exceptions, can not be transmitted *directly* to animals, but they are transmitted indirectly through vegetables. No animal, therefore, can live on mineral substances, although these substances contain all the elements found in its composition. But vegetables draw their nutriment from the mineral world, and then furnish nutriment to animals. There is, therefore, in relation to formation, a gradation running through the three kingdoms, from the mineral up to the animal.

53. At the summit of the last step in this gradation stands man. To him, not only is the animal kingdom tributary, but so, also, are the mineral and vegetable kingdoms. They are all made for him, to beautify and gladden this his temporary home,

All nature tributary to man. Imperfectly so.

and to sustain him in it. The subjection of them to him was undoubtedly perfect in his primeval condition of innocence in the garden of Eden. But now, we see this tributary subjection manifested only as a general fact, with many exceptions. These mark this life as the imperfect state, and this world as the temporary home of man, in which he can prepare himself for the perfect and everduring state and home of another life beyond.

PART SECOND.

CONTAINING,

CHAPTER IV.—GENERAL VIEWS OF PHYSIOLOGY, WITH A BRIEF ACCOUNT OF SOME OF THE STRUCTURES IN THE BODY. CHAPTER V.—DIGESTION. CHAPTER VI.—CIRCULATION. CHAPTER VII.—RESPIRATION. CHAPTER VIII.—FORMATION AND REPAIR. CHAPTER IX.—CELL LIFE.

CHAPTER IV.

GENERAL VIEWS OF PHYSIOLOGY, WITH A BRIEF ACCOUNT OF SOME OF THE STRUCTURES IN THE BODY.

54. THE contents of the previous chapters are preliminary to the consideration of the real subject of this work, the Physiology of Man. But they were necessary, in order to accomplish a very prominent object which I have in view. It is my wish that the student, as he examines the functions of the human system, should at the same time observe the analogies existing between man and other living beings, in the processes of life. He will, in this way, get an enlarged view of man in his relations to the world around him, and will be prompted to observe the phenomena of life, in whatever department of nature they may be presented to his view. And, in order to promote this object effectually, I shall, as I proceed with the development of the physiology of man, refer occasionally to the analogous phenomena in other animals, and also in plants. This will serve to fix more definitely in the mind of the student the main facts that are to be communicated, at the same time that the boundaries of his knowledge will be extended over fields full of interest.

55. This is a work on Physiology, and not on Anatomy. Physiology treats of the offices or functions of the different parts of the structure, while Anatomy has regard to the structure itself. In the following pages, I shall introduce the anatomy of the system only so far as it is necessary to elucidate its physiology.

Before proceeding to an examination of the individual subjects which will claim our attention, it will be proper to present some general views of them in their relations as a whole.

56. You have seen, in the preliminary chapters, that organized living beings have much that is common to them all. This is true so far as nutrition is concerned. You have seen that the animal grows very much as the plant does, and that the arrangements for its growth vary from those of the plant only so far as the difference of the source of its nourishment, and of the circumstances under which it is obtained, require. The grand distinction, as you have seen, between animals and vegetables is to be found in the functions belonging to the nervous system. These functions are wholly separate from the *nutritive* functions, which animals perform in common with plants.

57. This view of the subject suggests a natural division of the physiology of man into two parts, viz., the nutritive functions, and the animal functions, or those connected with the nervous system. In other words, the first division will comprise all those subjects which relate to the *building* and *repairing* of the human structure; and the second will comprise those which relate to the *uses* for which the structure is made. The first class of subjects includes digestion, circulation, respiration, formation, and excretion. The second class includes locomotion, sensation, the five senses, the voice, instinct, thought, &c.

58. The student will see at one glance, that a wide range of exceedingly interesting subjects opens before him. Contemplated as a mere mechanism, the human system is full of wonders. The principles of common Mechanics, of Hydraulics, of Pneumatics, of Optics, of Acoustics, are abundantly illustrated in the human body, by contrivances of the most exact and exquisite adaptation. But this congeries of beautiful mechanisms is all regulated by a nervous system, making it, by its minute fibres, to be alive with feeling in every part. Sensation and sympathy govern, through the nerves, in a wonderful manner, the ever-varying adjustments of all the parts of the complicated system. It is not only mechanism, but living mechanism, that develops to us its wonders, so numerous and diversified. And then, when we look at the soul—"that side of our nature which is in relation with the Infinite"—connected as it is by the nerves with every part of this mechanism, the interest of the study before us appears exceedingly great, and its variety never ending. The study is a peculiar one. It is not the body merely that you are to study in these pages; but it is the body and spirit united. The study differs from all others in this respect. In other studies, you look at either matter alone, or

Bones. Two parts, animal and mineral. Cartilages.

spirit alone; but here you look at them both, as brought together in mysterious union.

59. It will be proper, here, to say something in general of the structure of the human frame, before proceeding to a particular view of individual subjects. I do this in order to avoid a frequent turning aside for explanation, which would not only be inconvenient, but would mar the interest of the study. It will not be necessary to go into a full description of the numerous and diverse textures, or tissues, (as they are commonly called,) of the body. I will notice only some of the principal of them.

60. From the osseous or bony tissue, the solid part of the framework of the body is made. Bone is composed in part of animal matter, and in part of mineral. The mineral part is mostly phosphate of lime. These two parts of bone are in different proportions to each other in the different periods of life. The mineral part in the child is about one-half of the bone; in the adult, four-fifths; and in the old, seven-eighths. The bones are therefore very brittle in old age, while they are somewhat yielding in childhood. The mineral and the animal portions of bone can be separated from each other. If a bone be put into diluted muriatic acid, the mineral part will after a time become united with the acid, and the animal part will be left, having the perfect shape of the bone. Thus separated from the mineral part, it is so flexible, that it can be tied into a knot without affecting its shape. On the other hand, by subjecting a bone for some time to the action of heat, the animal part can be removed, and the mineral part be left by itself.

61. The animal part of bone is cartilage, or gristle. This part is formed first, constituting a sort of mould, in which the bone is to be formed. The mineral matter is gradually deposited in the cells of the cartilage. In the very young child, you can see that this process is not completed, especially if you observe the bones of the head. The bones are not united together, as they are in the adult; and there is so little of mineral matter near their edges, that they can be bent with a very slight pressure. The proportion of mineral matter which is deposited in the cartilaginous bones varies much in different animals. In many fishes, there is almost none of this deposit, the skeleton retaining its cartilaginous character throughout life.

62. Besides the cartilaginous portion of bones, there are car-

tilages which are destined to remain so, instead of having mineral deposits made in their cells. The ends of the bones are tipped with them. They are placed between all the twenty-four bones of the spinal column. They form the connecting links between the breastbone and the ribs. Cartilage constitutes the body of the outer ear, of the eyelids, and of the lower part of the nose. The transparent part of the eye is formed of cartilage. This substance is placed wherever firmness and tenacity are required without hardness.


63. The bones are united together by ligaments of various degrees of strength, according to the necessity of the case. They are moved by muscles, which, in man, are bundles of reddish fibres. Muscular substance is what is commonly called the *meat* in animals. It is of various colors in different animals, or in the same animal at different periods of life. All motion in animals is produced by muscles. I will not go into an explanation of their action now, any further than to say, that they act by contracting or shortening their fibres. Commonly there are tendons united with the muscles. These tendons are composed of strong white fibres, and have no power of contraction themselves. They serve merely as the cords by which the contracting muscles move the bones and other parts.

64. The most common tissue in the body is what is called by the names, cellular membrane, cellular tissue, and areolar tissue. This last name is most commonly used by physiologists at the present time. The word areolar comes from the Latin word *areola*, meaning a small open space. The term is appropriate, because this tissue is filled with minute spaces or cells. The word cellular is quite as appropriate; and, as this will be more familiar to you, I shall make use of it whenever I shall have occasion to speak of this tissue. That you may understand what this tissue is, I will refer you to its appearance as you see it in different meats. It is the delicate white substance that you see between the different layers of muscle in a piece of meat. If you notice particularly, you will see that it is also between all the different fibres of the muscles. As the spaces or cells communicate together, butchers sometimes "blow up" this tissue in veal, in order to make the meat look more plump. This tissue is the universal packing material of the body. It is to be found almost everywhere. It surrounds every thing,—vessels, nerves, muscles, organs, &c. It enters into their composition, uniting together different tissues, and

Communication between cells of cellular tissue. Shown in dropsy.

also the fibres of the same tissue. It varies much in its compactness in different parts. It is very fine and compact where it is necessary that it should be so; while in other cases it is loose and delicate, allowing a free motion of the parts which it envelops and connects together. It is abundant and loose among the muscles, and between them and the skin. Fig. 2 represents a portion of cellular tissue, inflated and dried, exhibiting the arrangement of its larger meshes. This is magnified twenty diameters. The free communication which exists between the interstices or cells in this tissue is exemplified in dropsy. These cells are bathed, in the healthy state, with a small amount of a watery fluid; and when this increases largely, forming the disease termed dropsy, it obeys the force of gravity in the cells, and accumulates most in the lowest parts of the lower extremities. This tissue is very elastic in health, so that if you press on the skin, there is no indentation left when the pressure is taken away, for the elastic cellular tissue at once rises from its state of compression, pushing the skin before it. But in dropsy it loses its elasticity by over distension; therefore there is pitting, as it is termed, after removing the pressure. We sometimes have an opportunity of seeing the communication between the cells manifested by the introduction of air into them. This has occurred in some cases in which an opening has been made, by disease or accident, from the air tubes in the lungs into the cellular tissue in the walls of the chest. The whole body has been seen largely swollen, from the air which has from this cause accumulated in this tissue directly under the skin. Among the many tricks of impostors, the inflation of the cellular tissue of the head has been practised; and as it produces a frightful appearance, and therefore excites pity, the trick is a very successful one.

FIG. 2.



CELLULAR TISSUE.

Deposits of fat. Its uses. How kept in its cells. Mucous tissue.

65. There are here and there in the cellular tissue deposits of fat. Various purposes are answered by these deposits. They are sometimes of use in promoting a free motion of the adjacent parts. The eye has, intervening between it and the bony socket, a cushion of fat, on which it rests, and against which it is pressed when any violence is offered to it. Fat, as a non-conductor, is a protection against the cold, and it is therefore deposited largely in the cellular tissue under the skin, in animals that inhabit cold climates. Fat, also, sometimes serves as nourishment to the system when its necessities require it. In diseases in which food cannot be taken in any amount, the fat is absorbed into the system. The heat of the body is maintained also, in part, by this process. This occurs in the torpid condition of hibernating animals. They commonly become very fat in autumn, as a preparation for the winter, and in the spring they come forth very lean, their store of fat having been used up for the purposes of nutrition and heat during their confinement. The fat thus deposited in the cellular membrane or tissue is not diffused merely in the interstices, but it is confined in cells of its own, which lie in these interstices. Minute blood-vessels pass from the fibres of the cellular tissue to these fat cells. The fat, which is an oily fluid, is kept from oozing through the pores of the cells that hold it by the blood, which is very nearly four-fifths water, and by the watery fluid which I have spoken of as bathing all the interstices of the cellular tissue; for oil, you know, will not pass through any porous substance that is wet with any watery fluid. If a portion of cellular membrane containing fat be dried, the fat, which in the moist state is wholly confined to its cells, now oozes through their pores. This is the reason that a lump of fat, as it is called, feels so oily after it has been exposed for a while to the air.

66. The mucous tissue is that which lines all the cavities of the body that have outlets. It lines the mouth and the cavities of the nose, and descends into the lungs, the stomach, &c. It takes its name from the fluid called *mucus*, which is constantly secreted by innumerable minute glands, that are situated in the substance of this membrane. The chief object of this viscid fluid is to protect the membrane from the substances which come in contact with it, which would otherwise produce some irritation. This membrane is continuous with the skin, shading off into it insensibly, as you may observe on the lips.

67. The serous tissue or membrane forms the outer coat or

 Serous membranes. Compound character of the organs.

lining of nearly all those organs the inner coat of which is mucous membrane. This is the case with the lungs, the stomach, and the intestines. The serous membranes are white, smooth, and shining, and are lubricated with a watery fluid, called *serum*. Every serous membrane forms a cavity or sac without an outlet, differing in this respect entirely from the mucous membranes. Thus, in the case of the lungs, the serous membrane lining the outside of each of these organs passes from the lungs to the walls of the chest, lining the inside of them, and thus makes a sac without an outlet for each lung. This sac could be dissected off, and taken out whole. When the fluid which lubricates the inside of this sac increases to any extent, the disease called dropsy in the chest is produced. The membrane which thus lines the outside of the lungs and the inside of the walls of the chest is called the pleura, and it is the seat of the disease termed pleurisy.

68. I have thus described some of the principal of the tissues which make up the human structure. The other tissues will be spoken of in the proper connection as we proceed. Before dismissing this subject, I will call your attention to the fact, that the organs of the body are generally composed of several tissues united together. Thus, the stomach has three coats, as they are termed,—the mucous as the inner coat, the serous as the outer, and the muscular between them. And then we have the cellular tissue uniting these together. Besides these, there are arteries, and veins, and nerves, so that the stomach, which looks like a simple pouch, is really quite a composite thing. And the same can be said of the other organs.

69. Before entering upon the particular consideration of the functions by which the system is built up and kept in repair, it will be well to take a general view of them, that you may see them in their connection and mutual dependence. Each of these functions has its special and appropriate part to play, in effecting the formation and repair of the structure. The material from which all parts of the body are formed and repaired is the blood. There are organs whose special duty it is to make this material; organs which distribute it; and organs which use it after it is distributed. There are also organs whose duty it is to receive the blood after it has been used, and fit it to be used again. This common building material of the body is made out of the food; and the succession of processes by which it is done I will describe in the next chapter. After it is made, it is distributed by the complicated apparatus of the

circulation. This apparatus is therefore the common carrier of the building material of the system. It is the numberless little formative vessels, so small as to be invisible to the naked eye, that use the blood thus brought to them, and make and keep in repair all the various structures that we see in the body. When the blood has been used by these formative vessels, it is not fit to be used again until it is submitted to a purifying process by exposure to air; and to this particular object the lungs are devoted. And besides all this, as there are continually some particles which, in the wear and tear of the machinery, become useless, and even injurious, they must be got rid of in some way; and so there are organs for this purpose—organs of waste, as they are termed. It is also to be remembered, that the processes to which I have now alluded are so carried on, that the heat of the body, as will be fully explained hereafter, is steadily maintained. In the following chapters of this part, I proceed to a particular examination of the functions of which I have now given a brief summary.

CHAPTER V.

DIGESTION.


70. I SHALL include, under the term digestion, all those processes which are necessary to effect the separation from the food of its nutritious portion, and the introduction of it into the circulation. A summary of these processes may be thus given. The food is broken up and ground in the mouth, and it is at the same time mixed with the saliva. It is then taken into the stomach, where it is kept in constant motion, and is under the solvent action of a fluid of a peculiar character. When it is brought into the right condition, it is passed from the stomach into the intestines. Here it is acted upon by two fluids, the bile, the secretion of the liver, and the secretion of another gland, the pancreas or sweet-bread. These secretions have some agency in separating from the mass its nutritious portion, and this is taken up or absorbed, in the form of a milky fluid, by little vessels lying on the surface of the inner membrane of the intestine. These vessels unite together to form a large tube, and through this the milky fluid is poured into the circulation, to replenish the blood.

Mastication. Teeth various, according to different kinds of food.

Having given this summary of the processes which make up digestion, I proceed to speak of them more particularly in the order of their succession. In doing so, I shall notice some of the points in which other animals differ from man, in regard to these processes and the arrangements of the apparatus of digestion.

71. Mastication is an important part in the process of digestion. The teeth, which perform this act, are very hard bodies. The body of a tooth is composed of two substances. The inner part is called the ivory, and the outer is called the enamel, which is exceedingly hard. The teeth are of different shapes for different modes of action. There are long and pointed teeth, for tearing; others, for cutting, which have a sharp edge; and others, for grinding, having for this purpose a broad and irregular surface. The teeth are differently shaped in animals, according to the kinds of food which they eat. Thus, the herbivorous, or vegetable-eating animals, have grinding teeth to bruise their food; while the carnivorous, or flesh-eating animals, have sharp-edged teeth and long-pointed teeth, by which their food is torn and cut in pieces. And it is to be observed, that the movement of the jaws always corresponds with the character of the teeth. In the carnivorous animals, the motion of the lower jaw upon the upper is a mere up-and-down, or hinge-like motion. As they have no grinding teeth, there is no need of any lateral or grinding motion. But in the animals that have grinding teeth, there is a lateral motion, to enable them to grind. You see this difference very plainly, if you observe the dog and the horse while they are eating. In Fig. 3, you see represented the teeth of a carnivorous animal. The front teeth are long and pointed, for rending, while the back

FIG. 3.



TEETH OF CARNIVOROUS ANIMAL.

FIG. 4.

TEETH OF HERBIVOROUS
ANIMAL.

 Man an omnivorous animal.

teeth have a sharp edge for cutting. In Fig 4, you see represented the broad and irregular grinding surfaces of the teeth of herbivorous animals. In animals that live on insects, the teeth present conical points, which press into corresponding depressions in the opposite jaw, as represented in Fig. 5. In those that live on soft fruits, the teeth are rounded, as in Fig. 6. These are quite in contrast with the tearing teeth of the carnivorous, and the grinding teeth of the herbivorous.

FIG 5.



TEETH OF INSECTIVOROUS ANIMAL.

FIG. 6.

TEETH OF FRUGIVOROUS
" ANIMAL.

72. There is an arrangement of the enamel and the ivory in the teeth of the herbivorous which ought not to pass unnoticed. Instead of having the enamel cover the ivory, as in the teeth of the carnivorous, the two substances are arranged in upright layers, as seen in Fig. 4. The object of this is plain. The ivory wears away faster than the harder enamel, and, therefore, the surface of the tooth always presents projecting hard ridges, fitting them for grinding thoroughly. A miller would say, that these are stones that never need picking.

73. So perfect is the correspondence of the teeth with the kind of food on which the animal lives, that the skillful naturalist can infer very correctly, from the examination of the teeth of an animal alone, the character of the food on which it lives, and even the general arrangement of its structure. As man has the three kinds of teeth which I have noticed, he is said to be *omnivorous*, or an eater of all kinds of food. In him, the front teeth are the cutting ones; what are called the stomach and eye teeth are the tearing ones; and the large back teeth are shaped for grinding. It will be observed that the tearing teeth, as they have not a very sharp point, and are no longer than the other teeth, have but little power when compared with the long and sharp tearing teeth of a carnivorous animal, as seen in Fig. 3. As man can make use of instruments to cut

Whales have no teeth. Substitute for teeth in birds.


his food in pieces, he does not need such power in his teeth as carnivorous animals have. Allowance should be made for this in estimating the amount of carnivorous adaptation in man.

74. There are a few of the Mammalia that have no teeth. This is the case with the common whale. In his case, instead of teeth, there hang down from the upper jaw, as represented in Fig. 7, plates of a fibrous substance, called whalebone, which have their fibres separated at their free extremities, so as to make a sort of sieve. This is intended to catch the little gelatinous animals, which the whale devours in great numbers.

FIG. 6.



FIG. 7.



WHALEBONE.

SKULL OF WHALE.

For this purpose, he draws in the water, making it to pass through this sieve, and then expels it from the nostrils or blow-holes. Birds, too, have no teeth. Their place is supplied by a contrivance in the stomach itself, for the breaking up of the food. This will be described in another part of this chapter.

75. While the food is cut and ground by the teeth, it is at the same time thoroughly moistened by the saliva, which is poured forth from certain glands in the neighborhood. There are three pairs of these glands. Fig. 9 shows the glands on one side. The parotid gland, 1, is the largest. This is situated in front of the lower part of the ear. It is the seat of the swelling in the disease called mumps. Its duct, 2, passes over one large muscle and between the fibres of another, and pours its contents into the mouth opposite the second small grinder of the upper jaw. If you press on this part of the cheek, you can

 Formation of the saliva. Three pairs of salivary glands.

FIG. 9.



SALIVARY GLANDS.

feel in the mouth an increased flow of the saliva. The submaxillary gland, 3, is situated inside of the lower jaw at its lower part; and its duct, 4, opens into the mouth at the side of the frænum of the tongue. The sublingual gland, 5, lies under the tongue, and discharges its secretion by a duct at the side of that organ. These saliva factories, as we may term them, are in much more active operation at some times than at others. They are especially active when we are eating; and it is commonly estimated that, during an ordinary meal, about eight ounces of saliva are poured into the mouth. This large amount is wanted to moisten the food thoroughly before it is swallowed; and it is supposed, also, that it has some chemical influence in preparing the food for the action of the gastric juice in the stomach. More saliva than usual is needed, also, when we are speaking, in order to keep the parts properly lubricated, for the passage of the air in and out during speaking dries up the saliva by evaporation. And, accordingly, the motion of the parts at such times stimulates a larger flow, just as pressure on the cheek will do it, as before remarked. This result is favored by the arrangement of the duct of the parotid gland, which, as you have seen, passes over one large muscle, and then through the body of another. Chewing any thing excites

Flow of saliva affected by sympathy. Swallowing.

an increased flow of the saliva; and the tobacco chewer does a real injury to the salivary glands, by keeping them constantly in excessive operation, in addition to the ruinous effects of this drug on the system at large. When he eats, these over-worked factories can not turn out as good an article as they should, nor will it be in sufficient quantity.

76. It is supposed that, besides the mere mechanical stimulus of the motion of the parts, the stimulus of sympathy is also concerned in exciting these glands to increased action. The glands are supposed to be affected in this way by the stimulation of the food on the surface of the mouth, about the orifices of their ducts. That sympathy does have an influence on their secretion is evident from the very familiar fact, that the thought of food will often, as it is expressed, cause the mouth to water.

77. The fact, that these glands do not all secrete the same kind of fluid, has led to an interesting discovery in relation to them. The submaxillary glands secrete rather a viscid fluid, while that which is poured forth by the parotid and sublingual glands is perfectly limpid. Now, it has been found, by various observations and experiments on animals, that while the teeth are cutting and grinding the food, and the parotid and sublingual glands are pouring out the saliva to moisten it, no secretion comes from the submaxillary glands. But these glands pour out their viscid fluid the moment that the tongue thrusts the food back towards the throat, in the beginning of the act of swallowing. The special object of this viscid fluid is then to cover the food, so that it may, to use a common expression, slip down easily into the stomach; and it has nothing to do with the moistening of the food, this being the particular office of the other two pairs of glands.


78. When the food has been ground by the teeth, and moistened by the saliva, it is carried by the act of swallowing into the stomach. This act, simple as it appears to you, is a very complicated one, and is performed by the conjoined and agreeing action of many different muscles. The food is first thrust back over the surface of the tongue into the large cavity in the back of the throat, called the pharynx. In the pharynx are the openings of two tubes—the œsophagus or gullet, which is the passage into the stomach, and the trachea* or windpipe, the passage to the lungs. As the œsophagus lies behind the

* This term is sometimes used, as here, to mean the whole of the tube conducting to the lungs, including the larynx, which is at the top of this tube, and sometimes it is restricted to that part of the tube which is below the larynx.

Parts employed in swallowing. Office of the epiglottis.

trachea, the food, in passing to it, must go directly over the opening into the trachea. To prevent the food from entering the trachea, therefore, there is a little tongue-shaped body, called the epiglottis, extending back from the root of the tongue, and acting as a lid to the glottis, the opening into the trachea. When we are swallowing, this lid is shut down; but it is always raised up when we are breathing or speaking. When we swallow, not only does the lid shut down, but the larynx rises to meet the lid, as you may readily perceive, if you place your fingers upon what is called Adam's apple while you are swallowing. With the aid of Figures 10 and 11, all this will be very clear to you. In Fig. 10, you have a *side* view of the parts engaged in swallowing, as if the head were divided into two halves by a vertical section. At *i*, is the cavity of the nostril; at *h*, are the lips; *a* is the divided bone of the chin; *b* is the tongue, between which and the spinal column, *f*, is the large cavity of the pharynx. In front of this cavity hangs the

FIG. 10.



VERTICAL SECTION OF THE THROAT.

palate, *g*, as a door or valve, to direct the air coming from the trachea, *d*, either through the mouth or through the nostrils, according to its position. The œsophagus, *e*, is behind the trachea, and the epiglottis, *c*, shuts down when we swallow, to let

Mode of action of the œsophagus in swallowing.

the food pass over it into the œsophagus. In Fig. 11, you have a view of the same parts from the rear. At 1, is a section of the bones at the base of the skull; 3, 3, are the cavities of the nostrils; 2, 2, the walls of the pharynx spread apart; 5, the pendulous palate; 6, 6, the arch of the palate; 8, the root of the tongue; 9, the epiglottis, and 10, the glottis, or opening into the larynx; 13, the œsophagus; 14, the trachea. The pharynx, you see, is a funnel-shaped cavity, tapering down to the œsophagus, the opening of which is considerably below the opening of the trachea.

79. When the food enters the œsophagus, it is carried through that tube into the stomach by the action of muscular fibres. These fibres are represented in Fig. 12. The circular fibres are seen at *a* and *b*. These are removed at *c*, so as to show the longitudinal fibres. It is by the consent of action between these different sets of fibres that the food is propelled through the œsophagus. As the food descends, a dilatation of the circular fibres must everywhere take place where the food is, and a contraction of them immediately behind it—the dilatation making the way for it, and the contraction forcing it along. And in animals that chew the cud, these actions must be reversed when the ball of food is forced up through the œsophagus into the mouth.

80. The food being introduced into the stomach, is here subjected to the action of the gastric juice. This is a

FIG. 11.

VIEW OF THE THROAT FROM
BEHIND.

FIG. 12.



ŒSOPHAGUS LAID OPEN.


peculiar fluid, somewhat acid in its character, which is secreted by very minute follicles, or bag-like cavities, situated in the substance of the mucous membrane. Ordinarily there is none of this fluid in the stomach when there is no food there. Dr. Beaumont made some very interesting observations on this, as well as many other points, in the remarkable case which fell under his care. The individual, Alexis St. Martin, received a wound in his left side by the bursting of a gun. The wound, which opened into the stomach, never entirely closed, but an orifice remained, after the healing process had done all that it could. Through this orifice, Dr. Beaumont could look into the stomach, and observe what was going on there. He describes the mucous membrane, in its healthy state, as having a velvet-like appearance, with a pale pink color, and as being covered with a very thin, transparent, viscid mucus. On introducing some food, or irritating the mucous membrane mechanically, he saw, by the aid of a magnifying glass, "innumerable lucid points" projecting on the surface, and from these there exuded a pure, limpid, colorless fluid. These points were the follicles which secrete the gastric juice, now rendered turgescient by being stimulated to action.

81. The amount of gastric juice secreted is generally about in proportion to the amount of food which the necessities of the system require. When the quantity of food taken is very much more than is required, there can not be a sufficient amount of gastric juice secreted to digest all of the food; and some of the food must therefore remain undigested, and will prove a source of irritation to the stomach. If the amount of food taken from day to day is not very excessive, but is only a little above the proper quantity, there will be enough of the gastric juice made to digest it; but the daily overtaxing of the powers of the secreting follicles will, after a while, produce derangement in the stomach, and perhaps permanent disease.

82. The action of the gastric juice upon the food is of a chemical nature. In order that it may act effectually on all portions of the contents of the stomach, this organ is kept in constant motion by the fibres of its muscular coat. These fibres are so arranged that, as they contract and relax, they keep up a sort of churning of the contents, and thus effect a thorough mixture of them with the gastric juice. In Fig. 13, you see these fibres represented. At 1, is the opening of the œsophagus into the stomach; and at 4, is the part which opens into the intestine. The fibres are in different layers, running in

Churning of the food in the stomach. The chyme.

FIG. 13.



MUSCULAR FIBRES OF THE STOMACH.

different directions. The outer peritoneal coat, 5, 5, is dissected off and turned back, showing some of the fibres that run lengthwise of the organ, 6; and some of them transverse, 7; and others, 8, that run obliquely. You can readily see what effect the contraction of these different fibres will have on the shape of the stomach. The contraction of the longitudinal fibres, 6, brings the large, bulging end of the stomach, 2, and the small end, 3, nearer together. The transverse fibres, when they contract, diminish the capacity of the stomach transversely. And the oblique fibres modify these two motions by their oblique action.

83. By the combined chemical and mechanical action of the stomach, its contents are, after a little time—in three or four hours—reduced to an uniform, greyish, semi-fluid mass, called *chyme*. While this process has been going on, the communication between the stomach and the intestines has been entirely closed by a valve, called the pylorus. This is represented at 5, in Fig. 14, which presents a view of the inside of the stomach. This valve is made of a fold of both the mucous and muscular coats of the stomach. It is a very faithful sentinel, as is indicated by its name, which is derived from two Greek words, signifying to guard the gate. It will not ordinarily permit any undigested food to pass it. While the process of digestion is

The pylorus. A sentinel. On duty only during digestion.

FIG. 14.



INTERIOR OF THE STOMACH AND SMALL INTESTINE.

going on, the motions produced by the muscular fibres cause the contents to move about, and of course they are thrown against the pylorus, as well as any other part of the stomach. But the valve remains closed, until some portion comes against it that is thoroughly changed to chyme, and is therefore fit to pass on into the intestine. It then opens to let this pass, and it does so for any other portions that have become chyme. Toward the conclusion of the digestion of a meal, small quantities pass at first, and after a while, the contents pass quite rapidly through the valve.

84. Although this sentinel-valve thus performs its duty so faithfully in relation to nutritive substances, it seems to let other substances pass very readily. Solid substances, swallowed by mistake, as buttons, pieces of money, the pits and skins of various fruits, often pass the valve without any trouble. The valve seems to be on duty as a sentinel only during the process of digestion; and, if the attempt to go through with this process prove unavailing, the pylorus, though it let such hard substances as I have mentioned pass without difficulty, resists the passage of the undigested food, sometimes causing much uneasiness, and even perhaps pain, by so doing. In such a case, either the valve after a time gives over its resistance, or, hold-

ing out, the action of the stomach is reversed, and the offending matter is thrown off by vomiting.

85. It is not a little amusing to read the different theories which were formerly broached to explain the process of digestion. Some supposed it to be a *concoction*, heat being, in their view, the chief agent; some, a kind of *putrefaction*; some, a *chemical solution*; some, a *trituration*; and some, a process dependent upon the action of the nerves. Of these various theories, the celebrated Hunter playfully remarked: "To account for digestion, some have made the stomach a mill; some would have it to be a stewing-pot, and some, a brewing-trough; yet, all the while, one would have thought that it must have been very evident that the stomach was neither a mill, nor a stewing-pot, nor a brewing-trough, nor any thing but a *stomach*." All these theories are now done with; and it is pretty well ascertained, that digestion is a chemical process—in part a solution, and in part a fermentation—and that mechanical agency is employed only for the purpose of thoroughly exposing the food to the action of the gastric juice.

86. The process of digestion, as it has been described, is a regular process, requiring a certain average period of time for its completion. If, during the progress of it, fresh food be introduced, its regularity is broken in upon, and the process fails to be well done. Then, too, if, immediately after the completion of the process, a new supply of food be taken, harm is done, because the organ has not its needed interval of rest. For these reasons, the practice of eating between meals is a very injurious one. Eating fast does harm, because,—1st, the food is not sufficiently ground; 2d, it is not mixed thoroughly with the saliva; and, 3d, more food is taken than would be sufficient to satisfy the hunger if the individual ate slowly, and, therefore, more than can be easily digested. Great variety in food stimulates the appetite unduly, and too much is consequently eaten. Exercise facilitates digestion, if it be not violent. An experiment was once tried upon two dogs, which was thought to prove that exercise hindered digestion. Two dogs were fed freely, and while one was left to lie still, the other was made to run about violently. Both dogs were killed after an hour or two, and it was found that, while digestion had gone on thoroughly in the dog that was allowed to remain quiet, in the other the food was undigested. This only proved that *violent* exercise, taken immediately after eating, impedes digestion. It has been found, on the other hand, that light exercise pro-

Cause of hunger, state of the system. Its seat in the stomach.

motes the process; and daily experience, among laborers, shows, that very strong exercise does not interfere with it, if a little interval of rest be allowed, so that the process may be fairly begun.

87. The sensation of hunger has been attributed to various causes,—as the empty state of the stomach, the presence of the gastric juice irritating the mucous membrane, &c. It cannot arise from emptiness; for, if it were so, it should occur sooner than it does after eating, and it should not be absent in disease, as it often is for a long time, when the stomach is almost entirely empty. It can not arise from the irritation of the gastric juice; for it was found by Dr. Beaumont, in his observations of the stomach of Alexis St. Martin, that this fluid is not secreted till after food is introduced into the stomach. The cause of hunger is evidently in the state of the system. It is a state of want. Nutriment is needed by the formative vessels, the builders and repairers of the system, of which I shall speak particularly in the chapter on Formation and Repair. And they make their wants known as distinctly as the bricklayer does, when he calls for more brick and mortar. Through the nerves, an impression is communicated from these to the stomach, and the sensation of hunger is the result. That the sensation is seated there is evident from the fact, that it can be temporarily relieved by putting indigestible substances into the stomach. These produce the effect by causing other sensations there, which take the place, for the time being, of the sensation of hunger. After, however, the momentary effect is over, the sensation of hunger returns again in its full force. The cause, then, of the sensation is in the system at large, but its seat is in the stomach. Its degree of urgency depends upon this general state that causes it. If eating be delayed much beyond its usual time, or if the system has been exhausted by the wear and tear of severe labor, the sensation of hunger is very urgent. So, too, if disease has impoverished the system, as soon as the stomach is in a condition to respond to the call of the formative vessels that set themselves to work to repair the waste, the hunger is often excessive. Observe, here, that in order to have the sensation of hunger, not only must there be a want in the system at large, but the stomach must be in a state fitted to receive the notice of this want. And fortunately it is seldom in this state except when in a condition to do its work. If it were otherwise, food would often be introduced into it when it could not be digested. The stomach is sometimes incapacitated

Sensation of hunger affected by the mind. Thirst.


for receiving the notice of the want of the system by mental impressions. In this case, an impression is communicated from the brain to the stomach, through the nerves, which counteracts the impression conveyed from the system to this organ, and so neutralizes the sensation of hunger. Grief thus often destroys the appetite for food. One thing more is to be observed in relation to hunger. Although this sensation is caused by the want of the system, it is removed long before the nutriment reaches its final destination, and supplies the want. How is this? It is either because the new sensations produced in the stomach, by the commencing process of digestion, take the place of the sensation of hunger, or an impression is sent all over the system from the filled stomach, which, so to speak, stills the clamor of want with the immediate prospect of a supply.

88. Nearly the same remarks can be made in relation to thirst, that have been made in regard to hunger. The seat of this sensation is in the fauces or throat. Its cause is evidently not there; for the mouth and throat may be very dry, and yet there may be little or no thirst; while, on the other hand, there may be much thirst, although the mouth and throat are moist. The cause of the sensation is like the cause of hunger, in the system at large; and, therefore, no local cause, producing a dryness of the throat, can cause thirst independent of a general condition.

89. Before describing the remainder of the process of digestion, I will call your attention to the arrangement of the stomach, and the other organs of the abdomen engaged in this process. Fig. 15 exhibits them as they present themselves in a front view, except that they are somewhat separated from each other, instead of being as closely packed, as they are in the abdomen. The large end of the stomach, you see, lies to the left side,* and at this end is the spleen. The pancreas is behind the right end of the stomach. Above the stomach, and mostly to the right side, is the largest organ in the abdomen, the liver. It is represented as turned upward in the Figure. The stomach is directly connected with the small intestines at the pylorus. At the end of this long and winding tract begin the large intestines. The duct of the gall bladder, and that of the pancreas, empty their contents into the small intestine at its beginning. The office of the spleen has not yet been ascertained. Neither has that of the worm-like appendage at the

* As this is a front view, the right side of the Figure is the left side of the body.

FIG. 15.




beginning of the large intestines. The omentum, or caul, which hangs like a curtain from the front part of the stomach down in front of the intestines, is not represented in the Figure.

90. There is one arrangement in the abdomen which must not pass unnoticed. If the intestines were left to lie loose in this cavity, they would constantly be subject to disulacement and injury. They are therefore fastened to the backbone by an arrangement, which secures them from any such accident, and at the same time allows of a sufficiently free motion of differ-

The arrangement of the mesentery. Its offices.

ent parts of this tube. It is this. The intestinal tube makes the margin of a broad sheet of membrane, the other edge of which is gathered up and fastened to the spinal column. The arrangement is like a ruffle with a puffed edging. The membranous sheet is called the mesentery. As the intestinal tube, the puffed edging, is much longer than the ruffle itself, the mesentery, it is gathered on to the ruffle, as a seamstress would express it. Now, the mesentery is composed of two folds of the peritoneum, the smooth, shining, outer covering of the intestines. The arrangement will be easily understood by the diagram in Fig. 16, which represents a section of the intestine with the mesentery. The cavity of the intestine, *a*, is lined by the mucous membrane represented by the inner circle. Next comes the muscular coat, and next the peritoneal, the outer, which, instead of making a circular tube, as the other two coats do, passes backward on both sides of the intestine, to make the mesentery, *b*. After being attached to the spine by means of cellular tissue, it is reflected off to pass over other portions of the intestine, as seen at *c, c*.

FIG. 16.



PLAN OF THE MESENTERY.


Between the two layers of the peritoneal membrane, in the mesentery, is considerable space, as seen at *b*. This space is filled up with blood-vessels, nerves, lacteals with their small glands, soon to be described, all bound together by the common packing material of the body, the cellular tissue. You see, therefore, that the mesentery subserves more than one use. Besides fastening the whole tract of the intestinal canal to the spine, so as to guard it against accident, it acts as a secure medium for the communication of the blood-vessels and nerves with the intestines. And, besides, as you will soon see, it contains the little tubes which convey all the nutriment into the blood for the growth and repair of the body.

91. I now go on to describe the remainder of the process of digestion. The chyme, (§ 83,) as it passes into the small intestine from the stomach, has mingled with it the bile and the secretion of the pancreas. These are poured into the intestine at the point represented at 6, in Fig. 14. These secretions undoubtedly have some agency in separating the nutritious part

Chyme. Chyle. Lacteals. Thoracic duct.

of the chyme from that which is not so. When thus separated, it is absorbed by the innumerable small vessels, called lacteals, which are situated in the mucous membrane. This nutritious part of the chyme is a milky fluid, called the *chyle*. The lacteals which absorb it are little tubes or ducts. These enter certain glands, called the mesenteric glands, for the purpose of having some effect, we know not what, produced upon it. They then pass on, as seen in Fig. 17, to pour their contents into the

FIG. 17.




SECTION OF INTESTINE SHOWING THE LACTEALS.

thoracic duct. This duct, which is about the size of a common quill, running up on the left side of the aorta, the great artery of the heart, pours its contents into the junction of two veins at the top of the chest. As the circulation of the chyle in the

 Mechanical CONTRIVANCE OF THE THORACIC DUCT. Chyle makes blood.

thoracic duct needs all the mechanical help that it can have, the mode of the joining of this duct with these veins is calculated to facilitate the freeness of the discharge of the chyle. As the two large currents in the veins, *v* and *v, v*, in Fig. 18,

FIG. 18.



JUNCTION OF THE THORACIC DUCT WITH THE VEINS.

vide, there is created, by the forward motion of these currents, a tendency to a vacuum at the angle at which they meet, the point where the thoracic duct, *t, d*, opens. There is, therefore, a suction power, as it is termed, exerted upon the fluid in this duct. The chyle, thus mingled with the blood, becomes a part of it. Or rather, I should say, that the blood is made from the chyle, and, as it is constantly used for formation and repair in all parts of the system, it is thus as constantly replenished. The material by which all the textures of the body are made and are kept in repair, is furnished to the system through this small duct, in the form of a milky fluid. You observe in Fig. 17, certain lymphatic vessels. These are trunks of absorbents, hereafter to be spoken of particularly, which bring a fluid called *lymph*, to be mingled with the chyle, and to be poured with it into the circulation.

92. The extent of surface on which the absorbent lacteals open can not be appreciated, if you look merely at the outside of the small intestines. It can be done only by looking at the inner mucous coat. This coat is really much more extensive than the outer coat, or the middle one, the muscular, and it is full of folds, as represented in Fig. 14, on page 52. The ob-

Extent of absorbing surface in intestines. Alimentary canal in different animals.


ject of this is to offer a very large absorbing surface to the chyme as it passes, and also to prevent its passing along as rapidly as it would if the mucous surface were perfectly smooth, instead of having folds. Before leaving this subject, I would again call your attention to the analogy which exists between absorption in animals and in plants. The lacteals do for the animal in its stomach, what the absorbents do for the plant in the extremities of its roots. Both absorb and assimilate nutriment. The function is the same. It differs in the two cases only in the circumstances under which it is performed.

93. The digestive apparatus varies much in different animals, according to the kinds of food on which they live. As a general rule, the more the food differs in character from the animal itself, the more complicated and extensive is the apparatus. Thus, the herbivorous animals have a very long alimentary canal, and the beginning of it, the stomach, is a complicated organ. While, on the other hand, in the carnivorous, the flesh which they eat being very much like their own flesh, and, therefore, not requiring very much of a process of assimilation, the stomach is a simple organ, and the alimentary canal is very short. In the sheep, for example, the alimentary canal is about twenty-eight times the length of the body, but in the lion it is only three times its length. In man, who lives on a mixed diet, the alimentary canal is about six times the length of the body.

94. The stomach is more complicated in animals that chew the cud than in any other animals. It has four distinct cavities, and, as you will see, a singular mechanism is called into operation in managing the food as it passes through them. In Fig. 19, you have a representation of the stomachs of the sheep, as they appear exteriorly. The course which the food pursues is this. As the animal crops the food, it passes into the first stomach, which is little else than a great reservoir to hold it and to soak it. Then it passes into the second stomach, from which it is returned into the mouth. On being swallowed again, it passes from the oesophagus into the third, and thence into the fourth stomach. In Fig. 20, you see the interior of these four stomachs; and by the aid of this I will describe the process of digestion in the sheep more particularly. You see the very large first stomach, or *paunch*, in which the food is accumulated. It is not yet masticated thoroughly, for the animal has swallowed it as fast as he could, and packed it away in this reservoir. From this it is passed, in small quantities at a time,

Digestion in the sheep.

FIG. 19.



STOMACHS OF THE SHEEP.

FIG. 20.



INTERIOR OF THE STOMACHS OF THE SHEEP.

into the second stomach, the *honey-comb*, so called from the peculiar network of folds in it. Here the food is rolled up into balls by the action of the muscular fibres in this network.


Digestive apparatus in birds. Different in the grain-eating and the flesh-eating.

Each ball of food is passed up through the œsophagus into the mouth, where it is chewed and thoroughly mixed with the saliva, in doing which the animal seems to have great enjoyment. Then it is swallowed, and, as it passes from the œsophagus, instead of going into the paunch, as it did when swallowed the first time, it is directed through the groove seen in the Figure into the third stomach, the *manyplies*. This has many folds, like the leaves of a book, so that the food is exposed to a large surface in this cavity. It passes from this to the fourth stomach, the *reed*. Here, and here only, it is acted upon by the gastric juice. This, therefore, is the true stomach, all the other cavities furnishing only preparatory steps to the true process of digestion. It is from this fourth stomach that what is called the *rennet* is taken. When fluid matter is swallowed, it goes directly into the second stomach, and not into the first, the paunch; so that, in the case of the sheep, the drink goes one way, and the solid food another. And, what is still more singular, while the animal is a suckling, the milk passes directly into the fourth stomach through the third, which has its folds so closed together as to form a mere tube to conduct it to its destination. And the great paunch and the honey-comb are wholly useless until the animal begins to crop its food for itself.

95. In birds, the digestive apparatus is necessarily very peculiar, from the fact that they do not masticate their food. They have, on this account, an arrangement in the stomach itself for grinding the food. In the cavity called the gizzard are two opposing surfaces, made very hard, so that by rubbing together they bruise the grains; and while they are thus ground, as between two millstones, the gastric juice is poured down upon them from above. This arrangement is seen in Fig. 21, which represents the digestive apparatus in the turkey laid open. At *b* is the gizzard, showing the two hard surfaces, which are rubbed together by the stout muscles that make the great bulk of the organ. Above, at *a*, are the glands which pour forth the gastric juice. And above this part of the stomach there is, in all grain-eating birds, a large sac bulging out from the œsophagus, called the crop, which is a reservoir for the food, just as the paunch is in the ruminating animals. In those birds that live on flesh or fish there is no such grinding apparatus; and the walls of the stomach are quite thin, and it presents no hard surfaces.

96. It would be interesting, were it consistent with the plan:

FIG. 21.



STOMACH OF THE TURKEY.

of this book, to go into a further examination of the varieties in the digestive apparatus in different animals. They have a very wide range, being according to the wants of the animal in each case. The kind of food, the mode of life, and the purpose which the animal is designed to fulfill, are the circumstances which govern these variations. The proportion which the digestive apparatus bears to other parts varies very much; and in some of the lower orders of animals, the body seems to be all stomach. In such cases, the only appendages are those which seize the food and direct it into the orifice of this organ. This

is the case with the hydra, represented in Fig. 1. And, what is very singular, the outside of the body of this animal is just as capable of acting as a stomach as its inside. For you may turn it inside out, as you can a stocking, and yet it will go on to catch and digest its food as usual. But, wide as the variations are in the digestive apparatus of animals, the same common object is aimed at in all—the assimilation (§ 10) of nutrient substances to the animal, to produce a material from which its structure can be built and kept in repair. There is, therefore, much that is common to them all in the modes in which this object is accomplished. And even the analogy which exists between the animal and plant, in regard to assimilation, does not relate to the fact alone, but in some measure to the modes in which the process is effected.

CHAPTER VI.

CIRCULATION OF THE BLOOD.

97. IN the last chapter I described the manner in which the blood is made from the food. The blood, thus prepared, is circulated in every part of the body, that it may be used for the purposes of construction and repair. The apparatus by which this is done acts, as I have before said, as the common carrier of the material which is used everywhere in the body by the laborers, the builders, to whom it is thus brought.

98. This apparatus consists of several parts—a great central organ, the heart, situated in the chest; the arteries, the tubes by which the blood is conducted to all parts of the body; the veins, other tubes, which bring the blood back to the heart; and capillaries, a network of exceedingly minute vessels, through which the blood passes as it goes from the extreme arteries into the beginnings of the veins. The blood goes from the heart through a large artery, called the aorta, which sends forth branches; and these divide and subdivide, so that the extreme arteries, through which the blood flows into the capillary network, are very minute. And the veins which receive the blood from this network to carry it back to the heart, are equally minute; but joining together more and more, as they proceed

Heart a forcing and suction pump. Arteries firm tubes. Why.

toward the heart, they are at length all united into two great venous trunks, one from above and the other from below, which pour their contents into this organ. The capillaries, taking their name from the Latin word, *capilla*, a hair, are so small that they can not be seen by the naked eye. In any small cut, the blood which oozes out comes from multitudes of these vessels. They serve to hold the blood, while the formative vessels, that construct and repair the body, may select from it such materials as they need for their purposes.

99. The heart is a great central forcing and suction pump, in the midst of this circulating apparatus. When it contracts, it forces the blood out through the aorta and its branching arteries into all parts of the system. And when it enlarges or dilates itself, it, by suction, as it is termed, receives the blood returning from the system through the veins. The blood never ceases to go these rounds. The necessity for this continual motion you will perceive as I proceed with the development of the subject.

100. The arteries differ from the veins in their structure and arrangement. The arteries are firm tubes, while the veins are lax in their structure. The object of the difference is obvious. As the blood is forced into the arteries by the powerful action of the heart, it is necessary that they should be strong and firm, else, they would be liable to dilatation and rupture, and death would frequently result. As it is, it is not a common event to have an artery dilate and burst, though it does occasionally happen. When dilatation does occur in an artery, it is called an *aneurism*. But the arteries need to be firm, not only for the sake of security against rupture, but also that the force of the heart may propel the blood to the extremities of the arterial system. If the arteries were lax tubes, like the veins, the impulse would soon be lost in the yielding tubes, and the blood would move very sluggishly in the small arteries at a distance from the heart. What we call the pulse, is caused by this impulse. If the arteries were lax tubes, the pulse would not be felt at any great distance from the heart. Instead of being distinct, as it now is, with every beat of the heart almost to the very extremities of the arterial system, it would be rendered confused by the yielding of the tubes, even quite near the heart, and at a distance from that organ it would be entirely lost.

101. Besides the firmness of the arteries, there is another circumstance which favors the freeness of the flow of blood

Different arrangement of arteries and veins.

through them. It is their mode of division. The branch of an artery leaves the main trunk at a sharp angle, making thus only a slight deviation from the direction of the current; while, on the other hand, in the veins where the current flows in an opposite direction, the branch unites with the trunk at nearly a right angle. This difference is represented in Fig. 22; 1 being the artery, and 2 the vein.

FIG. 22.




ARTERY AND VEIN.

102. The venous system has a much greater capacity than the arterial. That is, all the veins of the body are together capable of holding more blood than all the arteries are. And the blood moves very rapidly and directly from the heart through the arteries, but it comes back to the heart quite slowly through the veins. Every thing is arranged to promote this rapid circulation through the arteries, while the venous system is calculated for a slow but sure progress of the blood back to the heart. To secure this, valves, made of folds of the inner lining of the veins are so arranged as to prevent the blood from flowing in the wrong direction. Fig. 23 represents a vein cut open so as to show these valves. A shows the valves as they appear when the vein is laid open and spread out; B, as they appear when the vein is simply laid open; and C represents the appearance of the outside of the vein where there are valves.

Valves in veins. Dangerous to wound an artery. Therefore well guarded

FIG. 23.



VALVES IN THE VEINS.

The need which there is of this help to the circulation through the veins is obvious. The suction power of the heart is not competent, unaided, to move the blood throughout all the lax venous system. These pocket-like valves, therefore, are made in the veins to assist the circulation there. They do so in this way. Every motion of the muscles or other parts about the veins tends to keep the blood in motion, and the valves serve to prevent this motion from being in the wrong direction. The difference in force and velocity with which the blood moves in the arteries and in the veins, is made manifest when they are wounded. The blood flows from a wounded vein in a slow and steady stream. From an artery it flows rapidly, showing the impulse of the heart in its jets, which correspond exactly with the pulse. Hence comes the danger in wounding an artery, while the wound of a vein is ordinarily attended with no danger. Accordingly, we find that the "Maker of our bodies" has so placed the arteries that they cannot easily be wounded, while many of the veins are quite freely exposed. The arteries are deeply seated, except in some few cases where this is impossible; but the veins are often superficially situated. You can see this, for example, in the bend of the arm. Some large veins appear there just under the skin, while the artery which supplies the arm is imbedded among the muscles and tendons. In every part of the body, the most secure spot is chosen for an artery. Thus, at the knee joint, the artery, instead of running over the surface of bone, where it would be liable to be

Few arteries superficial. Mode of stopping the bleeding of an artery

wounded, lies deep in the ham at the rear of the joint. The same is true of the elbow joint, just alluded to, and of other parts of the body. Although there are arteries everywhere, they are so uniformly deeply seated, that it is only in a few localities that you can readily find one. You can feel one pulsating at the wrist, and also on the temple. Here the arteries are superficial, only because it is impossible that it should be otherwise.

103. When the physician bleeds a patient, he commonly does it at the bend of the arm, as being the most convenient place for the operation. A ligature of some sort, as a ribbon, is tied around the arm above the elbow, with sufficient tightness to interrupt the flow of blood toward the heart in the superficial veins, but not so tightly as to prevent the free supply of blood to the arm by the artery. It is commonly tied as tightly as it can be without stopping the pulse at the wrist. An opening is then made in one of the veins; and, as the blood flows freely into the arm from the heart through the artery, on its return, so much of it as passes through the opened vein is discharged at that point.

104. It will be proper here to give some practical instruction, in regard to stopping the flow of blood from a wounded artery, as many lives have been lost from the ignorance of bystanders when such accidents have happened. Enveloping the part in cloths, which is so commonly done at such times, does no good, but only serves to catch and conceal the blood as it flows. Pressure upon the artery, on that side of the wound which is *toward the heart*, will of course interrupt the supply of blood from this organ to the wound. Firm pressure with the thumb will do it. But the pressure must be made at the right point, that is, directly upon the artery. You may not, in all cases, press upon the right spot at once. If you do not, the blood will continue to flow. In this case, press at different points, until you find the point at which you see that pressure stops the flow of blood from the wound. But you may not be able to find the right spot. If you can not, you can tie a slip of strong cloth or a handkerchief around the limb, *above* the wound, and twist a stick in it until the bleeding stops. In one or the other of these ways, you can prevent the loss of blood until the surgeon arrives to take charge of the case.

105. Although there is no such free communication between arteries as exists between the capillaries, there is some amount of communication, and particularly in certain parts of the body

Aneurism. Communication between arteries.

And it is well that it is so, for it sometimes helps the surgeon to save a limb, when he could not do it if there were no communication. I have already alluded to a disease of the arteries called aneurism. An artery has three coats, one of which is a strong fibrous one. When this is thinned or ruptured, the other two coats bulge out, forming a pulsating tumour. And, as the blood is constantly pumped into this by the force of the heart, it enlarges, and at length it may burst, and the life of the patient will be destroyed by the loss of blood. When an aneurism formed in a limb, as for example in the ham, the surgeon, in former times, used to save the life of the patient by amputating the limb above the aneurism. Putting a ligature round the artery above the aneurism would of course stop the flow of blood into it; but it was supposed that the limb would die, in that case, from the want of a proper supply of blood. But it was found, at length, that this was not so; and surgeons now, in such cases, cure the disease, and save the limb too, by tying the artery. Immediately after the operation the limb is cold, and there is plainly very little circulation in it. But in a few hours the circulation becomes free, and in a little time it is as well established as ever. This is effected by the communications which exist between the branches which go off from the artery above the aneurism, and those which go off below it. It is obvious, however, that this would not be thoroughly effected if no change took place in the size of the communicating arteries. But this change does occur. Some of them become enlarged to meet the necessity of the case. This is a most interesting fact; and so is also the fact, that these communications between branches of arteries are very common in the neighborhood of those places in the body, where aneurism, from strains produced by violent and sudden motion, is peculiarly apt to appear. This same provision avails, of course, when aneurism is cured by pressure made upon the artery above it, a measure which modern surgery has found in many cases to be as effectual as tying the artery.

106. There have been great differences of opinion among physiologists, in regard to the proportionate amounts of agency that the different parts of the apparatus have in carrying on the circulation. The heart manifestly exerts the chief agency, both by its forcing and its suction power. You can get a clear idea of the manner in which it exerts these two forces in this way. Fill a ball of India rubber, to which a tube is attached, with water, and immerse the tube in water in a vessel. If you

Action of the heart illustrated. Agency of the capillaries in the circulation.

press the sides of the ball together, some of the water is forced out into the vessel. This represents the contraction of the heart. If, now, you allow the ball by its elasticity to resume its round shape, the water rushes into it from the vessel. This represents the dilatation of the heart. The dilatation of the ball results from its elasticity; and so it is supposed by some that the dilatation of the heart results from the same cause, its contraction alone being produced by muscular action. Whether this be so or not, the dilatation is an active one, and the blood rushes into the heart from the veins by suction, as it is termed. The dilatation is so active that, as has been shown by experiments on animals, even a great amount of pressure is not able to prevent its taking place.

107. But, great as the agency of the heart is, it is not true that it is the only moving power, and that the arteries and veins are mere passive conducting tubes. There are various phenomena which show that the arteries, the capillaries, and even the lax veins, exert a considerable agency in circulating the blood. I will merely allude to some of these phenomena. Determinations of blood to particular parts show that the blood-vessels have an active agency in the circulation. In inflammation of any part, there is an increased activity of the particular portion of the circulating apparatus supplying that part. In the act of blushing, there is a local activity of the circulation somewhat independent of the heart. This is also true of the circumscribed flush of hectic.

108. There is one portion of the circulation in which the active agency of the capillaries is especially manifest. The veins, as I have told you, receiving the blood from all parts of the body, at length are all united into two veins, which empty their contents into the heart. But there is a very remarkable exception to this. The veins which collect the blood from the viscera in the abdomen unite in one large trunk, called the *vena portæ*; and this, instead of pouring its contents into the large vein that goes up to the heart, divides, like an artery, into branches, which take all this blood to the liver for the manufacture of bile. Fig. 24 represents this circulation of the *vena portæ*. 1, 1, are the veins coming from the intestines; 2 is the trunk of the *vena portæ*; and 3, 3, are the branches of it distributed in the liver. Now, it can not be pretended that the suction power of the heart extends its influence through the veins that bring the blood from the liver, then through the capillaries of this organ, and then through all the veins that bring the

Circulation in the liver. Why the veins are full and the arteries empty after death.

FIG. 24.



CIRCULATION OF VENOUS BLOOD IN THE LIVER.

blood to the liver, even to the capillaries of the abdominal viscera. There must be, in this case, some propelling power in the capillaries, and some, too, also in the veins. If there were not, another subordinate heart would obviously be needed in the vena portæ, to pump up the blood from all the veins of the abdominal viscera, and then to send it through all its branches into the capillaries of the liver.

109. The veins have a less active agency in the circulation than any of the other parts of the apparatus. It is for this reason that commonly after death the veins are found quite full of blood, while the arteries are nearly empty. The apparatus of the circulation may be regarded as forming a circle of organs in this order—the heart, the arteries, the capillaries, and the veins. The blood is constantly going the rounds of this circle. It is plain that, as the apparatus is about to stop, there must be an accumulation in the weakest, least active, and most relaxed of this circle of organs. The arteries and capillaries force the blood into the veins to the last moment of life. This effect

The blood changed in the capillaries from red to dark.

probably extends no further than the smaller veins; but the heart, by its active dilatation, draws the blood from them into the larger veins. And as these two forces, at the two ends of the venous system, are at work up to the last moment, the whole of this system is filled with blood.

110. The fact, that the larger arteries are commonly found nearly empty of blood after death, gave the ancients the idea that air circulated in arteries, while blood circulated in veins. Hence, the name, artery, is derived from two Greek words, signifying to hold air. And hence, also, by long established custom, in common language, the blood is spoken of as running in our veins; and it would sound strangely, if, in common, and especially in poetical language, we should speak of it as running in our arteries also. Although there were from time to time some glimpses of the true idea of the circulation, it was not really developed and demonstrated till about two hundred and thirty years ago. Harvey spent eight years in maturing his ideas on the subject. When he published them, they encountered much opposition; but he lived long enough to see them almost universally received by the medical world, although the profession was in a much less enlightened state than it is at the present day.

111. I will now take you a step farther in the development of the plan of the circulation. I have said that the office of the arteries is to conduct the blood to the network of capillaries, and that in the capillaries the blood has reached its place of destination where it is to be used. The formative vessels, appended to the capillaries, take from the blood what they need for their various purposes, and at the same time there is added to the blood refuse matter from the waste of the tissues. The blood, then, is changed while it is in the capillaries. You see the change in its color. In the arteries it was red; but, after passing through the capillaries, it appears in the veins of a purple color. It is also as much changed in other properties. It is no longer fitted to nourish the body. It would even prove a poison to any organ if it should flow into its capillaries. If it should, for example, be sent to the brain, instead of bright arterial blood, that organ would cease to do its office; insensibility would ensue, and life would soon be destroyed, if the flow of red blood could not be established.

112. This purple blood, which comes back to the heart from the capillaries by the veins, must, therefore, be in some way changed to red blood, before it is again sent all over the system

through the arteries. This change is effected in the lungs. As the purple blood returns to the heart, it is sent by the heart to the lungs, in order to be exposed to the air before it is sent again over the system. For this purpose there are two circulations, and the heart is a double organ; or rather, there are in effect two hearts for the two circulations, for the two sides of the heart have no communication with each other. The apparatus for all this is very complicated, but I think it can be made clear to you.

113. I present, first, a diagram, which is intended to represent merely the *course* of the circulation, without regard to proportionate size, or to minutiae in the arrangement of the apparatus. Let *a* represent the right side of the heart, *c* the left side, *b* the lungs, and *d* the general system of the body. The arrows show the direction in which the blood flows. In all the shaded part the blood is venous or purple, and in the part not shaded it is arterial or red. We will now take some point of beginning, and trace on the Figure the course of the circulation

FIG. 25.




DIAGRAM SHOWING THE COURSE OF THE CIRCULATION.

We will start at *a*, the right side of the heart. The blood received here, of a purple color, from the whole body by the veins, is sent by the heart to *b*, the lungs. Here it changes to red blood, and passes by veins back to the heart—but, observe, it is to the left side of the heart, *c*. It is now sent by this left half of the heart to all parts of the system, represented by *d*. Here, in the capillaries, it is changed to purple blood, and goes back by veins to the right side of the heart, *a*, the place where we started.

114. You see, then, that there are two separate circulations, one through the general system, and the other through the lungs alone. In both circulations the blood is sent from the heart by arteries, and is brought back to it by veins. But notice that, while in the general circulation the red blood is in the arteries, and the purple in the veins, in the circulation through the lungs it is reversed—the red blood is in the veins, and the purple is in the arteries. So, also, while the change of the blood in the capillaries of the general system is from red to purple, in the capillaries of the lungs it is from purple to red.

115. There are not only two sides or halves of the heart, separated entirely from each other, but each of these sides has two apartments, with valves or folding doors between them, so arranged that the blood can pass one way through them, but not the other. There are also valves at the beginning of the great artery of the heart, the aorta. These are so arranged that the blood can go freely out of the heart into the artery, but not a drop can get back from the artery into the heart. There are similar valves, also, at the beginning of the great artery, by which the purple blood is sent from the heart to the lungs.

116. In Fig. 26, is represented a section of the right side of the heart, for the purpose of giving you an idea of the arrangement and the relative size of the two apartments. The *auricle*, *a*, so called because a part of it has some resemblance to an ear, receives the blood from the whole system by two large veins, *b, b*, called the *venæ cavæ*.

From the auricle it passes into the *ventricle*, *v*, which by its contractions sends it to the lungs through the pulmonary artery, *f*. The valve between the auricle and ventricle is composed of three membranous sheets, which are held at their edges by small tendinous cords, *d*, just as a sail is held by the ropes at its corners. This valve permits the blood to pass from the auricle into the ventricle; but when it attempts to pass back from the ventricle to the auricle, it pushes back the sheets of the valve, they being prevented from going too far back by the tendinous cords. There are also valves at *e*, the beginning of the pulmonary artery, which allow the blood to pass through

FIG. 26.

SECTION OF THE RIGHT
SIDE OF THE HEART.

 Relation between the auricles and the ventricles.

them into the artery, but no blood can pass through them from the artery back into the ventricle. I shall soon call your attention again to these different valves, that you may see more particularly their structure and arrangement.


117. The auricle and ventricle act in this way in propelling the blood. When the auricle contracts, the ventricle dilates* to receive the blood from the auricle. The valves between them are open while this is taking place. But the next moment the ventricle contracts and the auricle dilates. You at once see, that if now the valves between them should be open, the blood would be forced back into the auricle. But the membranous sheets of these valves shut upon each other as the ventricle contracts, and thus prevent the blood from going back. It therefore is discharged through the pulmonary artery, *f*, the valves there being open. And when the ventricle dilates, you can see that the blood would, from suction, enter it from the artery as well as from the auricle, if the valves at the orifice of the artery should remain open. They are accordingly shut when the ventricle dilates. You see, then, that when the auricle dilates and the ventricle contracts, the valves between the auricle and ventricle are closed, and the valves at the mouth of the pulmonary artery are open; and, on the other hand, when the ventricle dilates and the auricle contracts, the valves between them are open, and the valves of the pulmonary artery are closed.

118. Dr. Carpenter has a very good illustration of the relation of the actions of the auricle and ventricle, in a representation given in Fig. 27. The apparatus which is represented consists of two pumps, *a* and *b*, the pistons of which move up and down alternately. These are connected with a pipe, *c*, *f*, in which there are two valves, *d* and *e*, opening in the direction of the arrows. The portion *c* of the pipe represents the venous trunk discharging its blood into the heart, and the portion *f*, the artery which is the outlet for the blood. The pump, *a*, represents the auricle, and the pump, *b*, the ventricle. When the piston in *a* is raised, the fluid enters through *c* to fill it by suction, as it is termed. When, now, its piston is lowered, the fluid is forced through the valve *d* into the pump *b*, (which represents the ventricle,) whose piston is at the same time raised to receive it. And when the piston in *b* is lowered in its turn,

* This dilatation is an *active* one, as was stated in § 106, when speaking of the heart as a whole. The ventricle does not dilate because the blood is forced into it, but the blood rushes into it because it dilates.

Ventricles larger and stronger than the auricles. Valves of the aorta.

FIG. 27.



the fluid being prevented from returning into *a*, by the closure of the valve *d*, is forced through the valve *e* into *f*, representing the discharging tube, the artery. At the same time, a fresh supply of fluid is received into *a* by the raising of its piston.

119. I have described the auricle and ventricle of one side of the heart, the right side. The left side is constructed very much in the same way. You will observe, in Fig. 26, that the ventricle is much more capacious than the auricle. The auricle is indeed the antechamber to the ventricle. The ventricle, too, you see, is much thicker in its walls. It is made very strong, because it does by far the principal part of the work. I remark here, in passing, that the size of the whole heart is about that of the closed hand of the individual.

120. I will now call your attention to a more particular view of the valves of the heart. We will take, first, the valves which are at the beginning of the aorta, the great artery of the body, going out from the left ventricle. These are very much like the valves of the veins seen in Fig. 23. There are three of them. They are like little pockets arranged around the orifice of the artery, and looking toward the tube of the artery. Of course, when the ventricle contracts, and forces the blood into the artery, these pockets are pressed by the blood flat against the sides of the artery. But when the ventricle dilates, and the blood attempts to go back from the artery into the ventricle, it gets into these pockets, and bulges them out toward the heart, and thus the mouth of the artery is closed. But you can see that if these pocket-like valves had plain curved edges, they would not effect a perfect closure. There would be a

Peculiar provision in the valves of the aorta.

little space in the very middle of the orifice of the artery which would be left open. This is made plain by Fig. 28, which presents the orifice of the artery with its closed valves, as it would appear seen from the interior of the heart, if the three valves had plain curved edges. There would be a space left between them. But this difficulty is remedied by a very simple contrivance. A little fleshy projection is placed upon the middle point of the edge of each valve, of such a size that the three projections together just fill the space A. When, therefore, the valves are closed, no blood can go back from the artery into the ventricle. This arrangement is shown in Fig. 29, in which the aorta, *a*, is laid open and spread out, so as to show the three valves with their projections on the edges. At *b* and *c*, are the openings of the two arteries that supply the walls of the heart

FIG. 28.



FIG. 29.



VALVES OF THE AORTA.

with blood for their growth and repair, for the heart is constructed and repaired from its own blood. The valves at the orifice of the pulmonary artery are arranged in the same manner as those which are at the orifice of the aorta.

121. The valves which are between the auricles and the

Arrangement of the valves between the auricles and ventricles.

ventricles I have already partially described. They are folds of strong white membrane, their edges being held by numerous small tendinous cords. And these cords are manned, as we may express it, by muscles attached to the walls of the heart. The office of these muscles is to hold on to the cords that are fastened to the edges of the valves, and prevent these sheets of membrane from flapping back too far when the powerful ventricle contracts. It is by a nice adjustment of forces that these valves act with such exactness. They are of greater extent than the valves which are at the mouth of the aorta and the pulmonary artery, and, therefore, it would not do to leave them to act alone, as those valves do, upon simple mechanical principles. The living muscular fibre must be introduced as the agent to control and regulate these principles in their application here. If it were not done, the consequence would be, that when the ventricle contracts with prodigious force, as it sometimes does when the circulation is in a great state of excitement, the light tendinous fastenings would be ruptured by the pressure of the blood upon the valves. As it is now, the strong but yielding muscular bundles, to which these tendons are attached, regulate with great exactness the closing of the valves. Even if there were no need of any regulation, by muscular action, of the movement of these valves—if the tendons would, in all cases, let the valves go back to just the right point—as they are not extensible, and have no elasticity, it is manifest that there would be more danger of rupture than there is with the present arrangement. The tendons cannot be stretched, and, therefore, under great pressure they might break. In Fig. 30 is a representation of a portion of this valvular apparatus. The engraving was made from a drawing of the part taken from the heart, and pinned upon a board for the purpose. At *m*, you see the sheet of membrane; *o, o*, are two of the muscles attached to the inside of the ventricle, to hold on to the tendons, *h*, that are fastened to the edge of the membrane. This membrane is now in the position that it is when the valves are open, that is, lying in a line with the little tendons and their muscles. But when the ventricle contracts, the blood, pushing against the membrane *m*, carries up the free edge to which the tendons are fastened, which, meeting the free edges of the other valves, closes with them the communication between the auricle and ventricle.

122. In looking at Fig. 26, you observe that, while there are valves between the auricle and ventricle, and at the mouth of

No valves at the openings of the *venæ cavæ*. Why this.

FIG. 30.



PART OF THE VALVULAR APPARATUS BETWEEN THE AURICLE
AND THE VENTRICLE.

the artery going out from the ventricle, there are none at the openings of the two *venæ cavæ*, the veins that pour their contents into the auricle. Why is this? Why is there no need of valves here to prevent a regurgitation into these veins when the auricle contracts? It is because that, as the auricle contracts, there is at the same time the dilatation of the strong ventricle, making, of course, a suction in that direction so powerful as to counteract most fully any tendency to regurgitation into the veins. You readily see, that if the arrangement were reversed, and the auricle were stronger than the ventricle, then, when the auricle contracted, there would be regurgitation into the *venæ cavæ*, if there were no valves there to prevent it. The same remarks could be made in regard to the pulmonary veins, that pour their contents into the left auricle.

123. Having thus examined the heart in detail, you are now prepared to look at it as a whole. For this purpose, I present to you, in Fig. 31, a front view of the heart, in which *a* is the right auricle, receiving the purple blood from the whole body by the two large veins, *h* and *i*, called the *venæ cavæ*; *b* is the right ventricle, that receives the blood from the right auricle, and sends it to the lungs by the *pulmonary artery*, *f*; *c* is the left auricle, which receives the red blood from the lungs, by the *pulmonary veins*, *g, g, g*; *d* is the left ventricle that receives the blood from the left auricle, and sends it all over the body through the *aorta*, *e*. You observe, that you see but a part of the left auricle and ventricle, they lying partly behind the right ventricle. You do not see the very beginning of the

General view of all the parts of the heart.

FIG. 31.



FRONT VIEW OF THE HEART.


aorta, for, as it rises from the left ventricle it is at first concealed behind the top of the right ventricle and the beginning of the pulmonary artery. It then forms an arch, from which it sends forth branches to the head and upper extremities; and it afterwards passes down behind the heart, to supply with its branches the trunk of the body and the lower extremities. In the line of division between the two ventricles, *b* and *d*, you see one of the *coronary* arteries, as they are called, which, coming from the beginning of the aorta, as described in § 120, supply the walls of the heart with blood.

124. To make you quite familiar with the relations of the different parts of this complicated organ, and with the course of the blood through its different apartments, I give you, in

Course of the blood through the different cavities of the heart.

Fig. 32, a map of the heart, with the names placed upon the parts. I will describe the circulation with this map before you. The dark blood is received from all parts of the body by the *venæ cavae*—from the parts above by the descending cava, and

FIG. 32.



MAP OF THE CIRCULATION.

from the parts below by the ascending cava. These veins pour the blood into the right auricle. From this it passes into the right ventricle, which sends it by the pulmonary artery to the lungs. From the lungs it returns by the pulmonary veins to the left auricle. It then passes into the left ventricle, from which it is sent by the aorta to all parts of the body.

125. In Fig. 33 is represented the heart, situated between the two lungs, with the arteries which carry blood from it, and

Situation and connections of the heart. Its harmonious action.

the veins which pour their blood into it. The lungs are represented as being drawn apart to the right and left in front, so as to expose fully the heart and its vessels. The sac containing the heart, and the packing cellular tissue are removed, so as to lay the heart and its vessels bare. At *a* is the trachea or wind-pipe; on either side of it are the two arteries, the carotids, which go to the head; *c* is the artery which goes to the arm; *b, b*, are the jugular veins coming from the head, *d, d*, the veins

FIG. 33.



LUNGS, HEART, AND PRINCIPAL BLOOD-VESSELS.

from the arms, all emptying their contents, as you see, into the descending cava; *e* is the right auricle, receiving the blood from the two cavæ; *f* the ascending cava; *g* the right ventricle, *i* the left ventricle, and *h* the descending aorta.

126. I have been thus particular, and have led you through some repetitions in the description of some of the figures, in order that you may get a clear idea of the complicated mechanism of the circulation. And now, perhaps, you will inquire, in what way all these four apartments of the heart contract and dilate, so as to have the organ act as one harmonious whole. You have seen how the auricle and ventricle of one

The causes of the two sounds of the heart. Its forward impulse.

sides act in relation to each other—the auricle contracts when the ventricle dilates, and the ventricle contracts when the auricle dilates. Now, the harmony of action between the two sides is preserved by having the two auricles act together, and the two ventricles act together. And this action produces two sounds, which may be heard by applying the ear to the chest of any one on the left side. The first sound is rather a prolonged and heavy one, the second is light and quick. They are very well represented by the syllables *lub-tup*. The first sound occurs when the strong action of the heart is performed, that is, when the ventricles contract. It is owing to several causes. One of these is the impulse of the heart against the walls of the chest; the cause of which I shall speak of soon. Another is the flapping together of the valves between the auricles and the ventricles, to prevent the blood from regurgitating into the auricles, when the ventricles contract to force out their contents. The light and quick second sound is caused principally by the flapping together of the valves at the mouths of the aorta and the pulmonary artery when the ventricles dilate. The pulse (which I have already remarked upon in § 100) is produced by the impulse given to the blood by the contraction of the ventricles. There is, therefore, a pulse in the arteries of the circulation through the lungs, as well as in those of the circulation through the general system. Wherever there is an artery there is pulsation.

127. The impulse of the heart against the front wall of the chest on the left side is easily explained. The heart is so enveloped by the lungs, that only a small portion of it comes near to the front wall of the chest, and such is the situation of the heart, that this portion comes to the left of the middle line of the chest. The position of the heart is an oblique one, its upper part being both farther back and more to the right than its lower part. Keeping in view this position of the heart, you will readily see how the impulse is produced against the front of the chest at its lower part. The aorta, in going from the heart, makes an arch upward and backward, to go down in front of the spine; and it is the tendency to straighten out, produced in this arch by the force of the blood thrown into it by the ventricle, that causes the throwing of the heart forward by a spring. This is easily seen as illustrated by Fig. 34, in which *a* is the spinal column; *b*, the front wall of the chest; *d*, the heart; and *c*, the arch of the aorta. When the heart throws the blood into this arched tube it tends to straighten it;

Arrangement of the sac of the heart. Its lubrication.

but, as the aorta is fastened to the fixed spine behind, there can be no impression made in that direction. The straightening of the arch must therefore occur in the other direction, to the front; and therefore the heart is thrown a little forward, as represented by the dotted lines. The change of position thus produced is indeed but slight, but it is sufficient to cause the impulse. The entrance of the blood into the pulmonary artery perhaps aids in the result, but not very materially.





FIG. 34.

128. The heart, as I have already hinted, is inclosed in a sac, called the *pericardium*, which, at its upper part, is fastened all around the vessels that proceed from the heart. This sac is lined on the inside by a serous membrane, which also lines the outside of the heart, being reflected over upon it from the pericardium. This membrane forms, therefore, a sac without any outlet. This is made plain by Fig. 35. In this diagram, showing the plan of the serous membrane of the pericardium, *a, a* are the auricles; *v, v*, the ventricles; *b, c*, the vessels proceeding from the heart; *p* the serous membrane lining the outside of the heart; *p'*, the same membrane reflected from the

FIG. 35.



PLAN OF THE PERICARDIUM.

Action of the heart involuntary. Number of its beats.

upper part of the heart on to the inside of the pericardium. The arrangement of this membrane, as it fits on to the heart, is much like the common double nightcap, as it fits on to the head; and if it were dissected off whole from the outside of the heart and the inside of the pericardium, it would be like such a nightcap when taken off from the head—that is, a sac without an outlet. Now, this sac is kept moistened by a fluid exuding from its whole surface, so that, as that part of it which lines the outside of the heart, in the motions of that organ, rubs against that part which lines the pericardium, the lubrication prevents any injury from the friction. This lubricating fluid is continually renewed, the exhalents and the absorbents balancing each other in their action. When the exhalents secrete more fluid than the absorbents can take up, it accumulates, making what is called dropsy of the heart.

129. The heart, as you have seen, is a complex arrangement of muscles. And these muscles are wholly involuntary; that is, they are not at all under the direct control of the will. No one can by an exercise of the will make his heart beat slower or faster. As I shall show you in another chapter, this organ is kept at work by its nervous connection with the spinal marrow. It has no repose, as the voluntary muscles have, unless you call the intervals between the contractions and dilatations of its several parts intervals of repose. The amount of work which it does is enormous, if we calculate it for a lifetime. The heart of an adult beats, that is, each one of the four chambers of this organ dilates and contracts, about 70 times in a minute. This would make 100,800 times in 24 hours, 36,792,000 times in a year, and 2,575,440,000 times in a life of 70 years. In children, the action of the heart is much more rapid, and in disease it sometimes reaches in them to 160 or even 200 beats in a minute. It is thus that this organ, situated in the centre of the complicated apparatus of the circulation, labors continually, by night and by day, in keeping the blood in motion. The two circulations of the general system and of the lungs are ever going on. The blood is ever moving in all the cavities of the heart, in every artery, and vein, and capillary. It never stops till it is arrested by death.

CHAPTER VII.

RESPIRATION.

130. You saw, in the last chapter, that the purple venous blood is sent to the lungs to be changed into arterial blood. The great object of the apparatus of respiration is to introduce the air to the blood, so that it may act upon it, and produce this change. Another object is effected at the same time, viz., the production of the voice, by the striking of the air upon the vocal chords in the larynx, as it is forced out from the lungs. This will be made the subject of a future chapter, and I propose now to show how the chief object of respiration, which is so immediately essential to the continuance of life, is secured.

131. The lungs are spongy bodies, filling up a large part of the chest, and surrounding the heart. They are in common language, the *lights*; and you can see what they are in man by observing the lights of other animals. They are composed chiefly of air-tubes, air-cells, blood-vessels, and nerves, packed together with the common packing material of the body, cellular membrane. The spongy lightness of the lungs is owing to the air-cells or vesicles. You can get some idea of the proportion of these cells to the solid part of the organs if you inflate the lungs of some animal, as the sheep or calf, by blowing into the windpipe. These cells are exceedingly minute. It is in them that the change is effected in the blood. The capillaries holding the blood branch out on the walls of the cells, and the blood is acted upon by the air through the pores of the vessels. The object, therefore, of respiration is to introduce the air freely into these cells. The air enters through the windpipe, and this branches out into tubes called bronchi, which divide and subdivide, till they become very minute, and then end in the air-cells. These cells are estimated to be about the $\frac{1}{100}$ th of an inch in diameter. Some calculations have been made in regard to the extent of surface which they would all make if they could be spread out in one sheet. There is of course no great accuracy in such calculations; but we can readily see that the aggregate surface must be immense, and, therefore, the blood is thus very extensively exposed to the action of the

Air-tubes. Relative situation of the lungs and the heart.

air. In Fig. 36 is represented the lung of one side, *d*; the branches of the bronchi of the other lung, *c*, at the lower part of which, *e*, they are represented as they branch out minutely to open into the air-cells; *b* is the trachea or windpipe, and *a*

FIG. 36.



LUNGS AND AIR-TUBES.

is the larynx at the top of it. It is through a chink called the glottis, in the larynx, that all the air passes as it goes into and out from the lungs. This will be particularly described hereafter.

132. In Fig. 33, in the last chapter, you see represented the relative situation of the heart and lungs, the lungs being somewhat separated, however, from the heart, to the right and left, in order to show that organ fully. In their natural position they are close to the heart, and cover up all of it, except a small portion in front and to the left side, where its beating is so plainly felt. Both the heart and the lungs are suspended in the chest to the upper part of the walls of this cavity, and are fastened also to the spinal column in the rear. The large vessels of the heart, and the bronchi of the lungs, serve as the princi-

Pleura. Mechanism of breathing. Provision for expansion of the chest.

pal means of suspending these organs, as you can readily see by the Figure. The lungs are covered by a white, shining membrane, which also lines the inside of the walls of the chest. (§ 67.) called the *pleura*. This is always kept lubricated by a watery fluid, so that, as the lungs expand and the chest moves, the friction will be attended with no inconvenience or injury. You may perhaps ask why, as the lungs follow the walls of the chest in its expansion, they could not have been fastened to these walls throughout their whole surface. The principal reason probably is that, if this were the arrangement, the intimate vascular connection, which would in this case exist between the walls of the chest and the lungs, would expose the delicate texture of these organs more frequently to injury from external violence. As it is now, the effusion, or the inflammation, consequent upon a blow on the chest, is not apt to affect the lung in the neighborhood, because it has no *direct* connection with it by nerves and blood-vessels.

132. You are now prepared to see by what mechanism the air is alternately introduced to and expelled from the lungs. The chest incloses a large space, which can be made much greater by certain movements of its walls. It is this expansion of the cavity of the chest, effected by certain muscles, which, by creating a vacuum, causes the air to rush into the chest through the trachea, just as air rushes into the bellows when the space within is expanded by the separation of its walls. That you may understand how the expansion of the chest is effected, I now proceed to describe the chest. In Fig. 37 you see the framework of the chest. At *b, b*, is the spinal column, the grand pillar supporting the walls of this cavity. The ribs, *c, c*, go from this with a large curve round to the breastbone, *a*, in front. The ribs, however, do not join directly with the breastbone, but there are cartilages intervening, as you observe in the Figure. The collar-bone goes from this breastbone across to the top of the shoulder. The ribs are twelve on each side. The lowest two are attached only to the spine, and are called floating ribs. The whole is so constructed as to allow a very considerable expansion of the cavity. As, in effecting this expansion, the ribs are carried upward and forward with the breastbone, the ends of the ribs at the spine move but very slightly. As the chest is kept in constant motion, lightness in its walls is an object of some importance; and, at the same time, it is necessary that the structure should be a strong one, in order to guard effectually the lungs from injury. Both of

FIG. 37.



these objects are secured, by having the walls in front and at the side composed of so many bones, well bound together by the muscles which move them. If these bones were all in one, it would be necessary that it should be quite thick, to answer as a defence, and then it would be a heavy and unwieldy thing to move. The cartilages which connect the ribs to the breastbone are a great safeguard. They give elasticity to the structure as a whole, and the ribs are not very liable to be broken, because of the yielding of the cartilages with which they are connected.

134. This framework is filled out with connecting material, chiefly muscles, which effect the expansion of the chest in inspiration. First, there is a large expanse of muscle and tendon stretching across the lower part of the chest, separating its contents from the contents of the abdomen below. The edge of this muscle, which is called the *diaphragm*, is fastened to the spine behind, to the end of the breastbone before, and all around the lower ribs. It is arched upward; and against its concave surface press upward the liver and stomach, while the lungs and

Diaphragm. Its action in inspiration and expiration.

the heart press downward against its convex surface. The diaphragm is represented in Fig. 38. The ribs are cut away in front, so as to give a front view of the cavity of the chest, C, c, the lungs and heart being entirely removed. D D is the diaphragm, very high in the central portion, which is tendinous, but descending very low at its edges at the sides and in the rear.

FIG. 38.



DIAPHRAGM.

Front View.

135. You can see that, if all the muscular fibres in the diaphragm contract, the arch will be flattened, and thus the room in the chest will be enlarged. To occupy this new room thus made, the air rushes in through the windpipe. This is *inspiration*. In *expiration*, the reverse movement takes place—the arch of the diaphragm rises, and, compressing the lungs, forces the air out of them through the trachea. In inspiration, as the diaphragm is flattened, it pushes down before it the stomach, liver, &c., and hence the pressing out of the abdomen, which is so sensibly felt, if the hand be placed upon it during the act of inspiration. In expiration, on the other hand, the

In expiration little muscular action. Elasticity the chief agent.

abdomen retreats inward. These two opposite states of the arch of the diaphragm, and of the walls of the abdomen, are represented in Fig. 39. It is a side view, the ribs being cut away. C c is the cavity of the chest, and C a, the cavity of the abdomen. The diaphragm and the abdomen are represented

FIG. 39.



DIAPHRAGM.

Side View.

as they are in expiration. The dotted line marks the flattening of the arch of the diaphragm, and the projection of the abdomen, as they occur in inspiration. It is supposed that in ordinary expiration, there is little, if any, muscular action—that, as the diaphragm, which in inspiration pushed down the stomach and liver, and thus thrust out the walls of the abdomen, ceases to contract and relaxes, the mere elasticity of the parts below, and especially of the abdominal walls, restores the former condition of things, and so the diaphragm is carried upward, and expiration results. When, however, the ex-

Other muscles, besides the diaphragm, act in inspiration.

piration is at all forcible, it is produced in part by the action of the muscles of the abdomen and some of the muscles about the chest.

136. While this dome-shaped muscle, the diaphragm, is the principal agent by which the chest is enlarged, there are other muscles which do the same thing in another way. In Fig. 40, *a* is the spine; *c, c, c*, the ribs; *b*, the breastbone; *d*, the collar-bone; *g*, the diaphragm. You observe, on the right side



WALLS OF THE CHEST.


of the chest, certain muscles, *i*, extending from the spinal column in the neck to the first rib. When these contract, the effect will be to raise this first rib, and all the others, being attached to it, of course follow. And, as the ribs, as you see in Fig. 37, slant downwards from the spine toward the front, the result will be, that all the ribs will be carried together forward and upward. This result is the more effectually secured by muscles which pass from rib to rib, as seen at *e, e, e, e*. In this Figure, the ribs, *c, c, c*, are left bare on the left side, to show

Arrangement of muscles between the ribs.

the arch of the diaphragm, *g*, the dotted line indicating it on the right side.

137. There are two layers of muscles connecting the ribs, the fibres of which cross each other, as represented at *M*, in Fig. 41. *R R* are parts of two ribs. The spaces between the

FIG. 41.



ribs are filled with muscular fibres, arranged as represented in the Figure. If the fibres were straight, as at *L*, they could not bring the ribs as near together as the oblique fibres do. For, as muscles can not shorten themselves, at the farthest, more than one-third of their length, the straight fibres could bring the ribs only one-third nearer together, while it is obvious that the oblique fibres, with the same contraction, can do much more than that. These muscles between the ribs not only, then, help to raise all the ribs as a body, as mentioned in § 136, but they bring each rib nearer to the one above it. This increases the expansion of the chest, especially as the ribs are so joined to the spine, that if a rib be moved upward, it must be carried outward as well as forward. You can see, then, that by the operation of these muscles in the neck and between the ribs, the diameter of the chest will be increased from front to rear, and also from side to side.

138. The chest is expanded, then, in two ways—by flattening the arch of the diaphragm, and by raising the ribs. In ordinary quiet respiration, this expansion is effected chiefly by the diaphragm. But when there is a call for more active respiration, as in violent exercise, the muscles which raise the ribs act strongly, and hence the heaving of the chest, as it is called. Their action is violent when from disease, as in asthma for example, it is difficult to introduce sufficient air into the lungs.

139. The lungs, heart, &c., accurately fill the chest in all the variations of size to which its cavity is subjected in respiration.

Change in the blood effected in the air-cells.

For, when the chest is expanded, the spongy lungs swell out to follow its walls, and the air rushes in through the trachea to fill the expanding air-cells. If, now, there were an opening through the walls of the chest, communicating with the outside of the lung, when the chest expanded, the air would rush in at this opening as well as through the trachea, and the lung would be compressed in proportion to the freeness of the opening. This has sometimes occurred from disease and from wounds. If a free opening were made at the same time in both sides, both lungs would be compressed, and death would be produced by suffocation, as really as if some obstruction in the windpipe prevented the air from entering the lungs.

140. I have said that the change in the blood, from purple to red, is effected in the air-cells. The blood and the air are brought very near together for this purpose; and yet they are kept entirely separate, except when, from disease, the blood escapes into the air-cells and air-passages, and is then expectorated mingled with air. It is supposed that the air in the cells acts upon the blood through the pores of the vessels containing it, which branch out on the walls of the cells; for if dark venous blood be inclosed in a bladder, the air will act through the pores of the bladder, and gradually change the outer portion of the blood to a red color.

141. These air-vesicles, then, do an important work. The change which is effected in them is immediately essential to the continuance of health, and even of life. If the air be in any way shut out from them death occurs at once. And so important is it that they should do their work well, that extraordinary provisions are made to secure an abundance of room for them under all circumstances. For the cavity of the chest, as you have seen in this chapter, can be expanded to a very great extent. It would indeed be difficult to conceive how a greater range of expansion could be secured. As the air-cells are called upon to do more work at some times than at others, there are special provisions for a larger dilatation of the chest than is required in ordinary quiet respiration. Thus when, from violent exercise, the blood is coursing rapidly through the lungs, and more air is therefore needed to change it to red arterial blood, the chest is largely expanded by calling into action muscles, which do but little, if any thing, in ordinary breathing.

142. As the apparatus of respiration is so especially arranged to secure room for the lungs under all circumstances,

Injury done to the air-cells by compression of the chest.

it must be very deleterious to the health of the body to interfere with this arrangement. If the expansion of the chest in breathing be limited by any pressure, every air-cell must be embarrassed in doing its part in changing the blood. Either all of them must be unduly contracted, or some of them must become obliterated, so that there will not be as many vesicles as there should be. In either case, the organ is disabled in proportion to the amount of the compression. The blood is not as good as it would be if there were enough vesicles, and they could perform their work without constraint. The vigor of the system is therefore lessened. And, besides, the lungs themselves are especially liable to disease from this unnatural confinement.

143. Much injury is undoubtedly done to the lungs that are thus confined, when any strong exercise is taken. If the chest be left free to expand to its fullest extent when occasion requires, this injury is avoided. For when the strongly and rapidly contracting heart pumps the blood in such quantities into the lungs, the widely expanding chest draws in the due amount of air to change the extra amount of blood. All the air-vesicles are ready to do their duty, and, therefore, no violence is done to the delicate texture of the lungs. But if these organs be compressed, the dilatation of those vesicles that are not obliterated, in the midst of the commotion of the difficult respiration, is very unequally effected, and some of them are stretched beyond their proper dimensions. At the same time, the blood must be here and there obstructed in its passage through the lungs, producing what is termed congestion. And if this violence be repeated from time to time, permanent disease will after a while be the result.

144. From the considerations in the two last paragraphs it is manifest, that the interference with the due expansion of the lungs, which so commonly results from the modes of dress in the female sex, must be one of the prominent causes of consumption, to say nothing of other diseases arising from this cause. This interference is effected in two ways—chiefly by compression of the chest directly, but also by the pressure which the load of clothing hanging from the girt waist must make upon the upper part of the abdomen. This latter cause interferes with that forward movement of the abdomen which, as you saw in § 135, is necessary to the flattening of the arch of the diaphragm in the act of inspiration. The extent to which compression of the chest is sometimes carried is seen by

Change of the form and capacity of the chest by compression.

comparing the two outlines in Fig. 42. One is an outline, of the Venus de Medicis, the universally recognized bean ideal of beauty of form in the female, and the other is an outline

FIG. 42.



of the form of a lady with an artificially small waist. In Fig. 43 is represented the framework of the chest of its natural size, and as it is sometimes contracted by fashion. The Figures

FIG. 43.



representing the contraction of the chest may appear at the present time as caricatures, for a very small waist is not considered now to be as essential to beauty in the female form, as it was twenty-five years ago. The truth, as uttered by medical men, has had some effect. But the evil is remedied only in

Cause of death in drowning. Singular provision in the whale.

part. The chest of the female is still too much begirt, in obedience to the tyranny of fashion, to allow of the free expansion, to secure which such special pains are taken by nature. The evil begins in childhood. The chest is moulded during its growth to the shape which fashion prescribes. It could not be done after the chest has attained its full size. The torture of the compression necessary to do it could not be endured. In childhood, therefore, while the boy's chest is left to grow in its natural shape and dimensions, the girl is begirt so tightly as to embarrass her respiration, because nature is too ungenerously large in her patterns to suit her case. The subject is an important one; but as this book is not designed to treat of hygiene, I can not go into it further.

145. It is the interruption of the change which is effected by the air upon the blood in the lungs, that produces death in drowning. The very common supposition, that considerable water gets into the lungs in drowning, is erroneous. Very little water ordinarily gets in—not enough to occasion any embarrassment. The difficulty is, that the air is kept out, and not that the water gets in. The drowning person makes attempts to inspire, but the moment that the water reaches the epiglottis, the door of the windpipe, it causes at once, by its irritation, a spasmodic closure of the epiglottis, so that almost no water is introduced. In the mean time, the purple blood continues to be thrown by the right ventricle of the heart into the lungs. But the little air contained there soon parts with its oxygen; and then the change in the blood ceases to occur, and dark blood is sent from the lungs to the heart, and thence to all the organs. These can not go on to do their duty without the stimulus of arterial blood. The brain, therefore, gives out, and there is insensibility. The muscles cease to act, and all motion is gone. If a good supply of arterial blood could be furnished to all the organs until breathing could be again commenced, life would be preserved. And there is provision for such a supply in certain animals that can remain under water for some time. For example, in the whale there are large reservoirs for containing arterial blood, which can be used for the supply of the organs while he remains under water. When the supply begins to be exhausted, the animal of course has those uncomfortable sensations which a predominance of purple blood is so apt to produce. He manifests his uneasiness by his puffing and blowing, as he rises to the surface, to get a fresh supply of air, and with it a fresh supply of arterial blood in the reservoirs.

146. The apparatus of respiration varies in different animals. It appears in three forms—lungs, gills, and tracheæ or air-tubes. The gills of the fish are arranged in fringed laminæ, in order to present by all its minute divisions a large surface; and these delicate organs are covered with a lid to protect them from injury. The blood-vessels which contain the blood to be changed branch out on the surface of the fringes of the laminæ, just as the blood-vessels in lungs branch out on the surface of the air-vesicles. The air which is to change it is mingled with the water. It acts upon the blood, as the water containing it, after being taken into the mouth of the fish, passes out through these laminæ, as through a sieve. That the air in the water is the cause of the change can be proved by experiment. If a fish be placed in a vessel with its orifice closed, so that no air can enter, it will soon die from suffocation, because the air in so small a portion of water is soon used up. Although the fish can not with his gills use air that is not mingled with water, it is supposed that it is merely because the gills soon become dry when exposed to the air, and that the air would act on the blood in the gills if they were only kept moist. Indeed, in the land crab, that has the power of living for some time out of the water, it has been found that there is a gland in the gill-chamber which furnishes a secretion to keep the gills moist. Gills differ much in their shape and arrangement in the various aquatic animals. In Fig. 44 is represented the arenicola or lob-worm. Here, the gills are in the form of tufts arranged along the outside of the body. They take a somewhat similar form in the larvæ of many aquatic insects, as seen in Fig. 45. A large surface is presented to the air contained in the water by the delicate and beautifully arborescent gills of these animals. In insects, we find the respiration effected by *tracheæ* or air-tubes. These go into all parts of the body, and the air contained in them acts upon the blood in the vessels which branch out upon their walls. The insect, therefore, has no distinct respiratory organs situated in any one part of the body, but the

FIG. 44.




LOB-WORM.

air is carried into every part. This seems to be necessary on account of the feeble circulation in the insect. The tracheæ which, as Cuvier says, conduct the air in search of the blood, as the blood has no means of travelling in search of air, open on the surface by *stigmata*, as they are called, which are of various shapes and number in different insects. In the grasshopper there are twenty-four, arranged in four rows. You can kill an insect by suffocation by simply covering the stigmata with varnish. In Fig. 46 are represented the tracheæ in an insect, the nepa or water-scorpion. The tracheæ, as you see, send branches out in every direction, so that air is introduced

FIG 45.

LARVA OF THE
MAY-FLY

FIG 46.



RESPIRATORY APPARATUS OF THE WATER-SCORPION.

Respiration in birds. Apparatus for it extensive.

into every part of the body. There are lungs, so to speak, everywhere in the insect.

147. The apparatus of respiration is largely developed in birds for two objects—to provide for the extensive change in the blood which is required by their great activity, and to give lightness to the body. To secure these objects there are air-sacs connected with the lungs, and located in different parts of the body; and in birds that fly rapidly and are long upon the wing, these sacs are very extensive, and even many of the bones are made hollow, and are connected with the air sacs. By this arrangement, the air is introduced extensively to the blood in the capillaries on the walls of these sacs, and at the same time the body is made very light. And the heat generated by the effort of flying must expand the air in the air-sacs and swell them out, and thus make the body lighter. In Fig. 47 is seen this arrangement of air-sacs in the ostrich. The lungs, *l, l*, are quite small, but the air-sacs, *c, c, c*, are very large. The orifices by which they communicate with the lungs you see

FIG. 47.



LUNGS OF THE OSTRICH.

Changes produced in the air in the lungs.

in the Figure. In birds of great powers of flight, the air-sacs are much more extensive. This arrangement of air-sacs in different parts of the body of the bird bears some analogy to the tracheæ distributed in the bodies of insects.

148. You have seen that the object of the apparatus of respiration is to change venous blood into arterial, and you have also seen how the air is introduced to the blood in order to effect this change. And now the interesting inquiry arises, what are the actual changes which occur, both in the blood and in the air, in the lungs. If you take a tumbler filled with lime-water, and breathe into it through a tube, the lime-water will become turbid, and will soon deposit a sediment. This is chalk, or carbonate of lime, formed by the union of the carbonic acid gas exhaled from the lungs with the lime in the lime-water. Whence comes this carbonic acid gas, and how is it formed? In order to answer this question satisfactorily, we must look at the chemical constitution of the air which we breathe. It is composed of two gases, oxygen and nitrogen. In every 100 parts of common air, there are 79 parts of nitrogen and 21 of oxygen. It is found that the oxygen is that constituent of the air which is necessary to life. If an animal be placed in a closed jar filled with common air, he will soon die, and the oxygen will be found to have disappeared, while the nitrogen remains very nearly the same in amount. If, now, you place an animal in a jar of nitrogen, and another in a jar of oxygen, the one in the nitrogen will die immediately, while the other will be very lively until the oxygen is mostly used up by his lungs. The animal in the pure oxygen will breathe at first more rapidly than the animal in the jar of common air; and it is thought that oxygen is too stimulating for the lungs, and therefore needs to be diluted with the nitrogen, as it is in the air that we breathe.

149. In the case of both the animal in the jar of air, and that in the jar of oxygen, carbonic acid is found to have taken the place of the oxygen which has disappeared. This gas is made by a union of oxygen with carbon or charcoal. It was formerly supposed that this union is effected in the lungs—that carbon is thrown off from the venous blood in the lungs, and that the oxygen of the air there unites with it, and so carbonic acid appears in the air expired from the chest. But it has been discovered that the exchange is made in a different manner. It is not made in the lungs. The oxygen is absorbed by the blood, and goes with it to the heart to be sent all over the

Changes produced in the blood by the air.

system. And it is in the capillaries that the oxygen unites with carbon to form carbonic acid. The union takes place while the blood is changing from arterial to venous, and is an essential part of the change. The carbonic acid thus formed in the capillaries, is brought back to the heart in the venous blood, and is discharged from the system in the lungs. That the change takes place as stated has been abundantly proved in various ways. It has been found by experiments which I will not detail, that carbonic acid exists in considerable amount in venous blood; while, on the other hand, there is much oxygen in arterial blood. The plain inference from this is, that oxygen unites with the blood as it passes through the lungs, goes with it to the capillaries, and there unites with the carbon, giving us the carbonic acid which we find in the blood in the veins, after it has passed into them from the capillaries. It has been found, also, that if frogs or other cold-blooded animals be placed in hydrogen or nitrogen, (gases which produce no injurious effect on them,) they will give off for some time nearly as much carbonic acid as they would have done in common air. In this case, as no oxygen is introduced into the lungs, the carbonic acid can not come from any union effected in these organs between carbon and oxygen, but it must be discharged by exhalation from the blood as it is passing through the lungs. Of course the discharge of the carbonic acid ceases after a little time; for, there being no new supply of oxygen by way of the lungs, as there is when the animal is breathing common air, there can be no new formation of carbonic acid. But even cold-blooded animals can not live in these gases for any great length of time, although they are not positively deleterious to them, for oxygen is needed for the continuance of their functions. And in the warm-blooded animals, a constant supply of it is necessary—they will die if cut off from this supply even for a short time.

150. The change which takes place in the blood, as it passes through the lungs, occurs to some extent when the blood is exposed to the air in any way. Thus, if blood be drawn from a vein into a bowl, the surface of it becomes red by the action of the air upon it. Carbonic acid is discharged from it, and the oxygen of the air takes its place, uniting with the blood, just as the process occurs in the lungs. A larger part of the blood will be thus changed, if it be shaken so as to expose more of it to the air. The change takes place to some extent even if a membrane be interposed between, as when the blood

Quantity of carbonic acid given out by the lungs. Necessity of ventilation.

is inclosed in a bladder. The oxygen of the air, in this case, is introduced through the minute pores of the bladder and the carbonic acid gas escapes through them. Precisely in this way is the change effected in the lungs, as already stated in § 140. The blood is separated from the air by being confined in blood-vessels, and the air in the vesicles acts upon it through the minute pores of these vessels. And, as the blood is divided into innumerable little streams, every part of it is acted upon by the air in the vesicles. Though the texture of the lungs is exceedingly delicate, and the separation between the air and the blood is almost as nothing, yet the blood is confined to its limits, even though it courses through these organs with great rapidity, and it never mingles with the air except as a consequence of actual disease.

151. The quantity of carbonic acid gas discharged from the lungs in the course of twenty-four hours is very great. Many experiments have been tried and calculations made to ascertain its amount, and I am within bounds when I state, that there is at least three-quarters of a pound of charcoal in the carbonic acid thrown off from the lungs of a common-sized adult in the course of twenty-four hours. This gas is a deadly poison. When accumulated in a considerable amount, as when charcoal is burned in an open furnace in a close room, it may prove immediately destructive to life. And in the very prevalent neglect of ventilation, the frequent accumulation of this gas from the respiration must prove more or less injurious to the health. Whenever the proper amount of oxygen gas is withheld from the lungs, and carbonic acid takes its place, the quality of the blood is impaired from incompleteness in the change effected in the lungs, and the vigor of the body must in this way be lessened, to say nothing of the deleterious influence of this gas upon the nervous system. Though the results are not immediate and palpable, great injury is continually done to the health of multitudes by the accumulation of this gas, in small close apartments, and in crowded assemblies. A congregation of twelve hundred people in two hours throw off from their lungs an amount of carbonic acid that contains seventy-five pounds of charcoal. And yet little pains is commonly taken to carry off this vast quantity of poisonous gas, and replace it with pure air.

152. As so much oxygen is absorbed in the lungs of all animals, and so much carbonic acid is thrown out from them, the inquiry arises how the air is replenished with oxygen, and is

Carbonic acid exhaled from the lungs of animals absorbed by plants.

cleared of the carbonic acid which is thus so largely mixed with it. It is found that this is done, to a great extent at least, by the leaves of plants. The process which goes on in these lungs, as they may be called, of the plants, is quite the reverse of that which is going on in the lungs of animals. The carbon of the carbonic acid which is thrown off from the lungs of animals is absorbed by the leaves of plants, and the leaves replenish the air with the oxygen, which is so constantly and abundantly absorbed in the lungs of the animal creation. Thus, the animal and vegetable kingdoms are sources of supply to each other. But it may be thought that there would be apt to be a surplus of oxygen in the atmosphere in warm climates, where the vegetation is so luxuriant; while, on the other hand, there would be an accumulation of carbonic acid gas in the colder regions. This would be so, if the air were not so movable that the equilibrium is readily secured in either case.

153. It is an interesting fact, that the presence of light is necessary to the process which I have described as going on in the leaves of plants. Each leaf may be considered as a laboratory, and the light as the chief agent in effecting the chemical changes that occur in it. And it is found that no artificial light can do the work. It is only the light of the sun that is competent to this chemistry. And as these innumerable laboratories are everywhere at work, absorbing the carbon and exhaling the oxygen, to purify the air rendered noxious by the laboratories of the animal creation, we must confess it to be a mystery as to how the chemistry of the lungs of animals, and that of the leaves of plants should be kept so nicely balanced. The balance is so strictly maintained, that the chemical composition of the air is always found to be almost exactly the same.

154. The heat of the body is maintained by the union which takes place in the capillaries between the carbon and hydrogen of the system, and the oxygen which is introduced into the blood through the lungs. It is a process analogous to combustion. When carbon or charcoal is burned in a vessel containing air, the oxygen disappears, for it unites with the carbon, and carbonic acid gas, therefore, appears in its place. The same union occurs in this case between carbon and oxygen, as we find occurring in the capillaries. A sort of combustion, then, is going on in every part of our bodies. And, as heat is evolved in the one case, so it is in the other. The same can be said of the burning of *hydrogen* and oxygen together. Heat is caused by the union thus produced between them, and

Animal heat. Produced by a sort of combustion. Three sources of fuel.

so it is when they unite in the body. The water which is exhaled from the lungs comes from this union of oxygen and hydrogen. It was formerly supposed that the union between the oxygen and the carbon and hydrogen takes place in the lungs, and that the heat is made there, and then is distributed over the whole system. But it was objected to this supposition, that it made the lungs a sort of furnace for the rest of the body, and that, if the supposition were correct, there ought to be a much higher degree of heat in these organs than anywhere else, which is not the case. Ingenious theories were broached to get over this difficulty; but it was at length discovered that the union between the oxygen and the carbon and hydrogen occurs in the capillaries of the body, instead of the lungs, and that the combustion, therefore, that produces the heat is everywhere, instead of being in one locality.

155. The fuel for this combustion comes from three sources. One of these is the waste of the tissues. This furnishes a considerable amount of the carbon and hydrogen for the union with the oxygen, in all animals that are subjected, from their activity, to much wear and tear of the system. I barely allude to this now, and shall enlarge upon it soon. Another source of the fuel for combustion is food. The oily, sugary, and starchy kinds of food are devoted in a great measure to this particular purpose. These furnish a sort of floating fuel, as we may express it, which is carried about in the blood. Hence, we see, that our diet must necessarily be varied according to the weather and the climate. In cold weather, the heat of the body is more rapidly abstracted than in warm weather, and, therefore, we need then more of that food which affords a supply of carbon and hydrogen. And so as to climate. The enormous quantity of oily food often consumed by inhabitants of very cold climates is used up by being burned, as we may say, in the capillaries to keep up the animal heat. Of course, keeping the body warm by fire and clothing relieves from the necessity of taking any large quantities of fuel-making food. Still, under the most favorable circumstances in this respect, there is a need of variation in diet to suit the weather and the climate, and we make this variation for the most part instinctively. Indeed there is a marked provision in nature for it. I will mention but a single example of this provision. While there is a large amount of fat in the bears and seals and whales which afford food for the Esquimaux and Greenlanders, there is very little in the animals which furnish a part of the diet of the

Animal heat differs in cold and warm-blooded animals. Why.

inhabitants of tropical climates. Another source, still, of animal heat is the store of fat which is laid up in the body. One design of this accumulation of fat in different parts of the body seems to be to provide for the heat when other sources fail. Thus, when disease destroys the appetite, and thus cuts off the supply of food, the fat wastes away, or rather is burned up, to keep up the temperature of the body. The fat is the great means of maintaining the requisite temperature when hibernating animals become torpid for the winter. They become very fat in the autumn, before crawling into their winter quarters, and in the spring they come out very lean, their fat having been consumed in keeping up the low degree of temperature required during this time.

156. As the amount of heat produced, when charcoal is burned in air, or when oxygen and hydrogen are burned together, depends upon the quantities of carbon and hydrogen that unite with the oxygen, so, also, the degree of animal heat depends upon the quantities of carbon and hydrogen that unite with the oxygen in the capillaries. This may be illustrated by referring to the effects of exercise on the heat of the body. When the circulation is quickened by exercise, the blood passes more rapidly than usual through the lungs, the respiration is consequently quickened, more air is introduced into the lungs, and therefore oxygen is more rapidly absorbed by the blood. At the same time, the action of the muscles effects a waste in their structure by the wear and tear, so that more carbon and hydrogen are ready to be released to be united with the increased oxygen. Hence comes the heat produced by exercise. So, too, those animals which are the most active, ordinarily have the most animal heat, and have the most extensive respiratory apparatus, so that there may be a free supply of absorbed oxygen to unite with the carbon and hydrogen of the changing tissues. It is in birds and insects that this union takes place most largely, and in them, therefore, the respiratory apparatus is very largely developed. This is to be attributed to their muscular activity, which produces so much waste matter that must be removed from the system. Cold-blooded animals, on the other hand, are very inactive. There is not, therefore, much wear and tear of the tissues. There is comparatively little waste, therefore, to be thrown off. And so but little oxygen needs to be introduced into the lungs, and consequently little heat is generated. To realize fully the contrast between the warm and the cold-blooded animals in these respects, observe, as

Uniformity of animal heat in the warm-blooded. Interesting experiments.

the representative of the one class, a canary bird, and a frog as the representative of the other. The frog is generally quiet, and only now and then takes a leap or croaks; but the bird is ever in restless motion, and sings much of the time with all his might. The bird is warm with the heat generated by the constant union of oxygen with carbon and hydrogen in its capillaries; but the frog is nearly as cold as the water in which he is immersed. The bird breathes rapidly, to let the oxygen of the air largely into his lungs; but the frog scarcely seems to breathe at all, so scanty is the supply of oxygen which he needs.

157. Cold-blooded animals are very nearly of the same temperature with the substances that are around them; but warm blooded animals have a certain degree of temperature, which they maintain with considerable uniformity under all variations of temperature in the atmosphere. This in man is about ninety-eight degrees of Fahrenheit. This, you observe, is above the temperature of the surrounding air, except in exceedingly hot weather. The human body is therefore always giving off heat. Indeed it is essential to comfort that it should part with considerable heat, for any near approach of the atmosphere to ninety-eight degrees produces an uncomfortable sensation of heat. But the amount of heat which the human body can bear for a short time is much greater than the facts above alluded to would lead us to suppose. It was long taken for granted, that it could not safely bear, even for a short time, a heat much higher than that which is endured in hot climates. The truth on this subject was at length discovered by accident. Two Frenchmen were employed by government, in 1760, to devise some method of destroying an insect which infested the grain at that time. The result of their experiments was the discovery, that, by subjecting the grain to a certain degree of heat in an oven the insect was destroyed, and the grain not injured. While they were trying their experiments, a girl offered to go into the oven and mark the height of the mercury in the thermometer. It stood at 260° ; and, after remaining there for ten minutes, which she found that she could do without any great inconvenience, she marked it at 288° , that is, 76° above the boiling point of water. These facts led to the famous experiments of Dr. Fordyce and Sir Charles Blagden, in England. With wooden shoes, tied on with list, they went into a room in which the thermometer showed the air to be at 260° . Their watch chains were so hot that they could scarcely

touch them, and eggs were roasted hard in twenty minutes, and beefsteak was cooked in thirty-three minutes. And yet the same air that produced these results was breathed by them with impunity, and it raised the heat of the body but very little. The air which was breathed out from the lungs was so much cooler than the air of the room, that it was refreshingly cool to the nostrils, and to the fingers as they blew upon them. In such cases, the evil effects of the heat are prevented chiefly by the great amount of perspiration that occurs, the vaporization of this abstracting the heat, which would otherwise accumulate in the body and produce disastrous results. The exhalation from the lungs, also, has some influence.

158. In the state of hibernation, to which I have several times referred, the torpidity varies in degree in different animals. In cold-blooded animals, respiration and circulation may cease altogether in this state. In them the movements of life are often, perhaps we may say generally, as fully suspended as they are in the seed that is kept from heat and moisture. They may be preserved in this state for a long time and yet revive. Serpents and frogs have been kept in an ice-house for three years, and then have been revived on being brought out into a warm atmosphere. In the warm-blooded animals that hibernate the torpidity is less deep than in those which are cold blooded. In them the respiration and the circulation become very slow, but never entirely cease. Indeed some species take food with them into their winter quarters, and occasionally wake up sufficiently to eat. But most of them are in a quiet, deep sleep, from which they do not arouse at all till the winter is past. In this state, as life is nearly, sometimes quite at a stand, there is no wear and tear, and therefore no change in the tissues, and so there is no need of the introduction of oxygen by the respiration. Dr. M. Hall, in his experiments and observations, found that the bat, when completely torpid, consumed no oxygen, and discharged no carbonic acid from the lungs, although its circulation was not entirely suspended.

159. The more active is the respiration of animals, the less able are they to bear a deprivation of air. A warm-blooded animal will die if it be under the water only a few minutes; but a cold-blooded animal can live under the water for some time, because it is not in so urgent need of oxygen. And, for the same reason, a warm-blooded animal, in a state of hibernation, may be kept under water for a long time without destroying life, although when in its active state it would die on being

Formative vessels appended to the capillaries.

kept under water for only a few minutes. And this suggests a probable explanation of those cases, in which individuals have been restored, after having been under the water longer than the usual time that suffices to destroy life in drowning. In such cases, the condition is not simply that of a drowned person. A blow, or the shock of body or mind, or both, may have induced a suspension of active vitality, like that which we see in the animal in a state of hybernation. The bare fact of immersion in the water may have but little or even nothing to do with the actual condition. Such a state of things is especially to be suspected in those cases in which the countenance does not exhibit the usual dark and full appearance of drowned persons.

160. I have thus shown the extensive play which the respiration has in the vital operations of the system. I have shown what the chemical changes are, which it effects directly in the lungs, and indirectly in the system. And you have seen how the animal heat is produced by these changes, and how unaccountably it is so regulated, that it seldom varies to any extent from its fixed standard. But it is to be remembered that, while the lungs, and even the capillaries, everywhere are thus chemical laboratories, the nervous system exerts a constant influence upon this chemistry of the body. This is especially seen in regard to the production of heat, but it is true of the whole range of the chemical operations. The laboratories would all cease their work if their nervous connections were destroyed.

CHAPTER VIII.

FORMATION AND REPAIR.

161. THE building and the repairing of the various structures of the body are done by vessels appended to the capillaries. The capillaries having received from the arteries the blood, the building material, the formative vessels select from it, while it is in these capillaries, whatever they need for their purposes. The selection is made according to the tissue or structure to be formed. Those vessels which, for example, form bone, select from the blood very different constituents from those which make nerve or muscle.


Selecting power of the formative vessels. Their concert of action.

162. It is wonderful that the blood can be formed from such a variety of food as is often taken into the stomach. But it is far more wonderful that from the blood can be made so many and such different structures. How different are the teeth from the gums which surround them; and yet both are made from the blood. Observe, in some particular part of the body, how many different structures there are which are all made from the same common material. Take, for example, those which are in and around the eye. There are, the skin of the eyelids; the eyelashes; the vascular lining on the inside of the lids; the cartilages of the lids; the firm, white coat of the eye, giving to the eyeball its firmness; the thin, transparent window in front, setting into the firm, white coat, like a watch-glass into the case; the beautiful iris, a round moving curtain with a central opening; the lens behind this opening; the optic nerve expanded on the inside of the cavity of the eye; the muscles that move the eye, with their tendons; the tear-gland; the cushion of fat on which the eye reposes; the bone which forms the socket, &c. All these various textures are formed from the blood; and the different workmen are as unerring in their selections from this common material, as if they were intelligent beings. Indeed, no ordinary intelligence could accomplish such a selection. It is effected, inscrutably to us, under the direction of an all-wise Intelligence, and by Almighty power.

163. But these builders of the body not only have the power of selecting their building materials from the blood, but they work in concert. Each company of builders work together in harmony, as if they were under intelligent leaders. And though different companies may be in close proximity, there is no disagreement nor interference. For example, the builders of a tooth and the builders of the gum around it, do not encroach on each other; but each do their appropriate work within their assigned limits. Even when different structures are intermingled, as when tendon and muscle mingle together at their place of union, there is no confusion in the work of the two sets of laborers. In Fig. 48 you see the difference in structure between the transparent cornea in the front part of the eye and the white coat, the sclerotic coat, into which the cornea is set like the crystal of a watch. It is represented as seen magnified 320 times. The dotted lines mark the place of union. The cornea, *a*, is a much more open structure, you observe, than the sclerotic coat, *b*. The builders of these two structures, though some of them are in such near neighbor-

Concert of action shown in producing different shapes.

FIG. 48.



never encroach on each other, but each set adheres strictly to its own kind of work. The sclerotica-makers never go to making the open work which you see in the cornea. If they should do so at any point there would be a little transparent window at that point in the white of the eye; and if the cornea-makers should at any point make close work like that in the sclerotica, there would be a white spot in the cornea.

164. The concert of action which we observe in the different sets of formative vessels is to be looked at in another point of view. It is such that they give a definite and peculiar shape to the structure which they make. Each bone differs in shape from every other bone, each muscle from every other muscle; and so of other parts. There is very great variety of shape in the structures of the body; and each shape can be determined only by a certain concert among the builders. That you may realize in some measure the extent of this variety, observe again the numerous different textures which I have mentioned as making up the eye. Each of these has its own peculiar shape, and its definite limits. Its builders work after a fixed plan, and within fixed bounds.


165. This concert of action may be looked at in still another point of view. If the different structures in the body were made, as a crystal is, by layer after layer of particles deposited upon the outside, wonderful as the concert among the little builders would be in that case, it would not be any thing like as wonderful as it is now. In the growth, that is the construction of any part, the addition is made by the formative vessels at every point of the part, and not upon the outside merely. As these builders are at work enlarging the part in the growth from infancy to childhood, they must so act in concert, as to

preserve the same general form in the part during all the successive stages of growth. And, as all the different structures of the body enlarge together, there must be agreement between different sets; else there would be encroachment and confusion. Thus in the growth of the tiny arm of infancy to the sturdy arm of manhood, each set of builders must during all this time keep within its proper limits, so that there may be just the right proportion, and the right position of bone, and muscle, and tendon, and ligament, and cellular membrane, and skin, and nail, &c., that make up the arm.

166. But this concert of action appears the most wonderful when a new action, or change of action is called for. In the transition from childhood to youth, for example, the builders of the apparatus of the voice, the larynx, all at once become unusually active in their work, and a great enlargement of this musical instrument, for such it is, takes place, so that it may now utter the grave notes of manhood. Soon, too, the beard-builders begin their new work upon the face. And during the period of childhood new operations have been continually instituted among the builders of the teeth, as one tooth after another has made its appearance, and as the new set have replaced the old. To produce in the enlarging jaw a new set of teeth to take the place of the smaller and less numerous first set, and to bring them out in a symmetrical arrangement, require a very complicated series of operations. To effect each one of these, there must be concert of action among the formative vessels; and there must be a most wonderful concert among the different successive sets of builders, to make all these series of operations work out at length the general result.

167. This change of action in the formative vessels is strikingly exemplified in some animals. I refer to those that so entirely change their forms during the period of their existence. I will give two examples. The first is the common frog. He is at first what is termed a tadpole, and goes through many successive changes to become a complete frog. These changes are represented in the following figures. The relative sizes are not preserved, the tadpole state being represented relatively much too large, for the purpose of showing more clearly the development of the legs. The young tadpole is represented in Fig. 49. It has a large head and body, and a long flat tail by which it swims easily. There are no prominences to indicate the putting forth of any thing like limbs. It

Change of action in the silk-worm. Concert preserved in these cases.



has gills, which are loose fringes on each side of the head. These gills after a time disappear, and it has another set of gills arranged under a fold of skin very much like the gills of a fish. The form is then as in Fig. 50. The next change is this. The hind legs begin to grow out as seen in Fig. 51. Next, the fore legs appear as seen in Fig. 52. The tail is still very large. This now gradually disappears while the legs grow as represented in Fig. 53. In Fig. 54, representing the perfect frog, the tail has entirely disappeared. With these exterior changes interior ones have been going on also. The animal, which was at the first a real fish, breathing with gills and swimming in water, has lost its gills, and has now a pair of lungs; and it is no longer able to remain long under water, without coming to the surface to breathe the air.

168. The other example is the silk-worm. It is represented in Fig. 55. When it has attained its full growth, it passes into what is termed its chrysalis state, Fig. 56, it having previously woven for itself from its silken thread a case or cocoon. While it is in this state of inactivity great changes are going on in its structure, and it at length becomes a perfect winged insect, as represented in Fig. 57.

In the two cases which I have described, in each successive change, the concert of action in the formative vessels is pre-

Change of action to meet new exigencies.

served, but it is after a new plan. This change of plan makes the concert of action exceedingly wonderful.

FIG. 55.

FIG. 56.



FIG. 57.



169. The change of action in the formative vessels, which is sometimes called for by accident and disease, exhibits in an interesting manner the concert between these vessels as influenced by circumstances. When a bone is broken, these formative vessels set themselves to work to repair the injury, by forming new bone between and around the two ends of bone, which new bone we call callus. In this case, the bone-builders extend their range of operations to meet the new necessity; and in doing so they maintain the same concert which marked their usual operations before the bone was broken. I stated in § 105, that when an artery is tied, to cure an aneurism, the circulation in the limb is kept up by the small arteries that go off from it above the ligature, communicating with those that branch off below; and that, in order to make the circulation perfect, some of these communicating arteries gradually enlarge, to meet the necessities of the case. Now, this enlargement is not a mere dilatation produced by the distending blood. The arteries grow in thickness as well as in capacity. The artery-builders are awakened to a new activity, and make the arteries in this quarter after a larger pattern than the one originally designed for them.

170. Concert of action under successive changes is strikingly exhibited in the processes of inflammation. The following account of these processes is from a work published by the author, entitled "Physician and Patient." "You see a swelling.

it after a while begins to soften. There is matter in it, but it is not yet very near the surface. But soon, at some point, it comes nearer and nearer to the surface, the wall of the abscess thus becoming constantly more thin, till, at length, it opens and discharges. The discharge continues till the swelling is nearly all gone, and the remainder is absorbed, and the part is restored to its natural state. Just look for a moment at the complicated character of this apparently simple operation. There is quite a large deposition of substance which is to be removed; and this is the object to be effected. Observe how it is done. The softening of the swelling is not a mere change of solid substance into a fluid, as if by decay, but it is the result of an active process, which we call suppuration. When this process is properly performed good pus is made, or as the old writers in medicine rather quaintly expressed it, *laudable* pus. This process of suppuration, when it is well done, does not go on here and there in the swelling, making it like a honeycomb with a multitude of little abscesses; but there is a consent, an agreement of action by the vessels of the part, as easily as if they worked intelligently. It is this consent of action which not only makes the line of movement in the abscess, but points it towards the surface, instead of giving it some other direction, laterally or inward, upon some of the internal organs. But it is further to be observed, that in this agreement of action, the vessels of the part do not all do one thing. Three different offices are performed by them in the different quarters of the abscess. While some of these little workmen are forming the pus, there are others thinning the wall of the abscess in the direction of the surface, by absorbing or taking up the substance there; while there are others still, in the rear, and at the sides of the abscess, depositing substance, in order to make a barrier to prevent the pus from being diffused in the surrounding parts. Each class of these workmen perform their particular work with even more exactness and harmony, than would be expected of any company of intelligent laborers under the direction of a leader. The absorbents absorb together, the wall-builders build together, and the makers of pus make pus together, and deposit it in a common reservoir.

171. But observe farther, and you will soon see an entire change come over the whole scene of operations. When the absorbents have completed their passage for the pus through the skin, the pus is gradually discharged from its reservoir, and

Formative vessels and absorbents act in concert.

the "occupation" of the pus-makers is soon "gone." The wall builders also cease their work, and while the vacancy becomes filled up by contraction and deposition, the wall of defense, so carefully maintained so long as was needed, is now taken up by the absorbents, workmen which seem to know just when, as well as how, to do their duty."

172. Here you have concert of action exemplified in a complicated set of associated actions, to accomplish a temporary purpose. These actions, as you see, change in the different stages of the process, each one being performed just at the time, and during the period that it is wanted. And when the temporary purpose aimed at is accomplished, the vessels of the part resume at once their ordinary duties. It is to be observed also, that the concert of action is not confined to the formative vessels; but it appears also in those vessels called absorbents, of which I shall speak soon more particularly. And these two sets of vessels do not interfere with each other, but have a sort of agreement together in accomplishing the general result. This concert of action is plainly seen among the absorbents, not only in this case, but in all the cases that I have cited as exhibiting it among the formative vessels. For example, in the case of the frog (§ 167) while the formative vessels are constructing the legs, the absorbents are removing the tail. So in the case of the teeth (§ 166) while the formative vessels are constructing the second set, the absorbents remove the ends of the fangs of the teeth in the first set, so that they are loosened in their sockets, and are thus taken out of the way of the coming teeth. And indeed, wherever there is formation, there is absorption; and the same concert of action always appears.

173. I have spoken of the great variety of structures, which are made out of the same material, the blood. Besides this, all the different secretions are also formed from the same material. This appears wonderful when we look at the difference between such secretions as the tears, the ear-wax, the gastric juice, the bile, &c. And it appears more wonderful still, when we consider that these various glands, or factories, as we may call them, are built from the same material out of which they make their products. There is one curious exception to this. It is in the case of that large gland, the liver. This gland is built and kept in repair, like all the other glands, by arterial blood. But while they make their secretions out of this arterial blood, the liver makes its secretion out of *venous*

blood, which is brought to it for that purpose as described in § 108.

174. Thus, all the solids and fluids in the body are made from the blood. Even the heart itself is made from the blood which it pumps out into the aorta; for from this aorta go out some small arteries, to carry blood to the walls of the heart for its growth and repair. These arteries are represented in Fig. 31.

175. There is not only construction going on in every part of the system, but there is waste also. The wear and tear of the ever-moving machinery continually makes some of the particles useless, and these must in some way be removed. I propose now to show how this is done.

176. There are two kinds of waste particles; and for the disposal of them two different plans are pursued. Some of the waste particles, though wholly useless where they are, can be rendered fit to be used again by being subjected to certain processes. These, therefore, are not thrown out of the system, but are taken up by absorbents, and are carried where the necessary processes can be applied to them; and then they are introduced into the blood, to make again a part of the building material. But there are some waste particles that can not be used again; and these are so managed as to be got rid of at various outlets of the system. These two kinds of particles are taken up by two different sets of absorbents. The selecting power which they thus exert is as unerring as if they were possessed of intelligence; and it is wholly unaccountable, although some physiologists have attempted to explain it.

177. The particles which can be used again are taken up by absorbents, which are termed *lymphatics*. These vessels are much like the lacteals, the absorbents in the intestines. They unite together, as they come from all parts of the body, into two trunks. One of these is the thoracic duct (described in § 91), which is the common duct, both of the lymphatics and the lacteals, (Fig. 17,) and in which the chyle and the lymph, as the fluid in the lymphatics is called, are mingled together. The other trunk, which receives the lymph from but a small part of the body empties its contents into a large vein at the right side of the top of the chest. The largest part of the lymph, therefore, unites with the chyle, and is poured with it into the circulation, and the rest reaches the same destination by another way. It all becomes with the chyle a part of the blood. But before this is done it passes, like the chyle, through

Two kinds of waste particles. Excretion and secretion.

glands, in order to fit it to become again a part of the building-material of the body. These glands are every where in the track of the lymphatics. They are often enlarged from disease, and then they can be readily felt. This is often the case with these glands in the neck. In relation to this appropriation of waste particles, which I have thus described, it may be truly said that man lives in part upon his own flesh.

178. Those waste particles which are entirely useless are taken up by the veins directly into the circulation. They then travel the rounds with the blood, and are thrown off from the system by organs appropriated for that purpose. These organs are the lungs, the skin, the liver, the kidneys, &c. Each of these excretory organs is fitted to throw off its particular part of the waste. Thus the lungs, excrete a kind different from that which the skin does; and so of the rest. The lungs, as you saw in the chapter on respiration, throw off in the form of carbonic acid gas, large quantities of the carbon evolved in the wear and tear of the system. The liver, the skin, &c. throw off parts of the waste which differ from that which is thrown off by the lungs. Why it is that the waste matter is thus introduced into the circulation to be carried to the excretory organs, instead of having special channels appropriated to the particular office of carrying it to its outlets, we know not. And how it can thus be mixed with the blood, and be carried about the system without proving noxious, is a mystery. That it cannot be long retained in the blood without doing injury, is shown by the evil results, which come from a suspension of excretion from any of the organs that I have mentioned.

179. It is interesting to observe that some of the excretory organs perform other functions besides that of mere excretion.* Thus the lungs, while they excrete carbon, absorb oxygen, without which life could not go on. At the same time, too, they act as the bellows for the organ of the voice, the larynx, as you will see in the chapter on that subject. So also, the liver, while it excretes what would be noxious if it remained in the blood, puts its excretion into such a form, that it proves, as you saw in the chapter on digestion, an auxiliary in some of the processes of the digestive organs.

* The words *excretion* and *secretion*, are often applied to the same thing. *Excretion*, strictly speaking, should be applied only to something to be *thrown off*, and not to something formed to be used. But sometimes an excretion is so formed, that it can be used, and then the word *secretion* is also applicable to it. Thus the bile, while it is an excretion containing noxious particles to be thrown off from the system, is put to use and so it is as often called a secretion as an excretion.

180. The skin, while it is an extensive excreting organ, performs other important offices. It serves as a firm yet very flexible and soft covering to the body, protecting its internal parts from injury. It is highly endowed with nerves for two purposes—the one, that it may act as a sentinel to warn of danger; and the other, that it may be the seat of the sense of touch. That you may see how well it is fitted to perform these various functions, I will describe here its structure. What is very commonly spoken of as the skin, is not really the skin, but only a covering for it. When the skin is rubbed off, as it is expressed, it is only this covering of the skin, or *cuticle*, which is removed. The skin which is raised by a blister is this cuticle. The great object of the cuticle is to protect the true skin, which is very highly endowed with nerves for the purposes mentioned above, and which therefore, if uncovered, would prove a source of severe suffering. As it is, the cuticle protects the skin effectually, and yet does not interfere with its functions as the organ of the sense of touch. It is of so slight and so soft a texture, that the nerves of touch may readily receive impressions through it. It is composed, as you will see in the next chapter, of many layers of minute round cells, the outermost layers being made up of these cells broken, and emptied of the fluid which they contained. The true skin, which the cuticle covers, is of a fibrous texture, with a good supply of both nerves and blood vessels. On the surface of this true skin next to the cuticle are eminences called *papillæ*. In these are seated the extremities of the nerves of touch. Fig. 58 represents a highly magnified section of a bit of the skin from

FIG. 58.

Vertical section of the
SOLE OF THE FOOT.

Tubing in the skin. Insensible perspiration. Sebaceous glands.

the sole of the foot; *a* is the cuticle; *c* is the true skin; *b* represents the papillæ. You observe that the deepest layers of the cuticle, next to these papillæ, are more colored than the outer ones. The coloring matter of the skin is situated here. You observe also a tube which runs up through the cutis or true skin and the cuticle, and in the latter part of its course has a sort of cork-screw arrangement. This is the discharging tube of the sweat-gland, *d*, lying within the true skin, and surrounded with globules of fat. These glands are more numerous in some parts of the skin than in others. They are particularly numerous on the palms of the hands, and on the soles of the feet. Mr. E. Wilson counted, with the aid of the microscope, 3528 of them in a square inch on the palm of the hand. Reckoning the length of one of these at one quarter of an inch it gives 882 inches or $73\frac{1}{4}$ feet of tubing in this small space. He calculated the amount of this tubing in the skin of the whole body as being 48,600 yards, or nearly 28 miles. The amount of excretion from the seven millions of these tubes, which open on the surface of the skin, is very great. Many experiments have been tried to determine what the amount is in 24 hours, but approximations only to the truth, of course, could be obtained, and the results of the experiments have differed much. While the excretion is great in amount, it is very important. It is, as you have seen in the chapter on Respiration, a great means of regulating the temperature of the body. It is also the means of discharging from the body a portion of its waste. This waste is dissolved in or mingled with the water or vapor of the perspiration. The perspiration is ordinarily *insensible*, as it is termed; that is, it is in the form of vapor. But sometimes, as in vigorous exercise, when the sweat glands are rendered very active, chiefly to prevent too great an accumulation of heat, the perspiration becomes *sensible*.

181. There is another set of glands in the skin called sebaceous glands, which secrete an oily fluid. They have also thin tubes like the sweat glands. They are most abundant where the skin specially needs an oily lubrication, as where there are folds in the skin or hairs, or where the skin is exposed to friction, or to the drying atmosphere. They are very abundant on the face and head. The amount of the oily secretion of these glands is very great in the skin of races fitted to inhabit warm climates. Every hair has sebaceous glands connected with it, as represented in Fig. 59; in which *b* is the hair emerging from the skin;

Influence of labor on wear and tear, and on absorption.

a a are the sebaceous glands pouring their secretion by thin tubes into the tube or canal in which the hair grows; *c* the root of the hair surrounded with fat globules. From all this you see that the skin, with its two sets of glands and tubes, its nervous papillæ, and its layers of constantly renewed cells, making the cuticle, is a complicated organ, and is thus fitted to perform its functions as an organ of sensation, and at the same time of excretion, while it is also a pliable but firm covering for the body.

182. You have seen in the facts developed in this chapter, that there is constant change going on in all parts of the body. Particles which have become useless are taken up by the absorbents, while the formative vessels deposit others to take their places. The rapidity with which this change occurs, depends mostly upon the activity of the individual. The busy laborer, whether the labor be bodily or mental, requires more nourishment than the indolent man, because there is more waste in his case, from the wear and tear occasioned by motion or thought, and there is therefore a necessity for a larger supply of repairing material. The difference, it is true, is not as great in regard to mental labor, as in regard to that of the body; but still it is very apparent. This dependence of the amount of change in the system upon the degree of activity is very manifest, if we compare different animals together in this respect. I have already contrasted the frog and the canary bird in regard to respiration (§ 156,) and they can be contrasted in this respect also. As the frog makes but little exertion either of body or mind, there is but little change in his body, and but little nutriment is required to supply the small waste that occurs. But in the ever active canary there is much waste from this action, and therefore there must be much eating to supply the material of repair. As he sings and hops from perch to perch, his mind as well as his body is vastly more active than that of the frog; and so the particles in his brain and nerves, as well as in his muscles, are oftener changed. You see the same thing still more strikingly, if you contrast



Change varies in different parts of the body, and in the same body at different times.

the torpid state of the hibernating animal in winter, with his active state in the warm weather. In his torpid state life is dormant, almost at a stand still, sometimes entirely so. And the more perfect the quiescence, the less is the change, and the less, therefore, the need of nutrition. The fat which he lays up in the autumn (§ 65) answers all his necessities both for nutrition and for heat.

183. The proportion, thus seen to exist between the amount of change and the degree of activity, is exemplified in a comparison between different parts of the body. In those which are most actively used the change of decay and repair is going on most constantly. The active muscles and nerves are continually changing; while the bones, which are only passive instruments of motion are changed very slowly. And it is a significant fact, that in the case of the muscles and nerves, the waste particles are to a large extent of the entirely useless kind (§ 176), for they are mostly absorbed by the veins, there being in them but few lymphatics. That is, whenever we think, or feel, or move, we render entirely useless quantities of the particles which make up the structure of the muscular and nervous systems, and these are got rid of at the proper outlets, while other particles immediately take their places.

184. It is a very prevalent notion in the community, that the human body changes throughout once in every seven years. But you have seen that the change is very unequal in different parts of the body, and is dependent to a great extent on circumstances. Sometimes very rapid changes occur. Thus, when one has been much reduced by sickness, and then on recovery quickly regains his usual bulk, the body is very extensively changed in a short period of time. Ordinarily the circumstance which most influences the change is, as you have seen, the degree of activity which exists, whether we look at an animal as a whole, or at the tissues separately.

185. In this constant change going on in the body, life and death may be said to be brought into very near companionship. Every act of the mind, and every movement of the body breaks down some of the structure; and the particles, which are no longer fitted to maintain the living functions, must be taken away as refuse dead matter, and new particles endowed with vital affinities must take their place. Action, destruction, repair, are the successive events which are ever occurring in in every part of our frame. Action is followed by destruction, and in proportion to its intensity; and repair is necessary to

The formative vessels shown by the microscope to be *capillaries*.

fit for further action. And so through life the nutritive functions are thus struggling against the tendency to decay and death, till at length at the appointed limit the struggle is given over, the vital affinities release their hold, the common laws of dead matter take possession of the body, and the soul passes to a world where decay and change are unknown.

CHAPTER IX.

CELL-LIFE

186. In previous chapters, in treating of the construction of the body, I have spoken of the formative vessels in accordance with the common language of physiologists. The common idea has been hitherto, that the work of construction is performed by vessels appended to the capillaries. The capillaries were considered as the repositories of the blood, they receiving it from the arteries, and holding it in readiness for the use to which it is to be put by the formative vessels. These formative vessels, it was supposed, exercised in some way a power of selection in regard to the constituents of the blood, and also a power of uniting the constituents thus chosen into particular forms. In this way physiologists accounted for the formation of all the different structures in the body. What shape these formative vessels had, or how they were arranged no one pretended to know. But of their existence no one had a doubt, for there seemed to be an absolute necessity for supposing some apparatus of vessels appended to the capillaries for the performance of this function.

187. But the microscope has of late years revealed phenomena which have changed our ideas on this subject, and which must to some extent change our modes of expression in relation to it also. It has showed us agencies which differ from those which we had supposed to exist. The subject is an interesting one, and I propose in this chapter to give you some glimpses of this interior life, as it may be termed, of the body.

188. It is found by the aid of the microscope, that all the minute operations of the system are performed by the agency of *cells*. They are not such cells as I described in § 64 as existing in the cellular tissue, which are mere interstices, communicating together. But they are bladders or sacs, and are

Cells when first formed globular. Seen in the blood and in most other parts.

filled either with a fluid alone, or with a fluid containing some grains of solid substance, termed molecules. The usual form of the cell when it first appears is globular or spheroidal. It is seldom, however, seen in this form; for, besides the change of form from the pressure of neighboring cells, the cells themselves often change into various shapes, as you will see in another part of this chapter.

189. Cells can be seen in the blood. If the web of the foot of a live frog be placed under the microscope, you can see them sweeping along in the blood vessels, like so many little bladders, varying their shape, according as they press on each other, or on the sides of the vessel. This is very well represented in Fig. 60, in which a portion of the web of a frog's foot is seen as magnified 110 diameters. The dark irregular spots which you see, as at 3,3, are pigment cells, which give the color to the part.

FIG. 60.



CAPILLARIES IN THE WEB OF A FROG'S FOOT.

190. Cells may be seen in most of the fluids besides the blood, and also in the solids. The solid parts of animal bodies,

Character and color of tissues dependent on the contents of cells.

are composed either of cells, or of structures produced by cells, or of a mixture of these structures with cells. The same can be said also of plants. Cells, therefore, are the real formative vessels in both classes of organized beings.

191. We have very striking exhibitions of the cells in the lower orders of animals. The Hydra, a representation of which is given in Fig. 1, seems to be made up of little else than cells. If you observe under the microscope one of its arms, as it moves about, the motion appears to be a motion of the cells upon each other. There are no fibres to be seen, to which the motion can be attributed. Fig. 61 represents one of these arms highly magnified. The cells, as you see, have somewhat of a spiral arrangement.

192. The character of many of the tissues in the body depends on the *contents* of the cells. The cell itself, or the cell-wall, as it is termed, is considered to be always the same. But the contents vary, and this variation makes generally the variation in the character, and in the color also, of the various textures. For example, all the glands are constructed essentially on the same plan; and their difference depends upon the contents of the cells in them. Thus the liver differs from the tear-gland, chiefly because the former has cells which fill themselves from the blood with the components of bile, while the other has cells which fill themselves with the components of the tears. The color of various parts, as the iris of the eye, the skin of the dark-colored, the hair, &c., depends upon a coloring matter, which constitutes either a part or the whole of the contents of particular cells. So in plants the various colors displayed result from the various coloring matters which certain cells contain. Some contain yellow coloring matter, others red, &c. When various colors appear together in any flower, there are, where the colors bound upon each other, cells lying side by side which contain different coloring matters. And in the shading off of the colors, the effect is produced wholly by the variation in the quantities of the coloring matter in the cells.

193. It is clear from the facts which have been stated, that the cells have a selecting power. In the body they take from the common pabulum or material, the blood, such constituents

FIG. 61.



CELLS
In the arm of the
Hydra.

or substances as they need for their particular purposes. I have already given illustrations of this, in speaking of the difference in the glands. This selecting power is seen in the cells everywhere. Every cell contains its own peculiar constituents, which it has taken from the blood. For example, there are fat-cells which receive fatty matter from the blood, rejecting every thing else; pigmentary cells receiving nothing but coloring matter from the blood, &c. The same thing appears too in plants. There are cells which receive from the sap volatile oil; others, fixed oil; others, starch; others, coloring matter, &c.

194. Fluids, and sometimes gases enter the cells continually. The pores through which they enter are not visible even through the microscope, but of course such pores must exist. Their entrance is controlled by the selecting power to which I have alluded.

195. This selecting absorption thus performed by cells, as revealed by the microscope, is one of the most wonderful and mysterious phenomena in the material world. There is here a power in these cells which is unaccountable. The selection is made by the little cell as unerringly, as if its pores were controlled by an intelligence residing there. It has been said that this selection is a mere result of affinity; that a certain affinity exists between the contents of the cell, or the cell itself, for the constituents which are absorbed. But if it be so, the mystery comes no nearer to being solved than before. For how are these affinities, so numerous and various, established, and what are the principles by which they are governed? In either case the wisdom and power of the Creator may be considered as making, in this minute interior life of all organized substances, some of their most wonderful manifestations.

196. There is not only a selecting power in the cell, but there is often a converting power, by which new compounds are formed from the constituents introduced into it. The cell in this case, though so small as to be seen only by a microscope of considerable power, is a real laboratory, effecting chemical changes in its contents. There can often be seen quite a brisk movement in the molecules in the cell while these changes are going on.

197. Some cells produce other cells. This is the sole office of some of them. In some cases new cells are made by a separation of a cell into two or more. A sort of hourglass contraction takes place at the middle, by an inflection or fold-

ing in of the inner cell-wall, for the cell has two walls. At the same time the cell becomes elongated. An entire separation into two cells is thus, after a little time, effected; and then each of these cells becomes two more, and so on. In other cases cells are formed within cells. When this takes place, the nucleus, that is an aggregation or mass* of solid matter in the cell, separates into two different parts, each of which has a cell formed around it.

198. Cells, as you have already seen, do not all perform the same office, but there are cells for a great variety of purposes. A consideration of these will develop to you still greater wonders in the cell-life, and show you in the most interesting manner how great the Creator is in the minute operations of nature, as well as in those which are large and obvious to the naked eye.

199. There are different kinds of cells in the blood. There are colored and colorless ones. The office of the colorless ones has not yet been satisfactorily determined. But we know more about the colored ones. These give the red color to the blood. They are not red when looked at singly, but are of a yellow cast; and the red color appears only when several are together. One office of these colored cells is to carry oxygen to all parts of the system, and return the carbonic acid to the lungs to be thrown off. By carrying these cargoes back and forth in the circulation, these little cells perform a very important office. A very valuable part of the cargo of these cells is iron. In low states of the system, when the red cells are deficient, the administration of iron in some form is often found to be very effectual, in connection with a good diet, in remedying the deficiency. The proportion of these red cells varies much in different animals. It is largest in those which are the most active, and which, therefore, as you saw in the chapter on Respiration, consume the largest quantity of oxygen. The proportion is greater generally in birds than in the mammalia, and it is much greater in the latter than in reptiles or fishes. In man it varies much in different individuals. These cells are abundant in the ruddy, strong, and active; while it is otherwise in the inactive, pale, and feeble.

200. There are cells for absorption, and cells for secretion

* To the common ear the word *mass*, which is ordinarily used in relation to aggregates of some size, seems out of place when applied to a collection of molecules which is so small, that it can only be seen by a microscope of high power; but though so small, it is to the little eye containing it a mass.

Manner in which absorption is performed by cells.

and excretion. Of these I will give some examples. I have said in the chapter on Digestion, that the vessels called lacteals absorb chyle from the contents of the intestine. It was formerly supposed that they did this through their open mouths on the surface of the mucous membrane. But the microscope has shown that this is not so. The absorption is accomplished by cells, which are developed for this purpose at the extremities of the lacteals. They take up the chyle and discharge it into the lacteals, and they are dissolved away in the very act of emptying themselves. A new crop therefore of cells appears every time the process of absorption is to be performed. And, what is still more curious, every time that absorption is to take place, there is cast off, as a preparatory step, a sort of pavement of cells from over every point in the mucous membrane where there is an extremity of a lacteal. The absorbing cells are thus uncovered, so that they can perform their duty. All this can be made clear by the following diagram. I must premise that the surface of the mucous membrane of the intestine is not a perfectly smooth surface, but examined by a microscope it is seen to be covered with eminences and depressions. Absorption takes place on the eminences, while the depressions are the seats of secretion. In the diagram, Fig. 62, you have a

FIG. 62.




DIAGRAM SHOWING ABSORPTION IN A MUCOUS MEMBRANE.

representation of the arrangement of one of the eminences highly magnified. A, represents it as it is in the intervals of digestion when absorption is not going on, and B as it is during absorption; *a a* are the absorbent vessels or lacteals; *b b* basement membrane, as it is termed, an exceedingly thin membrane acting as a basement to the pavement cells *c c*; *d d*,

Manner in which secretion is effected by them.

the absorbing cells. When absorption is not going on, the prominence is somewhat shrunk, and the pavement cells cover it. There are some granules or small grains, *d*, in A, which are, it is supposed, the germs of the absorbing cells, which you see developed in B. When absorption is taking place, the prominence is swelled out as represented, the lacteal vessels are full, and the absorbing cells appear at their extremities, while the pavement cells have been thrown off, so that the chyle may have free access to the absorbing cells through the pores or interstices of the basement membrane.

201. While absorption thus goes on in the eminences, secretion takes place in the depressions. The diagram, Fig. 63,

FIG. 63.




DIAGRAM SHOWING SECRETION IN A MUCOUS MEMBRANE.

represents one of these depressions, or follicles, as they are termed, in two opposite states, when secreting, and when not secreting. In A, secretion is not going on, and the cells *e*, in the follicle remain quiet. In B, on the other hand, secretion is taking place, and it is done by the casting off of cells, as represented. These cells discharge their fluid contents into the cavity of the intestine, and disappear, while other cells take their places. These follicles are really little glands. And the various glands, the salivary glands, the liver, the pancreas, &c., are made up essentially of such follicles arranged in different ways. You see, therefore, in this diagram, the manner in which secretion is effected everywhere. The secreted matter is received by the absorbing cells, through the interstices of the basement membrane, from the blood in the capillaries which lie under this membrane.

202. The pavement cells, of which I have spoken, cover every part of the mucous coat or membrane, and answer as a protection to it. There is a similar arrangement over the whole outer surface of the body. Next to the true skin is a

Muscles made up of cells. Their contraction and relaxation.

basement membrane, and upon these, as in the case of the mucous coat of the alimentary canal, lie pavement cells. These cells, constituting the cuticle or scarf-skin, are much more numerous than in the alimentary canal. There are many layers of them. The outer cells dry by exposure to the air, and become scales. As these are rubbed off, the cells below take their places; and there is a constant supply of fresh cells from the basement membrane.

203. There are some cells which are devoted entirely to the production of motion, for an ordinary muscle is composed of great numbers of chains of cells included in sheaths bound together. A muscle appears to the naked eye to be made up of fibres. Each one of these fibres is found by the microscope to be composed of from 500 to 800 *fibrillæ*, or minute fibres. And each of these fibrillæ is a series or chain of cells. In Fig. 64, *a*, is represented a fibre as seen under the microscope,

FIG. 64.




FIBRE OF A MUSCLE.

showing the fibrillæ of which it is composed. They are separated at the broken end by the violence in tearing the fibre. In *b*, you see one of the fibrillæ very highly magnified, showing that it is a chain of cells. In the diagram, Fig. 65, is represented the condition of a fibrilla in the two states of contraction and relaxation. In *a* it is relaxed. In *b* it is contracted, the cells being shortened, and at the same time widened. And as all the cells in the muscle are thus widened when the muscle contracts, we see the cause of the well known swelling out of muscles when they are in action. That you may form some idea of the size of these cells in muscles, I will state that in the space of the square of a tenth part of an inch, thus, ☐ there are over 100,000 of these cells. ☐ When



FIG. 65.

MUSCULAR FIBRILLÆ;
a relaxed; *b* contracted.

Hoofs, horns, nails, and teeth made by cells.

a large muscle contracts what an innumerable multitude of these cells are set in action !

204. There are cells whose office it is to make certain solid deposits. Hoofs, horns, nails, and teeth are made in this way. Even the hard enamel of the teeth is constructed by cells. They deposit it in the form of prisms of hexagonal shape as seen in Fig. 66, which represents a vertical section of enamel as seen under the microscope. Their shape is more plainly seen in A, Fig. 67, which represents a transverse section of enamel. The line of these prisms is generally wavy, but they are for the most part parallel to each other. At B are some of these prisms separated. They are more magnified here than in Fig. 66.

FIG. 66.



VERTICAL SECTION OF ENAMEL.

FIG. 67.



ENAMEL.

A, Transverse section. B, Separated prisms of it.

205. Perhaps the most wonderful exhibitions of the functions of the cell are presented to us in the nervous system. The nerves are bundles of tubes of exceeding fineness. They vary from $\frac{1}{1000}$ th to $\frac{1}{10,000}$ th of an inch in diameter. Now, each of these little tubes, or tubuli, as they are called, was once a chain of cells. The cells in each chain or row, as the micros-

Nerves composed of tubes made from cells. Cells in the gray substance of the brain.


cope has shown, gradually became incorporated together to become a tube, and in this tube is contained the true nervous matter. And it is supposed that each of these tubuli preserves itself separate and distinct, from its origin in the brain, or some other of the central organs of the nervous system, to its termination in some fibre, or on some surface. For no communications between the tubuli have ever been found by any microscopist. The manner in which these tubuli are made from cells may be illustrated by the diagram in Fig. 68, in which the steps by which the row of cells A becomes the tube B are represented.

206. It is these tubuli, thus formed from cells, that constitute the means of nervous communication between all parts of the system. Thus, when a muscle contracts in obedience to the will, an impression is conveyed through those tubuli that connect the brain with the fibres of the muscle, or rather with the cells of which these fibres are composed. These tubuli exist in all the nerves, and in the white parts of the brain and spinal marrow. They transmit, but they have nothing to do with originating what is transmitted. This is done by another part of the nervous system, the reddish gray substance, which is seen in the brain and spinal marrow, as entirely distinct from the white portion. This gray substance, in which all nerve force, as it is termed, is produced, is made up chiefly of cells. These cells, which have a nucleus or central particle, are originally globular, but many of them assume various shapes, and often shoot out branches. Some of the shapes are very fantastic as represented in Fig. 69. These are magnified 200 diameters.

207. In the views which I have given of cell-life, I have not attempted to describe all the phenomena which have been discovered, but only enough of them to give the student a general view of this interior unseen life, that is at work so busily at every point of every living substance. The cell, you have seen, performs a great variety of functions. It is the agent by which all vital operations are carried on. The very beginning of life, so far as we can see, is in the cell which the microscope reveals to us. Its first manifestation is here. We can suppose a germ as the origin of a cell, but we do not see it if it exist.


208. All animated nature is built up by cells. The first

FIG. 68.



All organized substances built up by cells.

FIG. 69.




NERVE CELLS IN THE GRAY SUBSTANCE.

thing which comes from the supposed germ is a cell. And this single cell is the parent of all the cells which build up the whole structure, whatever it be. It is by these cells thus produced, that all plants and animals are constructed. "A globular mass," says Carpenter, "containing a large number of cells is formed before any diversity of parts shows itself; and it is by the subsequent development, from this mass, of different sets of cells, of which some are changed into cartilage, others into nerve, others into muscle, others into vessels, and so on, that the several parts of the body are ultimately formed. Of the cause of these transformations, and of the regularity with which they take place in the different parts, according to the type or plan upon which the animal is constructed, we are entirely in the dark; and we may probably never know much more than we do at present."

209. A beautiful exemplification of what has just been stated is seen in the development of the animal in the interior of an egg, and particularly in the egg of the bird tribe. By an ex

amination of different eggs at different stages of the process of hatching, the various steps in the development of the animal have been observed and noted. It is a series of most wonderful processes, that go on concealed from our view by that symmetrical inclosure of lime. Of these I will present the general outlines. In the middle of the egg is the yellow yolk, composed of albumen and oil globules. It is surrounded by an exceedingly thin sac, which keeps it separate from the albumen, the *white* of the egg that envelopes it. The *yolk*, *b*, Fig. 70, is

FIG. 70.




SECTION OF A BIRDS' EGG.

lighter than the *white*, and it therefore always seeks the highest point in the egg. But there is a particular contrivance which prevents it from actually touching the shell. It is held down by two very delicate ligaments *e, e*, connecting it with the white lining of the shell. And you will observe, too, that the cicatrula, or germ-spot, *a*, which is a collection of cells beginning the process which is to form the animal, being lighter than the yolk is always at the top of it, in order to receive the warmth from the body of the bird as it sets upon its eggs. Besides all this, there is at the blunt end of the egg, *f*, a bubble of air which is intended as an invigorating draught for the lungs of the young bird, preparatory to its bursting its shell.

210. When the processes preparatory to the formation of the animal commence, the yolk itself is composed in part of cells, as represented in Fig. 71, *A*. In the midst of it there is a germinal spot, *a*, with a vesicle in it, *b*. This vesicle produces

Succession of cells in the yolk before the animal is formed.

FIG. 71.



DEVELOPMENT OF CELLS IN THE YOLK DURING INCUBATION.

a cluster of cells. But these cells, and those which in part compose the yolk are temporary, and all disappear. Before, however, the cluster of cells in the germinal spot disappear, there are seen in the midst of them two twin cells. These multiply; and what is singular, they do it by doubling, so that there are successively 4, 8, 16, 32, &c. At length there is a mass of them, like a mulberry, as at *e*, in B. This mass then sends off cells at its edges which makes a layer, *f*, all round the yolk as represented in C. A second layer, *g*, is formed inside of the first as seen in D. In the case of the higher animals a third layer is added.

211. There is no formation of the animal yet. But now a single large cell appears in the centre of the mulberry-shaped mass of cells, and from this begins the formation of the animal. All the other parts of the egg—the cells, the yolk, the white—are tributary to the action which proceeds from this cell. Within its wall is a ring-like nucleus. This takes the shape of a pear, and then it is afterward very much like a violin. From this nucleus are produced cells which form all the various parts of the animal, the heart, lungs, stomach, brain, limbs, &c. And these are made out of the yolk and the white of the egg.

Office of the allantois. All animals and plants come from simple cells.

212. There is one contrivance made use of during this development of the animal, which must not pass unnoticed. A very delicate bag, called the *allantois*, is formed, which is attached to the embryo, and at length almost envelopes it. The office of this is to expose the blood of the embryo to the air. This is accomplished through the pores of the shell, against which the allantois with its minute blood-vessels presses. This organ is in fact the temporary breathing apparatus of the developing animal. The development can be arrested by smearing over the egg with some substance that will prevent the entrance of air through the shell. When the animal is fully developed, and is ready to come forth from his prison, he inhales the air provided for him, as before described, and with the strength given to him by the stimulus of the air in his lungs, he bursts the crust of lime that incloses him.

213. I have described these processes which take place in the egg, in order that you may see the mysterious connection between the simple cells that form in the beginning, and the full development of the complete and diversified organization. In the formation of all animals, and we may say plants also, there is a similar connection, varied of course according to the circumstances of each case. As we observe the various steps of the process, the mind is filled with wonder. As we look at the egg, containing nothing but a yolk surrounded by albumen, with its little cell of air at the end, and see it wholly separated from every living organization, shut up entirely by itself in a wall of lime, we can hardly believe that the mere application of heat will cause in the contents a series of processes, which will result in an animal so complete, that it can burst its own prison walls, and, as is the case with some of the tribe, at once walk forth into the open air. The processes by which all this is effected have been narrowly watched by the eager eye of scientific inquiry; but the mystery remains unsolved, and probably to man it will always remain so.

214. From the views which I have presented in this chapter it is manifest, that the grand distinction between organized and unorganized substances is to be found in this cell-life of the organized. In unorganized substances particles or molecules are the only things which we know of as being concerned in their formation. But in the construction of organized substances or beings, every thing is done by the agency of cells. And in this cell-life of the living world we have another beautiful example of the divers and almost numberless results, which

The power of the Deity shown in the minute operations of Nature.

re Creator works out by simple and single means. As gravitation holds atoms together in masses of every size from the inutest to the largest, and keeps the mighty orbs in their appointed circuits, so the cell-organization constructs and moves living things, however small, however large, and however versified.

215. As we examine the various workings of this cell-life, we do not but perceive the truth of the old adage, *Natura in minimis maxima est*—nature is greatest in its smallest things. The power of mere bulk or mere force we can comprehend by mental addition, however great that power may be. We can imagine a power which we see, to be indefinitely multiplied, and thus can form the idea of immense power. But when with the microscope we see minute cells working out such results as we have contemplated in this chapter, and inquire how it is done, we see that there is a hidden power here that utterly defies our conception. The mechanics and the chemistry of the cell, who can understand them? From the inscrutable movements of this hidden power, at work wherever life is, in the cells, its laboratories, we get a higher idea of Omnipotence than we can get from the grandest and most terrific exhibitions of mere force. We get from them the idea of an all-pervading, as well as an all-wise power, working not merely in every locality, but at every point of the universe. And the relations which the microscope makes to us seem to draw us very near to the Infinite. As we gaze with wonder and delight at the secret operations of his power thus opened to us, we seem most to be admitted to his presence; and even our awakened curiosity, amid the wonders now brought into our field of vision, does not suffice to remove the awe which almost oppresses us.

216. How great is the inner beauty of the living world around us! We admire the symmetrical forms, and the beautiful colors which nature presents to us in such variety; but there is an inner world of beauties throughout nature, still more perfect and resplendent, which is hidden from the naked eye of man, though it is all open to the Omniscient. If you would get some idea of the beauty of this inner world, take the most delicately beautiful of all the specimens of man's workmanship, and examine it with a microscope; and then compare it with some living texture or coloring. Compare in this way, for example, the most perfect painting of a flower with the flower itself. The painting loses all its beauty as it is magnified; but in the bosom of the flower the microscope develops to you

The inner beauty developed by the microscope.

beauties far transcending those which are seen by the unassisted eye. Even such living structures as are unattractive to the naked eye, present under the microscope wonderful beauty in the delicate lines of their textures. It is true of every one who has used this instrument in his observation of nature, that he is impressed with the fact, that great as is the beauty of nature, as we look out upon it, it is vastly inferior both in kind and in amount to that inner beauty seen so completely by the all-seeing Eye, and now developed to us in part by the skill and ingenuity of man. And it suggests to us the hope, that in a new state of being, and with higher faculties, we shall be able to look farther into these inner beauties of the universe, than we now can with all the aids which our ingenuity can devise.

PART THIRD,

CONTAINING

AFTER X.—THE NERVOUS SYSTEM. CHAPTER XI.—THE BOWEL. CHAPTER XII.—THE MUSCLES. CHAPTER XIII.—THE LANGUAGE OF THE MUSCLES. CHAPTER XIV.—THE VOICE. CHAPTER XV.—THE EAR. CHAPTER XVI.—THE EYE. CHAPTER XVII.—THE CONNECTION OF THE MIND WITH THE BODY. CHAPTER XVIII.—DIFFERENCES BETWEEN MAN AND THE INFERIOR ANIMALS. CHAPTER XIX.—VARIETIES OF THE HUMAN RACE. CHAPTER XX.—LIFE AND DEATH.

CHAPTER X.

THE NERVOUS SYSTEM.

217. Thus far we have contemplated man merely as a structure. We have observed the means by which the body is built and is kept in repair. We have seen that in regard to these functions of nutrition, man and all animals have much in common with plants. So far as these functions are concerned, they vary from plants only in the modes by which the nutrition is effected. The difference in this respect is not an essential one. The absorbents in the root of the plant do for the plant what the lacteals in the digestive organs do for the animal, the difference between them being only according to the differing circumstances. So also, circulation and formation are in all essential points the same in these two different departments of animated nature. The microscope has in the most striking manner shown this to be true of formation, for vegetables and animals are alike constructed, as you have seen, by cells.

218. The functions of which I have treated in the previous chapters, as being common to plants and animals, are called the functions of *organic* life, because they concern merely the structure, the *organization*. But there are other functions. The body, with all its complicated parts, is constructed and kept in repair for certain *uses*. These uses are secured by the nervous system,—a system, which I have spoken of in § 32, as being superadded to what the animal has in common with the plant, and which, therefore, constitutes the essential difference between the animal and the plant. This system furnishes the means of the relations of the animal to the world around him. He receives his impressions from external things through this

system; and through it he acts upon external things. He feels through the nerves, and by the nerves excites those motions by which he acts on both material and immaterial existences. The functions, therefore, which are performed through this system, are called functions of *animal* life, in distinction from the functions of *organic* life, which are common to vegetables and animals. They are sometimes also called functions of relation, in view of the relations which it establishes between sentient and moving beings, and all external things.

219. But there are intermediate instruments, through which the nervous system exercises its functions. The nerves do not themselves move, but they excite motion in muscles, and these move bones and other parts. Neither is sensation performed by the nerves alone. The different senses, for example, have different organs, with arrangements differing according to the kind of sensation. Mere nerves do not alone see, or hear, or taste, or smell, or touch. There are special organs constructed for these purposes; and through these the nerves receive impressions. Thus the nerve of sight cannot of itself see; but the eye being there, so formed as to have pictured on a membrane the images of objects, the nerve receives an impression from these images, and this impression is transmitted through the trunk of the nerve to the brain, where the mind takes cognizance of it; and this constitutes seeing.

220. While then the nervous system is the great essential means of connection between the mind and external things, there are other subordinate means, as we may consider them. They are organs of various kinds, through which the nerves act and are acted upon. The nervous system, therefore, may be viewed as presiding over the sentient and moving machinery, in the complex structure of the human system, which we have been examining in the previous chapters.

221. The nervous system in the lower orders of animals is very simple, and forms an exceedingly small part of the animal. But, as we rise in the scale, we find that, as the limits of relation to external things enlarge, this system becomes more prominent; till, in man, in whom these relations, both mental and physical, are much more extensive than in any other animal, it is very prominent and greatly complicated.

222. The interest of the class of subjects, now to be opened to you, much transcends that of the subjects which we have already gone over. If you look at a child as it first opens its

All knowledge acquired and communicated by nerves.

eyes upon this world, you see a being, whose senses are commencing their work as inlets of knowledge to the soul within. Nothing is known at the outset, of shapes, or colors, or distances, or any other relations of things. This is all to be earned, through the nerves and their subordinate organs. And as all knowledge is acquired through the nerves, so it is communicated through nerves to others. It is communicated by the motions that are excited in the muscles by the nerves—the motions of the countenance varying its expression; the motions of the limbs, or gestures; but especially by the motions which produce and articulate the voice. Thought and feeling can be communicated in no other way than by muscular motion.

223. From what has now been said, you readily see, what will be the subjects of the third part of this book. They are those which relate to the nervous system and its connections or dependencies. They are, the nervous system itself; the organs of locomotion, the muscles, and the bones; the voice; the expression of the countenance, and the language of the muscles generally; the senses, with their organs; instinct; thought; reason.

224. As preparatory to a particular view of these subjects, I will give you a general view of the nervous system, with the functions performed by the various parts of it. I shall reserve for another chapter a particular view of some of the higher functions of this system, and a consideration of some subjects, which we can better examine after we have considered the organs of locomotion and the senses.

225. The nervous system may be considered as having three parts; 1, certain central parts, as the brain and spinal marrow; 2, nervous trunks, which going from these central parts divide and subdivide, as the arteries do, till they become exceedingly minute; and 3, the nervous expansion in the organs, having a relation to the nervous trunks similar to that which the capillaries bear to the arteries. In what we call sensation we suppose that an impression is produced in the nervous expansion, that the trunk serves to transmit it, and that through the nervous centre, the brain, it is communicated to the mind.

226. Let us see now what is necessary to this compound act, termed sensation. First, it is necessary that the organ where the nerve is expanded be in a condition to let the nerve receive the impression. If the eye be so injured in its textures, that the impression can not be made on the nerve, there can be no

vision. So, too, of the other senses. Taste and smell are often impaired, sometimes even destroyed for a time, by an inflammation of the mucous membrane, on which the nerves devoted to these senses are expanded. This is sometimes the case in a common cold. It is necessary also, that the trunk of the nerve be in a proper condition. If the nerve of vision be pressed upon by a tumor, there will be no impression transmitted from the images formed in the eye. So, too, if a nerve going to any part of the body be cut off, there can be no transmission of impressions to the brain from that part. Again, it is necessary to sensation, that the brain should be in a state to communicate the impression to the mind. If the brain be pressed upon strongly by a depression of the skull from violence, or by effusion of blood by the rupture of an artery, as sometimes occurs in apoplexy, there can be no sensation. Excitement of mind, too, sometimes prevents the occurrence of sensation, by its action upon the connection between the mind and the brain. The pain of a wound received in battle is often unfelt, until the excitement of the battle is over. The aching of a tooth is often stopped by the excitement consequent upon going to the dentist to have it extracted. I once burned my hand in the beginning of a chemical lecture, but felt no pain till I had finished it, and then the pain was at once very severe. In these cases the cause of the pain is acting all the while upon the nervous extremity, and the trunk of the nerve is capable of transmitting the impression, but the state of the mind is such, and such is the consequent condition of the brain, that the sensation does not occur—one link in the necessary chain is defective.

227. The same can be said, in regard to the necessity of each of these links of the chain, in relation to voluntary motion, as well as sensation. The brain must be in a condition to be acted upon by the mind; the nervous trunk must be capable of transmitting the impression; and the muscle must be in such a state, and in such connection with the extreme nervous fibres, that it can respond to the call of the brain.

228. Before going further, I will give you some idea of the proportions and arrangement of the central organs of the nervous system. In Fig. 72 you have presented a general view of this system,—the central organs with the nerves going out from them. At *a* is the cerebrum, the upper large brain, filling up a considerable portion of the skull; at *b* is the cerebellum, the lesser brain, lying beneath the cerebrum at its

FIG. 72.




NERVOUS TRUNKS IN MAN.

Hemispheres and lobes of the brain.

back part : at *c* is the great facial nerve, the chief nerve of the face ; the spinal marrow, *d*, sends off branches on either side in its whole length ; at *e* is the brachial plexus, a bundle of nerves coming from the spinal marrow, which here unite together, and are then distributed to all parts of the arm ; at *i* is a similar plexus from which are distributed nerves to the lower extremity ; *f*, *g*, and *h* point to different nerves in the arm, and *l*, *m*, *n*, and *o* to different nerves in the leg. You observe that the whole of this nervous system is divided into exactly similar halves. The cerebrum and the cerebellum are both double organs, and the nerves of one side are just like those of the other.

229. Having thus observed the general arrangement of the nervous system, I call your attention next to the arrangement and structure of the brain which are seen in Fig. 73. This



BRAIN AND NERVES.

Figure presents to view a perpendicular section of the brain, as made from front to rear, dividing it into two halves. You have here a view of the inner surface of one hemisphere, as it is


armed, of the cerebrum, the large upper brain, which is commonly described as having three lobes or divisions, *a*, the anterior; *b*, the middle; and *c* the posterior. At *f* is the broad band of white fibrous matter, which unites the two halves or hemispheres together, of course divided in the section; at *d* is the cerebellum showing a peculiarly beautiful arrangement, called the *arbor vitæ*, or tree of life; at *g* is the beginning of the optic nerve which goes to the eye; *l* is the nerve of smell; *e* is the commencement of the spinal marrow. The many nerves which you see, are distributed to various parts of the face; the nerve at *h* goes to the tongue; at *i* to the throat, and at *m* to one of the muscles of the eye. From the beginning of the spinal marrow go forth many nerves, one of which, *k*, is a very important one, as it sends off branches to the lungs, the heart, and the stomach. It is this part of the nervous system, the top of the spinal cord, that it is most immediately essential to the continuance of life. For it is by their nervous connections with the top of the spinal marrow, that the heart and lungs continue to perform their duty. It has been ascertained, by experiments upon animals, that the cerebrum, and even the cerebellum, can be destroyed, and yet the animal will continue to breathe, and the circulation will go on for some time. But the moment that this part of the spinal cord, from which the heart and lungs are supplied with nerves, is destroyed, the breathing and the circulation stop and the animal dies. So, too, in apoplexy, if the effusion of blood take place at the top of the spinal marrow, death will occur more certainly, and in much shorter time, than if the effusion take place in the cerebrum or cerebellum.

230. You observe that the cerebrum has deep irregular furrows on its surface, and that it presents undulating tortuous projections. These are called the *convolutions* of the brain. Into the furrows between them dips down the membrane, in which branch out the arteries that supply the brain with blood, and the veins that return it from this organ. This membrane, from its soft and delicate texture, called the *pia mater* (pious mother) while the stout fibrous membrane, which lies outside of this next to the bony covering is called the *dura mater*, or hard mother. The names are entirely inappropriate, for the latter serves as a protection to the brain, and the former is merely a vehicle or medium for the entrance of the blood vessels into the brain. There is another membrane lying between these which is called the *arachnoid* membrane, be-

cause in its tenuity and delicacy it resembles the spider's web. It is one of the serous membranes, and it serves as a protecting envelope to the brain, and at the same time by its serum, keeps this organ bedewed with moisture over its whole surface.

231. The substance of which the brain is composed is very soft, something like blanc-mange. It is the softest organ in the body. It is not uniform throughout in color. All around the white inner part of the brain there is a thick layer of gray substance. In Fig. 74 you have a horizontal section of the

FIG. 74.



SECTION OF THE BRAIN.

brain, showing the proportions and arrangement of the gray and the white substances. As the gray substance dips down, as you see in the figure, into all the furrows, its extent is greater than you would suppose at the first view. In the middle is represented the broad connection which exists between the two hemispheres of the brain. You observe in


The gray substance made of cells, the white of tubes.

Fig. 73, and Fig. 74, that there is no apparent arrangement of the external parts of the brain, which would give countenance to the idea of the phrenologist, in relation to a division into particular organs. The convolutions, so far from presenting any well defined arrangement, are exceedingly irregular.

232. The gray substance, which is sometimes called the cortical (bark-like) substance, because it surrounds the white central part of the brain, is made up, as I said in the Chapter on Cell-Life, § 208, of cells, while the white part is composed of exceedingly minute tubes. These tubes are continued into the nerves, and as they hold the nervous matter, they constitute the medium of communication between the brain and all parts of the body. This function of communication is the sole function of the white nervous matter. In the brain this white matter is a mere collection of tubes, and these branching out in bundles form the nerves. These tubes are supposed to be entirely separate from each other, from their beginning in the brain to their termination in the various parts of the body, for the microscope, as stated in § 205, has never discovered any union between them at any point. The brain then is a great central organ of communication, where innumerable minute tubes are brought together, each of which is connected with some one moving fibre, or some one sensitive point in the body. Those which are connected with muscular fibres transmit impressions from the brain, and those which are connected with sensitive points transmit impressions to it. Of the size of these tubes you can judge by Fig. 75, which shows some of them as they appear magnified 350 diameters. They vary much in size, but the cause of this variation has not been discovered.

233. The office of the gray substance, it is quite well ascertained, is very different from that of the white substance, as the difference in its structure would lead us to suppose. It is more nearly

FIG. 75.



NERVOUS TUBULI,
Magnified 350 diameters

Office of the gray substance. Proportioned to the amount of intelligence.

connected with the mind than the white substance. When, for example, motion is produced in obedience to the will, the impression producing the motion is transmitted through the white matter, but the cause of this impression does not act directly on this matter. The impression is caused by the action of the mind on the gray matter, and the white substance only serves to transmit it. The gray matter, therefore, has a more active agency than the white in the phenomena of the mind and the nervous system. It is the first link in the chain of connection between the spiritual and the physical in our nature. Hence, in examining the brains of animals, we find that the higher is the intelligence, the more abundant is the gray substance; and it is especially abundant in man, by the large development of the convolutions.

234. The question arises here, whether, as in motion the active agency is on the part of the gray matter in the brain, there is also gray matter at the extremities of the nerves of sensation, exerting an active agency there. It would seem that it should be so. When voluntary motion is produced, the action of the mind is on the gray substance, and the white substance of the brain and the nerves transmits the impression of this action. But in sensation the first step in the process is not in the brain, but in the nervous extremities. Now in this first step, in the actual production of the impression to be transmitted to the brain, we should suppose the gray matter as necessary as in the production of the impression to be transmitted from the brain in effecting voluntary motion. Else we must conclude, that, while the white substance can have no active agency in the brain, but serves only for transmission, at its other extremity, expanded in the organs, it serves for both transmission and production. Dr. Carpenter supposes, therefore, that there is a sort of gray matter in the expanded extremities of all nerves of sensation. But the microscope has never discovered the existence of this matter in any nervous expansion, except in the nerve of the eye, in the retina, and in some parts of the internal ear. And some facts seem to militate against Dr. Carpenter's view of the subject. If, for instance, you hit the trunk of a nerve, as the little nerve so often hit at the elbow, a sensation is produced, which is in some measure referred to the part to which the nerve is distributed. From such facts it would appear, that in sensation the white nervous matter does not merely transmit impressions, but has an agency also in originating them. There is then probably

The gray substance well supplied with arterial blood. Ganglions and plexuses.

to gray matter ordinarily in the expanded extremities of a nerve, but they are merely terminations of the tubes which make up its trunk.

235. The cells which form the peculiarity of the structure of the gray substance are often, as you saw in Fig. 69, of very angular appearance from their prolongations. They lie in the interstices of a vascular network. A due supply of arterial blood is absolutely essential to the vigorous performance of the functions of the gray substance. If the supply be cut off in any way, as by the failure of the heart's action in fainting, insensibility and the loss of the power of motion are the consequence. While the gray substance is on the outside of the brain, it is on the inside of the spinal marrow. It is also on the inside of the little bodies called *ganglions*, scattered here and there, as depositories of nervous force, or as little brains, as we may term them. These ganglions are not merely a part of the apparatus of communication. They are different from plexuses, which are mere combinations of nervous trunks, as seen in Fig. 77, *t t* being the trunks, which, after uniting with

FIG. 76.



FIG. 77.



each other in various ways, again separate to go to their different destinations. At *g*, in Fig. 76, is a ganglion into which the fibres *f* of the nerve *n* run. It then divides again into branches *b*. These ganglions produce nervous force, and therefore are composed like the brain in part of gray substance. The spinal marrow, too, produces as well as transmits, and so

this substance forms a part of it. This gray substance, as it is in constant operation, is subject to much wear and tear, as we may express it, and therefore the changes of repair are constantly going on in its structure. Hence, the necessity for so large a supply of blood, as is secured by the network of vessels, among which the cells peculiar to this substance are scattered. The microscope has fully demonstrated the reality of these continual changes, for it shows us, whenever a portion of this substance is examined by it, the cells in all the various stages of development mingled together. The freshly made simple cells are seen among those which have been formed for some time, and which have put forth their long off-shoots, as seen in Fig. 69.

236. The extremities of the fibres, or rather of the tubuli (Fig. 75) of the nerves terminate variously. The most common termination is in loops, as seen in Fig. 78, which represents the

FIG. 78.




NERVES OF TOUCH IN THE SKIN OF THE THUMB.

termination of the nerves as seen through the microscope in a thin perpendicular section of the skin in the thumb. The three eminences in this figure are those of the *papillæ*, as they are termed, which you can see are arranged in curvilinear rows, if you look at the ball of the thumb. In Fig. 79 you see this same loop-like arrangement in the nervous tubuli, as seen through the microscope, on the sensitive sac that lines the cavity of a tooth, the entrance for the nerves and bloodvessels of this sac being at the end of the root.

237. One very singular termination of the nervous tubuli, is in what are called Pacinian corpuscles, after Pacini, the first microscopist that discovered them. They are found attached to the nerves in the hand and foot more often than any where

Pacinian corpuscles. Their office not known.

FIG. 79.



NERVES IN A TOOTH.

FIG. 80.



PACINIAN CORPUSCLES.

æ. Their structure, which is seen in Fig. 80, A, highly magnified, is very curious. They are attached to the branches of the nerves on which they cluster by little peduncles or stalks. At *a* is the peduncle; *b* is the nervous fibre or bulb; *f* is its termination in the corpuscle. The corpuscle itself is composed of layers of a very delicate fibrous membrane closing each other like the coats of an onion, to the number sometimes sixty, the inner ones, *d*, being closer together than the outer ones, *c*, are. In B is represented a portion of a nerve of a finger, with clusters of these corpuscles of about the natural size. Of what use these singular bodies are we know not. But the fact that they are always found in certain regions of the body shows that they are placed there for some definite purpose. It has been supposed by some that they are minute electrical batteries, because they bear some resemblance to the electrical organs found in some fishes.

238. There is a wonderful fact in regard to the healing of wounded nerves which must not pass unnoticed. You know

that if a nerve be divided, all communication between the part that it supplies with branches and the brain is cut off. No impressions can be transmitted through it to and from the brain. But the two cut ends of the nerves can grow together, and the communication can thus be more or less restored. Sometimes it is as perfect as before. Now, if you call to mind the structure of a nervous trunk, you will see that this is passing wonderful. It is made up, you will recollect, of tubuli which are entirely separate from each other, and each one of these goes from its origin in the nervous centre to its destination by itself. It is difficult to conceive, therefore, how the nerve can be healed without creating confusion. For to avoid this it would seem to be necessary, that each little tube at its cut end must unite with its corresponding end, and not with the end of some tube with which it has no relation. For example, if the nerve distributed to the hand were cut, it would not do, as it seems to us, to have tubuli which go to the thumb unite with those which go to a finger. And besides, as I shall soon show you that the tubuli, through which the impression that produces motion is transmitted, are separate from those which transmit the impression that causes sensation, it would not do for a tubulus of one kind to unite in the healing with one of the other kind. We can not conceive how a confusion in sensations and motions can be avoided, unless the end of each fibre or tubulus is united with its corresponding end; and such an accurate union of the multitude of tubuli in a nerve seems an impossibility. That there is, however, a very accurate union effected, is manifest from the observations of M. Brown Sèquard. He examined in animals nerves which were divided twelve months before, and could not discover the point of division even with the aid of the microscope. If the tubuli were not all made as perfectly continuous as before the nerve was divided, the microscope would have revealed the defect. But it takes time to effect this adjustment of the tubuli, for it was found by Dr. Haighton in his experiments nearly fifty years ago, that after dividing nerves, their functions were not restored till some time after they were apparently healed. This shows most clearly, that the arrangement of the tubuli, which is required for the communication of impressions through them, is gradually effected after the union takes place.

239. Taking this view of this interesting point, the difficulty is greatly enhanced, when we look at the union of parts that

Nerves of the spinal marrow compound.

d not originally belong together, as, for example, when a piece of skin is dissected from the forehead, and is twisted down so as to be made to grow on to the nose to supply deficiency there. Here new relations entirely are established between the nerves of the divided parts, and, as we should expect, there is confusion in the sensations. The patient, at first, whenever the new part of his nose is touched refers the sensation to the forehead. But this confusion of the sensations after a while removed. And it is curious to observe, that while the old nervous connections are breaking up, and the new ones are becoming established, there is an interval of partial, sometimes entire, insensibility in the part. How these new relations can be established consistently with the known arrangement of the tubuli in the nerves is a mystery.


240. As I have already hinted, there are different nerves for different purposes. The nerves through which the mind sends its messages to the muscles, are not the same with those through which it receives impressions in sensation. In and about the face, the nerves of motion and sensation are, for the most part, entirely separate from each other. But in other parts of the body, the fibres or tubuli for motion and sensation are mingled together in the same nervous trunk, inclosed in one sheath. It is found that each of the nerves, coming out from each side of the spinal marrow, has two roots, which unite together and are inclosed in one sheath.

This arrangement is represented in Fig. 81,

in which *a* is a portion of the spinal cord; *b* the anterior root; *c* the posterior root; *d* the trunk formed by the union of these two roots; and *f* a branch of the nerve. At *e*, the posterior root is one of the ganglions, or little brains, of which I spoke in § 235. Why they are placed on these posterior roots, and not on the anterior, or why they are placed here at all, we know not. It has been ascertained by many experiments on animals, that the posterior roots are composed

of tubuli, which bring impressions to the spinal marrow; while the anterior are composed of tubuli which carry impressions from the spinal marrow. For, if the spinal cord of an animal be laid bare, and a posterior root be irritated, pain is produced; but if an anterior root be irritated, violent motions are caused in the parts to which the nerve is distributed. That is, the

FIG. 81.



SPINAL CORD.

posterior root is a nerve of sensation, and the anterior a nerve of motion. It is a mere matter of convenience that they unite, and are mingled together in the same sheath, for they are to be distributed in the same parts. In and about the face the nerves of motion and sensation are kept for the most part separate, as before stated, merely because it would be no convenience in any case to put them together in one sheath.

241. But not only are there different nerves for sensation and for motion, but there are also different nerves for different kinds of sensation. Thus, in the eye, the optic nerve which transmits the impressions from the images formed on the retina, as will be shown in the Chapter on the Eye, is wholly separate from the nerve by which any pain or irritation is felt in this organ. The latter is called a nerve of *common* sensation—the former a nerve of *special* sensation. So in the nose, the nerve that takes cognizance of odors is a different one from that by which irritation on the same membrane is felt. The snuff-taker smells the snuff with one nerve, and feels its tingling with another.

242. The nerves devoted to one kind of sensation can not in any case perform the function of those of any other kind. Each nerve is fitted for its own peculiar office, and has for this its own peculiar susceptibility. Thus, the nerve of touch is insensible to light, and, on the other hand, the nerve of vision is insensible to touch. If, therefore, the nerve of vision be paralyzed, but the nerve of common sensation in the eye be unimpaired, although there is no seeing, the eye is as sensible to irritation as ever. On the other hand, if the nerve of vision be unimpaired, and the nerve of common sensation be paralyzed, as sometimes happens, the individual can see, but he has lost the sentinel that stands guard over the eye, and by its warning of pain keeps it from injury. What, therefore, is flying in the atmosphere may lodge in the eye, and though it produce no pain, it will excite inflammation by irritating the capillaries. The eye in some of these cases is destroyed, by the inflammation which thus arises from the loss of sensibility to the touch. When the nerve of common sensation is in a healthy state, the moment any thing gets into the eye great pain is produced, and the tears flow and the eyelids are in constant motion; and if by these instinctive means, as we may term them, the irritating substance is not removed, other means are at once resorted to. But when this nerve is paralyzed, although the irritating substance produces no pain, it

Different degrees of sensibility in the various parts of the body.

radually causes inflammation in the delicate vascular texture of the eye. Pain, then, in this case, as well as in every other, is a safeguard against danger. The part is endowed with an acute sensibility to touch, because it is needed as a sentinel in a part so delicate and yet so exposed.

243. This leads me to remark, that the different parts of the body are endowed with different degrees of sensibility, according to their necessities, in relation to the warning of danger. Accordingly, the skin is the most sensitive part or organ of the body, that it may warn at once of the approach of danger; while the internal parts have much less sensibility, some of them none. In the performance of operations, therefore, the greatest suffering is in the cutting of the skin. There is very little sensibility in the muscles, and there is none in the bones. The following fact illustrates the use of the sensibility of the skin in the prevention of injury. A man who had lost all sensibility in his right hand, but retained the power of motion, lifted the cover of a pan when it was burning hot. Although he was not aware of any effect at the moment, the consequence was the loss of the skin of the fingers and of the palm of the hand, laying bare the muscles and tendons. If the sensibility had not been lost, that is, if the nervous tubuli which transmit sensation had not been paralyzed, the warning of pain would have been instantly given to the brain, and orders would have been sent to the muscles to relax their grasp of the cover; and so rapid are these transmissions, that the cover would have been dropped soon enough to prevent any great amount of injury from being done.

244. Although there is so little sensibility in the internal parts in their healthy condition, yet when they become inflamed they become sensible of pain, sometimes acutely so. Thus, an inflamed bone is the seat of severe pain; and the tendons, although nearly insensible ordinarily, become very painful when inflamed, as any one that has a deep-seated felon can testify. The question as to the cause of this change of sensibility I will not stop to discuss, but that there is a benevolent object in it is very manifest. If inflammation caused no pain in such parts, it might go on to a destructive extent without the person's being aware of the danger, and therefore without his applying for medical means.

245. It was formerly supposed that a nerve must of course have an exquisite sensibility. But there is no sensibility in nerves devoted to motion. Neither is there any in the brain

Insensibility of the heart to the touch. Respiratory nerve of the face.

itself. Portions of it can be cut off without producing any pain. The heart, too, is insensible to the touch. A case proving this fell under the observation of Harvey, the discoverer of the circulation of the blood. A young nobleman, from an injury received in a fall, had a large abscess on the chest, which occasioned such a destruction of the parts, as to leave the lungs and heart exposed. Charles I., on hearing of the case, desired to have Harvey see it. "When," says Harvey, "I had paid my respects to this young nobleman, and conveyed to him the king's request, he made no concealment, but exposed the left side of his breast, when I saw a cavity, into which I could introduce my fingers and thumb; astonished with the novelty, again and again I explored the wound, and first marveling at the extraordinary nature of the case, I set about the examination of the heart. Taking it in one hand, and placing the finger on the wrist, I satisfied myself that it was indeed the heart which I grasped. I then brought him to the king, that he might behold and touch so extraordinary a thing, and that he might perceive, as I did, that unless when we touched the outer skin, or when he saw our fingers in the cavity, this young nobleman knew not that we touched his heart!" This absence of sensibility in the heart is not because it is not well endowed with nerves. It is well endowed, but it is with nerves which are devoted to another purpose. They are nerves of sympathy, which establish a connection with every part of the body, making this organ to be so easily affected by motion, by disease, and by every passing emotion in the mind.

246. In the face we have an example of different sets of nerves for different classes of motions. All those motions that are used in the expression of the countenance are associated together by a certain nerve. This nerve has nothing to do with other motions, as mastication. Other nerves are provided for them. Sometimes this nerve of expression is paralyzed on one side. The result is, that while the individual can masticate equally well on both sides, he can laugh, and cry, and frown, only on one side, and he can not close the eye on the side affected. In Fig. 82 is a representation of this condition of things. The left eye can not be closed by any effort, and the left side of the face is wholly devoid of expression. This nerve of expression is often paralyzed by itself, the other nerves in the neighborhood, both nerves of sensation and of motion, being entirely unaffected. This nerve has been called the *respiratory*

Paralysis of the respiratory nerve of the face.

FIG. 82.



PARALYSIS OF THE NERVE OF EXPRESSION
on one side of the face.

nerve of the face, because it controls motions which are connected with the movements of respiration. If you observe how the various passions and emotions are expressed, you will see that there is a natural association between the muscles of the face and those of the chest in this expression. This is very obvious in laughing and in weeping. But this association can be effected only through nervous connections. And these connections in this case are very extensive and intimate. When the nerve of expression, or facial respiratory nerve, is paralyzed, all the motions of the face connected with the respiration are absent. Though the individual may sob in weeping, or send forth the rapid and successive expirations of laughter, yet the face on the side where the nerve is paralyzed will be perfectly quiescent. So, too, those movements of the nostrils which are sometimes used in expression, can not be performed. Sneezing and sniffing up can not be done

on the affected side. Neither can the individual whistle, because a branch of this nerve goes to the muscles at the corner of the mouth, which are therefore disabled. Sir Charles Bell, in cutting a tumor from before the ear of a coachman, divided this branch of the nerve. Shortly after, the man thanked him for curing him of a formidable disease, but complained that he could no longer whistle to his horses.

247. The eye has six different nerves, each for a different service. 1. The optic nerve. This has nothing to do with the motions or the common sensations of the eye. Its sole office is to transmit impressions from the images formed in the eye to the brain. 2. A nerve of *common* sensation, by which any irritation in the eye is felt. 3. A nerve which is distributed to the muscles of the eye generally, and to no other parts of this organ. 4. A nerve which goes to one particular muscle, one of the oblique muscles of the eye. It is an involuntary muscle which performs the insensible rolling motions of the eyeball, and is associated with the muscles of expression in the countenance by means of nervous connections. 5. A nerve which goes to another single muscle, which turns the eye outward. 6. A branch of the respiratory nerve, which regulates the motion of the eyelids, and has much to do, therefore, with the expression of the countenance. To this small organ, then, are distributed six different nerves, each having its distinct office, and its separate origin in the brain. How various are the transmissions through these nerves, and how nicely adjusted must all the parts of this complicated apparatus be, that each may perform its office without interference with the rest!

248. I have already alluded incidentally to the fact, that one nerve may be paralyzed, and others distributed to the same parts may be entirely unaffected. Thus the nerve of expression in the face may be paralyzed alone, the face retaining its usual sensibility and its power of performing other motions than those of expression, as mastication, because the nerves of common sensation and of common motion are untouched by the disease. So, too, in the nerves which go out from the spinal marrow, composed of tubuli of motion and sensation mingled together, one set of the tubuli may be affected while the other is not; for in paralysis it is often the case that the sensibility remains while the power of motion is gone, and *vice versa*. Sir Charles Bell relates an interesting case, in which the paralysis was different on the two sides of the body. A mother was seized with a paralysis, in which there was a loss of muscular power

Nerves, though having different offices, all alike in structure.

on one side, and a loss of sensibility on the other. She could hold her child with the arm of the side which retained its power of motion but had lost its sensibility. But she could do only when she was looking at it. She could not *feel* her child on the arm, and therefore when her attention was drawn to any thing else, and she ceased to have her eyes fixed on the child, the muscles having no overseer, as we may say, to keep them at work, were relaxed at once, and the child would fall from her arm. In this case, bound up in the same sheaths were two sets of tubuli, one set of which were useless in the nerves on one side of the body, and the other set were useless in the nerves of the other side.

249. We should suppose that there would be a difference in the construction of the nerves, corresponding with the different uses to which they are devoted. But it is not so. The microscope shows us that the nerves of motion and of common and special sensation are all alike in their structure, and chemistry shows us that they are alike also in their composition. The question arises, then, why the impression producing motion cannot be transmitted by the same nerve with the impression producing sensation. The reason is evidently not to be found in the nervous trunk itself, as this is the same in all cases. It is in the circumstances of the two *ends* of the nerve—that which is expanded in the nervous centre from whence it arises, and that which is expanded in some part of the body. You can see at once that the nervous tubuli which end in the fibres of a muscle cannot transmit sensation to the brain from the skin over the muscle, because they do not go to the skin at all. There are other tubuli that are distributed there for that purpose, mingled indeed in most cases with the tubuli for motion, but yet kept entirely distinct from them. And besides, there is probably something in the mode of arrangement of the extremities of a nerve of sensation, which differs from that which exists in the distribution of a nerve of motion, so as to make it impossible for a nerve of motion to receive the impression producing sensation, even where the impression is made directly upon the muscle itself. There is also probably a different ending of the nerves of sensation and motion in the nervous centre, the brain, or spinal marrow, that makes the one kind incapable of performing the duties of the other kind.

250. There have been many hypotheses in regard to the action of the nerves. The most common theory, even up to modern times, was this—that the brain is not only the great

Nerve-force not electricity. Proved by facts and experiments.

centre of the nervous system, but its central workshop, as we may express it, and that in it is secreted a nervous fluid, which is distributed through all the body by the nerves, they being, as it was supposed, bundles of conduit-pipes. This fluid was supposed to move back and forth in the nerves, going outwards towards the extremities of the nerves to excite motion, and going inward to the brain to convey the sensation of external impressions. This theory has been exploded by the researches of Sir Charles Bell and others, and during the last half century important and numerous discoveries have been made, in relation to the functions of different parts of the nervous apparatus. And though there are many things in this system, which links the spiritual with the physical, that we shall never understand, the bounds of our knowledge in regard to it are undoubtedly to be largely widened by future researches.

251. It is a favorite idea with some physiologists that nerve-force, as it is termed, is identical with electricity, and that the nervous system is therefore a system of electrical batteries, with an apparatus for a sort of telegraphic communications. They ground their opinion upon the fact, that a current of electricity passed along nerves may produce motion or sensation, according to the character of the nerve through which it is passed, and also upon the analogy which exists between nerve-force and electricity in the instantaneousness of their transmission. But facts and experiments have wholly disproved this alleged identity. Some of these I will briefly relate. Mechanical and chemical stimuli produce the same nervous action that electricity does. This shows that the electricity acts merely as a stimulus to wake up the nerve-force, instead of being that force itself. Experiments have been tried, to detect, if possible, the existence of an electrical current in a nervous trunk while the parts to which it is distributed were in action, but in vain. Thus, Prof. Matteucci laid bare the large nerve of the leg of a horse, and although by irritating its roots he excited powerful action of the muscles of the leg, the instrument in connection with the nerve was entirely unaffected, though it was so extremely delicate that it would indicate an infinitesimally small disturbance of the electrical equilibrium. Again, a ligature put around a nerve will by its compression prevent nervous transmission through it, but will not hinder the passage of an electrical current. Still again, if a piece of a nerve be cut out, and some good conducting substance be introduced in its place, electricity will pass, but there can be no transmission of nerve

Products of nervous action—sensation, motion voluntary and involuntary.

roe to the parts below the division. Besides all this, nerve-force differs from electricity in the fact that it can be confined to the nervous trunk, or even to a small portion of the trunk, as when a motion is very limited in extent; while electricity not only passes through the whole trunk, to all the parts to which the nerve is distributed, but is diffused in the parts around it. Thus, if an electrical current be passed through the main nerve of the limb of an animal, it will go through every branch of that nerve, and cause all the muscles of the limb to contract; but nerve-force may be so insulated in a small portion of the nerve, that a single toe may be moved alone. And some of the electric force will be diffused at once in the muscles and other parts around the trunk of the nerve before it reaches any of the branches that go off from it. Indeed, the muscles are much better conductors of electricity than the nerves, which should not be if the nerves were particularly designed for its transmission, as the hypothesis would claim. And both muscles and nerves are nothing like as good conductors as a common copper wire.

252. We have thus far contemplated nervous action, for the most part, only in two forms—as producing sensation and voluntary motion. In sensation the action is from the extremity of the nerve to the nervous centre; but in motion it is from the centre to the extremities of the nerves, as they are expanded among the fibres of the muscles. This voluntary motion, you see, may arise in consequence of sensation, as when you withdraw the hand from the fire, if the heat be painful; or it may occur without a preceding sensation, as when the thinking mind wills to perform certain motions for effecting some purpose. In either case it is supposed that the gray vesicular or cellular substance of the brain is in immediate connection with the mind, and that the white tubular matter of the brain and the nerves serves only for transmission. That both in sensation and motion the effective physical agency is the vesicular gray substance. This is the working part of the telegraphic apparatus of the mind, while the innumerable bundles of the white matter of the brain and nerves are the communicating wires.

253. Much of the muscular motion of the body is produced without the agency of the will, and sometimes even in opposition to it. This is true of the motions caused by emotions in the mind. For example, the muscular motions in sobbing and laughing often occur in opposition to the strong action of the

will. In this case, the emotion produces its effect upon the gray vesicular substance, and from this the impression is transmitted through the nerves to the muscles.

254. There are some common motions which are performed to a greater or less extent without the agency of the will. The muscles which perform them are called involuntary muscles. The muscles of respiration, for example, ordinarily act without our willing them to do so. If they did not, respiration would stop when we sleep, or become stopped from disease. But the will can quicken these muscles in their action. They are therefore not wholly involuntary. But there are some purely involuntary muscles. The muscular coat of the stomach, which I spoke of in the Chapter on Digestion, as being constantly in motion when the stomach is filled with food, is of this character. No effort of the will can quicken or retard the action of this muscle. That exceedingly compound muscular engine, the heart, is a collection or arrangement of purely involuntary muscles. No effort of the will can directly influence its motions, though it may do it indirectly, by so directing the thoughts as to awaken emotions calculated to produce this effect. That beautiful circular curtain in the eye, the iris, has the size of its circular opening, the pupil, controlled, as you will see in the Chapter on the Eye, by an involuntary muscle.

By what agency, you will inquire, are these involuntary motions produced? The answer to this question will open to you a new view of the nervous system.

255. I have already alluded to the two roots which unite to make up each nerve that comes from the spine. One of these roots is composed of tubuli through which impressions are transmitted to the spinal marrow; and the other contains tubuli, through which an impression is transmitted from the spinal marrow to the muscles, causing them to contract. Each nerve, then, coming from the spine, is made up of two distinct nerves, or two distinct sets of tubuli. One of these is called an excitor nerve, the other a motor nerve. In the case of the muscles of respiration, every time that they act, the process is this—an impression is transmitted from the lungs through an excitor nerve to the spinal marrow, the gray vesicular substance there responds to this impression, and sends in consequence an impression by a motor nerve to the muscles. So in the case of the iris, which contracts to prevent too much light from entering the eye, the light as it strikes the retina produces an impression, which is transmitted through an excitor nerve, and

Reflex action of nerves. Sometimes sensation with it, and sometimes not.

consequence another impression is transmitted through a motor nerve to the iris. So also, the presence of food in the stomach produces an impression which is transmitted through an excitor nerve, and another impression is returned through a motor nerve, exciting the muscular coat to action. And in the act of swallowing an impression is transmitted from the throat thrust back into the throat, and then impressions are returned to the many muscles engaged in this compound act, 78). The action of the nerves illustrated by these examples termed their *reflex* action, because the impression transmitted by one nerve to the spinal marrow is *reflected* from it by another.

256. You see that I use the rather indefinite word, *impression*, in relation to the transmissions through the nerves. It is the best word that can be employed, because although something is transmitted, we know not what that something is. The result of the transmission is different in the excitor nerve from what it is in the motor nerve. The result differs also in the excitor nerves according to circumstances. In some cases it is accompanied with actual sensation, while in others it is not. That is, the brain sometimes participates in the result, and sometimes it is confined to the spinal marrow. Thus, in the act of respiration, the impression carried from the lungs by an excitor nerve comes from the presence of dark blood in the lungs. Ordinarily, a mere impression, and nothing like sensation, is transmitted. The respiratory muscles, most of the time, go on to do their work, in obedience to the impressions communicated from the lungs, without the process being cognized by the mind. But when there is embarrassment of the lungs, the quiet process, carried on through the agency of the spinal marrow alone, is not adequate to meet the exigency. In some way, the brain becomes a party in the operation. The act of breathing is now accompanied with positive sensations, and there is a mixture of voluntary and involuntary muscular action. So, also, the ordinary movements of the stomach are attended with no positive sensations. That there is no transmission to the brain of any impression of which the mind takes cognizance. But if there be disturbance here, and extraordinary movements are produced, then cognizance is taken of them, and sensations of various kinds result.

257. The spinal marrow, in relation to the involuntary muscles, seems ordinarily to be in a great measure independent of the brain; while on the other hand, in relation to voluntary

The spinal marrow performs two separate functions.

motion and sensation, it forms the chain of communication between the brain and the moving and sentient parts. In this respect the dependence is perfect. In injuries of the spine, therefore, the extent of the loss of the power of motion and of sensibility depends on the nearness of the injury to the brain. The higher up the injury is, the larger is the number of nerves whose connection with the brain is cut off, and therefore the greater is the extent of body rendered insensible and motionless.

258. The spinal marrow then performs two separate functions—one, in producing involuntary motion, as an organ by itself; and another, as an organ in connection with the brain, in the production of voluntary motion and sensation. The arrangement, by which it does two things which are so different from each other, will be clear to you, if you bear in mind the fact that the spinal marrow, like the brain, is composed of the two nervous substances, the white tubular, and the gray vesicular substance. When the spinal marrow acts as a mere medium of communication for the brain, the transmission is made directly through the tubes of the white substance to and from the brain—to the brain in sensation, and *from* it in voluntary motion. Thus, when a sensation is felt in the foot, the impression made there is transmitted through the nerve to the spinal marrow, and up through the white part of this organ to the brain. It touches none of the gray substance of the spinal marrow, but goes to the gray substance of the brain. And when the foot is moved, an impression is returned from the brain through the white part of the spinal marrow, and then through the nerve which goes from it to the muscles that move the foot. But, on the other hand, when the spinal marrow acts by itself, independently of the brain, producing what is called reflex action, (§ 255,) the impressions that are transmitted, some of them begin, and some end in the gray substance of the spinal marrow. The impression on an excitor nerve ends there, and the impression on a motor nerve begins there, the latter resulting from the former, except when motion is produced by disease in the spinal marrow itself. Thus, in breathing, as described in § 255, an impression goes from the lungs through excitor nerves to the gray substance, and that is the end of it; but another impression begins there as a result of it, and is transmitted to the involuntary muscles moving the chest.

259. One marked distinction between the brain and spinal marrow is, that the brain has its intervals of rest; but the functions of the spinal marrow never cease for a moment as

The brain rests. The spinal marrow does not. Convulsions.

ing as life continues. In sleep the brain is more or less at rest, and it is in a state of entire torpor when the sleep is profound. But during sleep the heart beats, the respiratory muscles work the chest, and the muscular coat of the stomach turns the food if there be any there. For these motions, with any others, are dependent upon the spinal marrow, and not upon the brain; and so, while the brain sleeps, the spinal marrow keeps up the operations of the system that are essential to the continuance of life, in the manner described in § 255. It is also, in apoplexy, when the brain is torpid from the effusion of blood, the spinal marrow, being unaffected, keeps up the functions of those organs which are dependent upon it. It is besides the motions that I have mentioned, as being kept up by the spinal marrow, when the brain is torpid from any cause, there are other motions which can be excited by stimulating nerves that are connected with the spine. For example, the act of swallowing can be produced by pouring a liquid into the mouth, and motion can be produced in the muscles of a limb by irritating the limb at different points. If you cut off the head of a frog, and thus destroy all sensibility, you can produce movements in his limbs by irritating them. You can, indeed, make the whole body to move together, by producing irritation at many points at the same time. So, too, a man can be paralyzed in his lower limbs by a blow upon the spinal column, those parts, which he cannot move by his will, can be excited to motion by irritation with electricity or other agents.

260. The motions of the muscles in convulsions are produced by the agency of the spinal marrow. The irritation producing them sometimes exists in the spinal marrow itself, being the result of disease there. But commonly the irritation is in some other part of the system, and it produces the convulsive movements by sending an impression through excitor nerves to the spinal marrow, to be reflected back through the motor nerves, as described in § 255. The brain during the convulsion is in a torpid state, the individual being unconscious. That the brain is involved to some extent in the convulsion is very clear, and sometimes the cause of the convulsion is in this organ. But it is probable that the convulsive movements are directly dependent on the spinal marrow, and that even when the cause is in the brain, it is by the action of the spinal marrow, sympathizing with and affected by the diseased brain, that the convulsion is produced. And when

the cause is in some other part, as in the irritation of teething or indigestion, the impression is sent directly to the spinal marrow, and is reflected from it to the muscles, the brain being only secondarily affected.

261. It is worthy of remark, that in convulsions there is a purely *involuntary* action of muscles, that are ordinarily under the control of the will. How is this? How are they taken away from the usual control of the will so suddenly and so entirely? It is not possible that any temporary new connections can be established all at once by the disease,—that there is, to use illustrations of a familiar character, a sort of unshipping of the usual connection, and a hitching on of another for the time being, or a switching off from one track on to another. These voluntary muscles must have all the time a connection with the gray substance of the spinal marrow, just as the involuntary muscles have, only it is not as intimate and extensive. If it were not so, they could not act occasionally as involuntary muscles. Being thus connected with the gray substance, both in the brain and spinal marrow, when they act in obedience to the will, the impression exciting their action comes to them from the gray substance in the brain through the white part of the spinal marrow; but when they act involuntarily, the impression comes from the gray substance in the spinal marrow, and not from the brain.

262. I may remark farther, that the voluntary muscles act involuntarily more often than is commonly supposed. As already stated, (§ 259) in animals, from which the head has been removed, the voluntary muscles can be excited to involuntary action, resembling voluntary movements, although of course with the removal of the head were destroyed all sensation and all exercise of the will. And in the case of the man paralyzed by injury in the back, alluded to also in § 259, involuntary movements can be excited in the voluntary muscles. A pigeon, whose cerebrum had been removed, would fly when thrown into the air, would run when it was pushed, and would drink when its beak was put into water. There was no sensibility and no will in this case, for they can not be without the cerebrum. The movements were involuntary, though performed by voluntary muscles. Now as these facts prove that voluntary muscles are, through their connection with the spinal marrow, capable of acting as involuntary muscles also, the question arises, whether they do not much of the time act in part as involuntary muscles, and sometimes wholly so. That

•

Walking. Reverie. Brain not directly essential to life.

is is the case, a little reflection will show. When we are walking we use voluntary muscles. But manifestly a distinct act of the will is not put forth for every motion performed in walking. The mind may be at the same time fixed upon something else; and there seems ordinarily to be only an occasional action of the will, as when we change our course, or when some obstacle is in the way, requiring a variation from a regular consecutive series of movements. There is a distinct action of the will when the movements begin; but after this the motions seem for the most part almost automatic, and are probably produced by the reflex action of the spinal marrow, the will interfering only when occasion requires. This is more manifestly the case when one is walking in a reverie, and perhaps finds himself on awaking from it, in a different place from that to which he had willed to go. It is as if the brain left the machinery of the limbs to work, and then delivered it over to the care of the spinal marrow, interfering only when it needs to do so to meet some difficulty, or when it wishes to reverse a new direction to the movement, or to stop it. And in reverie, the brain occupied with other things, neglects even to exercise this superintendence, and leaves the machinery wholly to the guidance of the spinal marrow. The same remarks can be made in regard to other motions, as in speaking, singing, playing on an instrument, &c. In all these cases the voluntary muscles act, in some measure involuntarily, being governed by an association in their action which is far from being wholly dependent upon the brain, and the direction of the will. I shall recur to this point again, when I come to treat of the connection between the mind and the body.

263. Many experiments have been tried upon animals in reference to the functions of the brain, and of the spinal marrow. I have already alluded to some of them. It was formerly supposed, that the brain was the only centre of nervous power, and that it was immediately essential to the preservation of life. But these experiments have shown that this far from being the truth. The brain, it has been found, has nothing to do directly with the maintenance of life. Animals live for some time after the brain is destroyed. A pigeon was kept alive for some months after its cerebrum was removed. Its condition was very much like that of a man, the functions whose cerebrum are suspended by the pressure of a fractured portion of the skull. Although, like him, the animal had lost all sensation and voluntary motion, yet, like him, it

Upper part of the spinal cord directly essential to life.

continued to breathe, and its heart continued to beat. Of course so extensive an injury of so important an organ will at length cause death; but life continues long enough in such cases to show, that this organ is not immediately essential to its continuance. The functions most essential to life, the respiration and circulation, are, as you have seen, kept up by the spinal marrow. The very upper part of this organ is especially devoted to this purpose. You may take out the brain of an animal, and destroy all its spinal marrow, except this upper portion of it, and the animal will still breathe, and its heart will beat. But if you destroy just this small portion of the spinal marrow, though you leave the rest of it and the brain untouched, the animal will die at once from the cessation of the respiration and the circulation. In the Spanish bull-fight, when the matadore at length kills the animal, by adroitly piercing the spine in the back of the neck, he inflicts his wound upon this upper part of the spinal marrow.

264. If after cutting off the head of a frog, you divide the spinal marrow in the back, you can produce involuntary motions in both the upper and lower extremities. But you can not produce them at the same time in both together, for the division of the spinal marrow in the back separates it into two independent parts. When, therefore, you irritate the upper extremities, the motion is confined to them, and the lower extremities are quiescent. And if you irritate the lower extremities, the motion produced there does not extend to the upper. The division can be carried much farther with similar results. If the spinal marrow be divided above and below where a pair of nerves is given off, so as to separate this point wholly from the rest of the nervous system, the reflex action can be excited in the nerves connected with this point. That is, an irritation of the parts supplied by the excitor nerve of this little segment of the spinal marrow will produce an impression in that segment, which will be reflected by the motor nerve to the muscles. The gray substance of the spinal marrow may, therefore, be regarded as a chain of little brains, in some measure separate from each other. But while there are thus many centres of reflex action, there is only one centre of sensation and voluntary motion, and that centre, the brain, is connected with the mind. Some physiologists have maintained that there is sensation independent of the brain; but it may be considered as most abundantly proved, that it is through the brain alone that the mind feels and acts, or rather that we

Two systems of nerves, cerebro-spinal and sympathetic.

now nothing in this world of a sentient and acting mind existing without a brain.

65. The system of nerves which we have been examining termed the *cerebro-spinal*, from its two great central organs, brain and spinal marrow. But there is another nervous system, the functions of which are involved in much mystery. It is called the system of the great *sympathetic*, or the sympathetic system. Sometimes it is called the *nervous system of animal life*, because it is so intimately and extensively connected with the nutritive processes; while the system that we have been considering is called the *nervous system of animal life*, because it regulates the functions peculiar to animals in connection with plants, sensation, and spontaneous motion. While the sympathetic system is thus connected with the nutritive processes, it is also supposed to be the means of effecting the sympathetic connection between different parts of the body, and to act as the medium by which the passions and emotions of the mind produce their effects upon the functions of the different organs. In this system there are many ganglia or little brains, which communicate with each other by nerves. There is a chain of them along in front of the spinal marrow, and there are two quite large ones in the abdomen. This system has connections everywhere with the cerebro-spinal system, the purposes aimed at in the particular arrangements of this system are as yet but little understood, and we probably never shall know as much about it as we shall about the cerebro-spinal system. The arrangement of the sympathetic system differs very materially from the cerebro-spinal. It is a single system, and has no symmetrical arrangement, while the cerebro-spinal has throughout two halves which are precisely equal.

We have thus described the arrangements and functions of the sympathetic system to such an extent, as will prepare you for the consideration of those subordinate organs, by which the purposes of this system are accomplished. After treating of the means of locomotion, the voice, and the senses, I shall call your attention again to this system, presenting some views of its structure and connections, which you will then be better prepared to understand.

CHAPTER XI

THE BONES.

266. THE bones furnish the points of support and attachment for the muscles which move the different parts of the body. They are, therefore, the *passive* instruments of locomotion. I treat of the bones before the muscles, because you will then better understand the action and the arrangement of the muscles.

267. The bones, forming the framework of the body, not only furnish points of support and attachment to the muscles, but in many cases serve to defend important organs from injury. Thus, the soft brain is thoroughly secured from harm by being inclosed in the skull; and the lungs are surrounded by walls of bone so arranged, as you saw in the chapter on Respiration, that, while they defend the lungs from external violence, they secure a wide range of motion for the necessary expansion of these organs.

268. The bones are composed of two parts, the earthy or hard portion, and the animal portion which is soft. Each of these portions, as was stated in § 60, can be obtained separate from the other. These two portions of bone exist in different relative proportions in the different periods of life. In the child the animal portion predominates, while the mineral does in old age. It is a wise provision in regard to the child, for if his bones were as brittle as those of old age, or even as those of middle life, they would be often broken in the falls to which the child in its feebleness and carelessness is subjected.


269. There are some points of interest in relation to the *structure* of bone and its growth. I stated in § 61 that bone is generally formed in cartilage, the cartilage being formed first as a mould for the bone. Bone is deposited in two forms, solid and cellular. In the flat bones, as in the skull, the cellular structure lies between two plates of solid bone. In the long bones the cellular part is at the two ends, and is covered with a thin plate of solid bone, while the shaft is a hollow tube with the bone very much condensed. This arrangement

Structure of bone. Long bones hollow. Marrow.

is seen in Fig. 83, representing the thigh-bone and the bone of the arm. Certain well known mechanical principles are observed in this arrangement. The bone would be unnecessarily heavy if it were solid throughout. Lightness in a moving limb is of considerable importance. At the same time strength is to be carefully provided for in a bone which is to sustain the weight of the body, and to which the large muscles of the thigh are attached. By having the bone hollow, both of these objects, lightness and firmness, are secured. The principles involved are recognized by the architect in the construction of pillars, and we see them exemplified in the hollow stalks of plants. The hollow pillar has more strength than the same quantity of matter would have if in one compact mass; and the stalk which supports the full clusters of grain, would break under its load as it moves back and forth in the wind, if it were solid instead of being hollow. But the round cavity of the shaft of the bone does not extend to the ends. These are necessarily large, in order to present broad surfaces for articulation with the neighboring bones; and strength and lightness are secured in this case by a cellular arrangement of the bony matter, the outer plate of solid bone being comparatively thin. There is obviously more firmness in the resistance to shocks or pressure, secured in this way, than there would be if the bony matter were all consolidated into a shell containing a cavity.


270. The round canal in the shaft and the cellular structure at the ends are filled with an oily substance called *marrow*. This, like all other fatty substances, is contained in fat cells, as described in the chapter on Cell-Life. The marrow is also present in the cellular structure between the plates of the flat bones. The cavities and the cells in bones have branching

FIG. 83.



about in them bloodvessels, which are branches of arteries and veins that enter the body of the bone at some particular points, in the long ones near the middle of the shaft. It is from these bloodvessels, together with those that come from the membrane investing the bone, called *periosteum*, that the bone is nourished. But, although an artery runs through the body of the bone, to branch out upon the walls of its cavity, none of its branches enter the very substance of the bone. How then is the bone nourished, that is, constructed and kept in repair? The manner in which the material for this purpose is carried to every point of the solid bone has been developed by the aid of the microscope, and I will describe it to you. If we cut across the solid portion of a bone, and examine it with a microscope, we see here and there orifices of certain minute canals that run lengthwise of the bone. These canals are found to communicate with the cavity of the bone and receive therefore blood, or some of the constituents of the blood, from the bloodvessels which are situated there. These orifices, as seen under the microscope, are represented in Fig. 84. Around these orifices *a a*, you see little dark spots arranged in rings, with lines running to them from the orifices. By magnifying the section of bone still more, we see what these spots and lines are. The dark spots are small cavities, and the lines are minute tubes running to them. In Fig. 85 is a representation of this arrangement as seen in a little portion of the section of bone, more highly magnified than it is in Fig. 84. The

FIG. 84.



SECTION OF BONE.

FIG. 85.



ubes pass out from the canals to the rows of cavities which are around the canals, and thus a circulation is kept up at every point of the solid bone. It is supposed that the blood itself does not circulate in these little channels and cavities in the solid bone, but a fluid containing the constituents of bone. For these channels are too small even to admit the cells which the microscope shows us as swimming in the blood. The fluid that circulates in them is selected from the blood, which is contained in the bloodvessels in the cavity of the bone, and in the periosteum that envelopes it.

271. It is a very common popular notion, that the bones are endowed with great sensibility, and especially the central part, the marrow. The surgeon is very often asked if the sawing of the bone in amputation is not very painful, and if when the saw reaches the marrow it does not produce agony. But the bones have in their healthy state no perceptible sensibility, as we have before stated, and the sawing of the bone in amputation occasions no suffering. When, however, a bone becomes inflamed, severe pain is one of the symptoms. And it is well that it is so; for if it were not, disease might go on to produce disastrous results in a part so covered up by others, without any warning of the danger of the case.

272. The bones are of every variety of shape, to suit the various offices which they are to fulfill. You will see this to be true, as you cast your eye over the skeleton as represented in fig. 86. You first observe the somewhat round box of bones, which contains the brain, and at the same time furnishes sockets for the eyes, extended irregular surfaces for the apparatus of smelling, and for that of the taste, a place for the organs of hearing, and at its lower part, in connection with the lower jaw, a mill for grinding the food. Then you observe the many bones of the thorax or chest, containing and protecting the heart and the lungs. The *spinal column*, *k*, composed of twenty-four bones, you see as a firm but movable pillar, extending the whole length of the body, and having its base firmly planted upon that stout thick bone, the *sacrum*, which is wedged in so tightly like the key-stone of an arch, between the broad spreading bones on either side. To this pillar are strongly fastened the walls of the chest; and from the chest thus supported by the spine hang the lax front and lateral walls of the abdomen. Then below you see the *pelvis*, as it is called,—a set of large bones so arranged in a bowl-form, as to offer a broad surface of support to the contents of the abdomen.

The bones of the skeleton.

FIG. 86.



SKELETON.

Bones of the cranium and the face.

the bone called the *ilium*, *m* and *l*, on either side, with its ring upper surface, is especially serviceable in this way. The pelvis also furnishes a socket for the round head of the thigh bone *s*, and points of attachment for the large muscles that move the lower extremity. You observe the large bones of the thigh and leg, intended to give firmness to the lower extremity, and the lighter bones of the arm and forearm, fitted for extent and quickness of motion. And finally, you notice the numerous bones of which the hand and foot are made up, giving them with the intervening cartilaginous coatings, great elasticity, and vast variety of motion, especially in the hand.

273. I will notice with some particularity some of the bones, of which I have given a general description, as they are fitted together to form the whole skeleton. I can not notice them all, nor dwell upon every point of interest, for this would require much more space than I can devote to the subject. I will, therefore, select those points which can be made most clear and interesting.

274. I first call your attention to the bones of the head, as you see them in Fig. 87. There are twenty-two bones in the whole head. Fourteen of these belong to the face, while eight belong to the cranium, that is that part of the skull which incloses the brain. Of these, notice particularly the large bone in front called the frontal bone, *a*, making the forehead, and the parietal bone, *b*, the upper lateral part of the dome of the

FIG. 87.



BONES OF THE HEAD.

Why so many bones in the skull. The two tables, and the sutures.


skull; and *c* the temporal bone on which the parietal bone rests. There is a large bone in the rear forming the back of the cranium as the frontal bone does the front. There are also two bones in the base of the cranium which are out of sight in this view of the skull. You may, perhaps, be disposed to inquire why this box for holding the brain, should be made of so many bones. One reason is, that the enlargement of the skull from infancy to adult age is effected more easily and better than it would be if the cranium were one bone. Another reason is, that even in the adult, in whom these bones are at length so tightly united, violence is less apt to produce injury, from the giving, as it is expressed, of the bones upon each other, than it would be if one bone made the whole structure. And this is especially true of the child, in whom the bones are very imperfectly united. Hence it is that the frequent falls of children upon their heads so seldom do any injury.

275. The principal bones of the head are composed of two solid plates, while the bony matter between these plates is arranged in a cellular or sponge-like form. The outer *table* or *plate* (for both of these terms are used in relation to it) is rather rough, and in some parts has ridges for the attachment of muscles. But the inner plate is very smooth on account of the soft delicate organ that is contained in the cranium. It is so brittle that it has been called the *vitreous* table, from its resemblance to glass in this respect. The modes of the joining of the bones differ in the two tables. In the outer table the joining is by a minute *dovetailing*, called a suture. Numerous little projections from one bone fit accurately into corresponding spaces in the edge of the other. This is very well represented in Fig. 88, in which you see the sutures on the top of the skull; *b* being the suture which is formed between the two parietal bones; *a a*, that between the parietal and the frontal bone in front; and *c c*, that between the parietal and the bone which forms the back of the cranium. A better joining for bones of such a shape as these have can not be conceived of. But the inner table is joined differently. It is so brittle that the small projections of the dovetailing mode of joining would not answer here, for they would break very easily. The joining accordingly is in this case by smooth accurately fitted edges, somewhat beveled, so that one slightly overlaps the other.

276. The upper part of the cranium is in the shape of a dome, and is constructed upon the same principles that such

The cranium a dome. Contrivances for giving it strength.

FIG. 88.



SUTURES IN THE SKULL.

structures are in regard to resistance to pressure or violence. Just as in the domes that are built by man, so in this dome of the cranium, great strength is secured around the lower part, so as to resist outward lateral pressure. In the dome of St. Paul's there is a double iron chain around its base for this purpose, of course concealed from view. In the head of man the dome may be considered as composed of the frontal bone in front, the parietal bones at the side, and the occipital bone in the rear. In front you see the base of the dome strongly fortified, in the heavy arches that form the upper part of the sockets of the eyes; and on the jutting edges of which are the eyebrows. In the rear the base of the occipital bone is very thick, and is fortified with ridges which furnish attachment to the large muscles in the back of the neck. But the most marked and interesting contrivance for the strengthening of the base of this dome is at the side. It is where the parietal bone *b*, as seen in Fig. 87, is joined by the temporal, *c*. The joining here is not by suture, for that would afford no resistance to lateral pressure, either outward or inward. To secure this object, the lower bone, the temporal, laps over the upper, the parietal, with a beveled edge. It abuts upon or against it. It has the relation to the parietal of a buttress to

an arch. You can readily see that when great pressure is made on the top of the head, as when a heavy load is carried there, there must be a tendency to outward lateral pressure at the base of the dome of the cranium, and that this is effectually resisted by the temporal bones acting as buttresses. The same thing is true, also, when a blow is inflicted on the top of the head. And if a blow be received at the side of the head, on the temporal bone, it is evident that the bones will not be so apt to be fractured and pressed inward upon the brain, as they would be, if they were united by suture.

277. You are now prepared to see, to what extent the brain is guarded against the effects of violence inflicted upon the head. These effects come either from fracture of the bones, or from concussion without fracture. In either case the *vibration* of the parts concerned is the cause of these effects. The guards of the brain defend it from injury by lessening or diffusing this vibration. And it is to be observed, that when vibration passes from one texture to another, it loses some of its force in the change. No two substances vibrate just alike; and when a vibration in one is communicated to another, it is modified, and is therefore lessened. Some substances modify and lessen vibrations communicated to them more than others do. If you apply these principles to the effects of violence on the head, you at once see that the brain would be much more apt to receive a dangerous shock from the vibration occasioned by a blow, if its coverings were condensed into one firm and thick layer of substance, than it is now. So also, if the bones of the head were in one solid layer, instead of having two layers, or plates, with the spongy structure between, and the integuments were all consolidated into one thick substance, there would be much more liability to fracture than there is with the present arrangement. Observe now how many, and how various are the textures, through which the vibration of a blow must pass, before it reaches the brain. Outside of the bone there is first the hair; next comes the skin; then there is the cellular membrane containing some fat; then a muscular coat; and lastly, the lining membrane over the surface of the bone. These various textures must deaden very much the force of a blow, and especially the outer cushion of hair, and those inner cushions, as we may call them, of fatty cellular membrane and of muscle. Then, when the vibration reaches the bone, it is lessened by the two plates with the intervening cells, and there is diffused largely among the many bones that unite with

Skull especially guarded at some points.

one on which the force comes. Then as the shock goes to the brain, it is still farther lessened by the membranes which cover that organ. These greatly diminish the vibration, precisely as a coating of leather on the inside of a bell would deaden its vibration when produced by a blow upon the outside. With all these provisions the result is, that comparatively few of the blows received by the head do harm. The skull may be considered as a sort of helmet for the brain, its effectiveness as a defense being very much increased by its coverings and linings.

278. There are some especial guards at particular points in the cranium, where there is much liability to exposure to violence. Thus, as the lower part of the frontal bone, where the eyebrows are, is especially exposed, the distance from the surface to the brain is made considerable by an intervening chamber in the bone, called the frontal sinus. This sinus, which varies much in size in different individuals, is lined with membrane, and communicates with the nose. You can see that this arrangement is a great protection to the bone at that point. The outer plate could be broken, while the inner is not injured. But the protection which this arrangement affords, is not confined to that single point; it serves also to deaden the vibration of a blow received by any part of the forehead, or by the forehead as a whole. The side of the head, too, is peculiarly exposed to blows. And, therefore, the skull is peculiarly guarded at this point. Beside the overlapping of the temporal bone upon the parietal, to which I have before alluded, the parietal bone is made thicker at its lower part, where it is most liable to be struck, than it is in most of the other parts of it. Then, too, the place of joining of the temporal and parietal bones is covered over by a thick muscle, the contractions of which you can feel if you press your fingers upon the temple while moving the lower jaw as in eating. This cushion of muscle is of great use in breaking the force of a blow received in that quarter. Other points might be specified where there is arrangement for special protection, but those to which I have alluded will suffice.

279. The cranium not only contains and protects the brain, but it at the same time serves various other purposes, and protects other important organs. The tender and delicate eye has there a bony socket with jutting prominences all around it, to guard it against violence. The exceedingly minute and complicated apparatus of the hearing is also carefully protected by

Complicated and extensive cavities in the nose.

the skull, and the most important part of it is furnished with winding and intricate apartments, halls of audience, in that part of the temporal bone which is so hard, that it is called the *petrous* or rock-like bone. To the bones of the cranium are attached in various ways, the fourteen bones of the face. All these, with the exception of the lower jaw, are immovable. The two principal of them are the upper jaw bone, and the cheek bone. The former makes with its mate of the other side the forward portion of the roof of the mouth, the palate bones making its rear portion; and it furnishes the sockets for the teeth. It also at its upper part makes nearly the whole of the floor of the orbit of the eye. The cheek-bone forms the outer lateral part of the socket of the eye, and sending back a process or projection to unite with one from the temporal bone, *c*, Fig. 87, forms the *zygoma* or arch, inside of which the temporal muscle passes down to be fastened to the lower jaw. The bones of the nose make quite a complicated series of cavities, for the purpose of presenting, in the mucous membrane, which lines them, a large surface, over which the nerve of smell is expanded. A representation of these cavities is given in Fig. 89; in which *a* is the mouth; *b*, the opening into the nostril; *d*, a part of the base of the skull; *c*, the communication of the nostril with the back of the throat; *e*, the curtain of the palate; *l*, the frontal sinus; *m*, another large sinus; *g*, *i*, *h*, spongy bones projecting into the cavity of the nostril. There is a large sinus, that is not seen in this figure, which lies over the teeth in the jaw-bone. The different sinuses are lined with the mucous membrane extending into them from the nose. These, with the spongy bones make a very large extent of surface in the cavities devoted to the sense of smell. The branches of the nerves of smell enter these cavities, to be distributed over thin walls, through many small openings in a bone in the roof of the nose, giving it a sieve-like appearance.

280. The lower jaw is a bone shaped something like a horse shoe, with its ends turned considerably upward. It has two




FIG. 89.
INNER BONES OF THE NOSE.

Structure of teeth. Three different kinds of texture.

ooth projecting surfaces which articulate with two corresponding shallow cavities in the temporal bone. Its prominence the lower part in front, the chin, is peculiar to man, there being no such prominence in any other animal. The lower jaw has sockets for the teeth, and it is so constructed, and is arranged with muscles, that these teeth can be brought to bear against the teeth of the upper jaw in cutting and grinding motions.

281. The teeth are very nearly like the bones in their structure, but they differ from them in some particulars which will be interesting to notice. Every tooth has in it three distinct structures, which differ in hardness, for reasons which will appear clear to you as I proceed. The *dentine* or ivory constitutes the body both of the tooth and of its fangs. In the body of the tooth there is a coating of that very hard substance, the enamel, over the whole surface of the ivory. This is thickest at the top of the tooth, and grows thinner on the sides till it is entirely gone where the gum begins. The ivory in the fangs has a coating of a very different character, called the *cementum*. It is not hard like the enamel. This arrangement is represented in Fig. 90. This is a tooth with two fangs or canines; 1, is the enamel; 3, the dentine or ivory; 2, and 7, the cementum; 4, an unnatural enlargement of the cementum, making an excrescence; 5, the cavity of the tooth supplied with bloodvessels and nerves which come through the channels that you see running up the middle of each fang. This cavity is analogous to that which is found in the shafts of the long bones as seen in Fig. 83. The ivory and the cementum are seen by the microscope to be of very different textures. The ivory is traversed by innumerable branching tubes running from within outward towards the cementum, as is presented in Fig. 91. This is a section of a small portion of the dentine and cementum in the fang of a tooth, very much magnified, *a, a*, being the dentine, and *c, c*, the cementum, evidently of different structure. The structure of the enamel as exhibited

FIG. 90.



Vertical SECTION OF A TOOTH.

How teeth are different from bones, and why.

FIG. 91.



by the microscope is represented in Fig. 66 and 67, in the chapter on Cell-Life. I have been thus particular in the description of the parts of a tooth, that you may see how compound even so apparently simple a part of the body is. The three different structures in it are built by cells, and the cells of each part select from the blood such constituents as are needed for their purpose.

282. A tooth differs from a common bone in one important particular—when once formed it is never altered in its size. A bone grows with the growth of other parts of the body; but a tooth, when it first protrudes through the gum is as large as it ever will be. The reason of this is, that so hard a substance as enamel can not be made changeable as bone is. Its hardness is inconsistent with any thing like circulation in it, and without circulation there can be no change. If the enamel were not needed, and the teeth could be composed only of dentine, they could grow as other bones do. And if they could grow, one set of teeth might be made to answer the purpose. As it is, the second set are needed, because as the jaws grow, the first set are neither large enough in proportion to the size of the jaws, nor numerous enough to fill up the whole space. If the first set were to be the only set, when the jaws became of their full size, the teeth would be altogether too small, and would be quite separated from each other. Twenty small teeth (the number of the first set) in the jaws of an adult, in place of the thirty-two large teeth of the second set, would present a very odd appearance, besides being incapable of doing the service required of them.

Hyoid bone. Patella. Spinal column. Its firmness and flexibility.

Under the lower jaw is a little bone, called from its resemblance to the Greek letter *v*, the *hyoid* or u-like bone. Its end is towards the root of the tongue, and its two ends each backward towards the spine. The larynx is suspended from it as from a frame, and the muscles that draw up the larynx, draw up the hyoid with it. It is one of the few bones of the body that are not directly connected with any other bone. The *patella*, or kneecap, is one of these bones. The four little bones in the ear, of which I shall speak particularly when I come to treat of the sense of hearing, are not connected with any other bone.

283. I pass now to the bones of the trunk of the body. I shall speak first of the spinal column, or the backbone, as it is called in common language, as if it were all one bone. In one respect it does act as one bone, although it is made up of twenty-four distinct bones. It is the great pillar of the body. As such, it has the head resting on its top, and it furnishes support for the walls of the chest, and for the muscles which make up the most of the walls of the abdomen. To it all the organs are fastened, as you have seen in the chapter on Digestion, a mass of intestines in the abdomen, and indeed to some extent all the viscera both of the abdomen and the thorax. Sustaining, therefore, as it does so much weight in so many ways, it stands firmly planted on its great pedestal, the strong broad bone of the pelvis, the sacrum. And this pedestal is supported, I have before said, after the manner of a keystone, between two lighter spreading bones of the pelvis on either side. But while the spinal column acts as a strong and firmly supported pillar, it is necessary that it should be *flexible* for the different motions of the body. It is therefore composed of twenty-four bones called the *vertebræ*, so that, as in any considerable motion of the column as a whole, there is but little motion between any two of them, the motion does not interfere with its office as a firm pillar. It is most free in its uppermost part, the neck; it is considerable in its lower part, the small of the back; and it is least of all in that part to which the ribs are joined. You readily see the reasons for this difference in motion in different parts of the column. For the varied motions of the head there is need of a free movement between the vertebrae. Then for the tilting and turning motions of the body, you have the free movement between them at the lower part of the column, which is easily provided for there, because there are attached to that portion of it nothing but parts that are pliable. It is not

Vertebræ. Processes for locking strongly together.

so with that portion of it that forms the supporting pillar of the framework of the chest. There is little motion here between the vertebræ, because the joining of the ribs to the column forbids it.

But besides serving as a firm pillar, and as a flexible chain, the spinal column also forms a canal or tube in which the spinal marrow, one of the most delicate and important organs in the body, is securely lodged. This canal extends through its whole length, and from the spinal marrow included in it there pass out the nerves to go to all parts of the body.

284. Having thus presented a general view of the spinal column, I will now give a particular description of the form and arrangements of the bones of which it is composed, so that you may understand how the various objects of this wonderful structure are secured. In Fig. 92 you see a representation of

FIG. 92.



A VERTEBRA.

FIG. 93.



A SIDE VIEW OF A VERTEBRA.

one of the vertebræ; *a*, being the *body* of the bone; *b*, the hole which forms this vertebra's part of the canal for the spinal marrow; and *c*, the spinous process. It is these spinous processes that make the row of projecting points seen down the length of the back. There are six other processes, only four of which you can see in the figure. Four of these processes serve to lock the vertebra with its two adjoining ones above and below, which they do so strongly, that there can be no dislocation of them without a fracture. Fig. 93 gives a side view of a vertebra. Strong ligaments bind these bones together, and there are very numerous muscles attached to the processes, so

Spinal column. Canal through it. Cartilages.

t this jagged column of bones is very thoroughly enveloped
after substances.

85. In Fig. 94. you see the whole
al column with the sacrum on which
stands. It is laid open by a verti-
section dividing it into two halves, so
to show the manner in which the bones
n the tube that contains the spinal
row. The darkly shaded strip through
length of the figure represents this
e. It extends, you see, down beyond
limits of the column itself through the
rum. It is bounded in front by the
lies of the vertebræ represented as sawn
ough from front to rear, and by the
nous processes behind also sawn in the
ie way. In this canal you see there
row of little openings, arranged just
ind the bodies of the vertebræ.
rough these openings, each of which
etween two of the vertebræ, the nerves
out from the spinal marrow. The ar-
gement is such, that the nerves are
y securely guarded against the hazard
pressure in the movements of the verte-
e upon each other. You see also that
re are spaces between the bodies of all
vertebræ. These are filled with car-
ages, which vary in thickness in differ-
parts of the column, from one quarter
n to three quarters of an inch, being
ckest in the lower part of the back,
ere the backward and forward motion
the vertebræ upon each other is the
atest. Each cartilage is firmly fas-
ed to the two vertebræ, between which

y are situated, by the rough surface of the body of the bone
hich you see represented in Fig. 92. This arrangement of
tilages is an important provision for the motion of the spinal
umn. It contributes greatly to its flexibility. When you
op forward, all of the cartilages are compressed, and when
u rise up they return to their usual size by their elasticity.
ad besides this, they serve to diminish any shock which

FIG. 94.



SPINAL COLUMN

Spinal column shaped so as to guard against shocks.

might otherwise be transmitted through the column of bones to the head with too great force. There is another guard against the injurious transmission of shocks to the brain, in the *shape* of the spinal column, the twenty-four bones being arranged, not in a straight line, but in a double curve. The vibration, communicated upward through the spinal column, is thus not only lessened by the elasticity of the cartilages, but is also distributed in different directions by the curved arrangement of the bones. If the column had been made straight, the head would have been subject to frequent jars in the movements of the body, which would be disagreeable and often injurious.

286. You have thus seen how three different objects, apparently incompatible with each other, are accomplished in the arrangement of the spinal column. To put twenty-four bones together in such a way, that they shall form a strong firm pillar for the whole frame, and yet they shall make a column or chain flexible enough for the various motions of the trunk of the body, and at the same time provide in this column a secure canal for the rod of nervous matter which moves all the muscles of the body, is to produce a piece of mechanism which far transcends any thing that has ever been contrived by the ingenuity of man.

287. There remains to be noticed one especial contrivance in the spinal column. It is at its summit, and it is for the purpose of providing for the free motions of the head in various directions, and at the same time securing the spinal marrow at that part from all hazard of pressure from these motions. These two objects are accomplished in this way. The head in moving backward and forward rocks on two smooth surfaces on the first vertebra. But when the head moves to the right and left, this first vertebra moves along with the head on the second vertebra. And there is a tooth-like process that projects up from the second vertebra inside of the first, around which this rotary motion is performed. In Fig. 95 is represented the first vertebra. J. J. are the two surfaces on which the head rests, and rocks backward and forward. A is the opening for the spinal marrow. L is the strong ligament which confines the tooth-like process that projects upward from the second vertebra. In Fig. 96 is the second vertebra. P is the tooth-like process, around which the first vertebra rotates, carrying the skull with it. You see it is smaller at its root than at its top. This smaller part is bound firmly by the ligament in the first

Arrangement of first and second vertebrae.

ra. It is shaped thus to prevent its slipping out from the ent. J, J, are the two surfaces on which the first vertebrae as it rotates around the tooth-like process. Fig. 97 the two bones together, the tooth-like process being contained in the ring of the upper bone. Special pains are taken to this arrangement secure, that the process may not be a danger of pressing upon the spinal marrow at this important


It is thus that the lateral rotary motion of the head and forward and backward motion are secured by two joints, as is done in the mounting of a telescope. The difference between the two cases is, that in the mounting of the telescope there are no difficulties to overcome, while in arranging the

FIG. 95.



FIRST VERTEBRA.

FIG. 96.



SECOND VERTEBRA.

FIG. 97.

First and Second
VERTEBRÆ TOGETHER.

Special defense of spinal cord in neck of birds.

mounting of the head, as we may term it, a peculiar contrivance and a nice adjustment are needed to prevent injury of a very important organ. It is a wonderful contrivance, by which so much and so varied motion can be effected in the very walls that contain the soft and delicate spinal marrow, without injuring it. You will fully appreciate this, if you observe the extent and variety of the motions of the head and neck, executed chiefly with the two bones that I have described.

288. In the neck of birds there is a contrivance of a different character, for the arrangement which answers for the motions required by man, obviously could not secure the very free motions which the bird executes with its neck. As the bird bends its neck at such abrupt angles in all directions, a peculiar arrangement of the vertebræ is necessary, to prevent the spinal marrow from being pressed upon. The arrangement is a simple, but effectual one. I can make this plain to you by the rough diagram in Fig. 98. A, A, are two of the vertebræ of the neck laid open. B is the spinal canal, and C is the spinal marrow. You observe that each vertebra is larger at its ends than in the middle, allowing at the joinings of the bones, where the motion is, a considerable space between the bone and the spinal cord. Now if each of these bones were of equal size throughout, and the spinal marrow filled up the canal, you can readily see that when any two of these were much bent upon each other, there would be pressure upon the spinal cord; and pressure would produce palsy, and often destroy life. But with the simple arrangement above described, free motion, almost to a right-angle in some directions, can be executed without pressing on the cord. And besides this, you can see that the cord by this arrangement will not be bent at an angle, as the vertebræ are, but in a curve, for the spaces in the spinal canal at the joinings allow of a lateral movement of the spinal marrow at these points.

289. It would be interesting to consider in full the variations in the spinal column in different classes of animals. But I will only allude to a few of them. In quadrupeds, as they have their heads suspended, instead of being supported, as in man, upon a column of bones, the spinous processes in the neck are very large, and project much, for the attachment of strong muscles which hold up the head and move it. There is also

FIG. 98.

SPINAL COLUMN
in Birds.

Spinal column in fishes, reptiles, and in neck of giraffe.

ed to these processes, a very stout fibrous ligament, com-
called the *pary-wazy*, to assist in sustaining the head.
es the spinal column is so arranged as to
t a great flexibility. In Fig. 99 is repre-
one of the vertebræ of a fish. If you
re it with a human vertebra, as seen in
2, you will see that it differs very widely
t. It has no transverse or side processes.
the human vertebra has one *spinous* pro-
hat projects behind, this has two *f, f*, one
it and one in the rear, or rather, according
usual position of the fish, one above and
slow. The body of the vertebra has a cup-
vity on each side towards its neighboring
ra. When, therefore, two of these vertebræ
ned together, their two cup-like cavities make
vity of the shape of a double cone, as seen in Fig. 100.


FIG. 99.



VERTEBRA
of a Fish.

s a representation of a section
ortion of the spine of a fish.
lision is made so as to cut
rtebræ into two halves, and
show these cavities. Each
f these contains a sac which
ed with a gelatinous fluid.
arrangement, which secures
great flexibility of the spinal
n, you can examine at any
when you have fish on the

FIG. 100.



SPINAL COLUMN OF A FISH.

The long spinous processes
the broad frame-work of the
al, to which its muscles are
ed. In reptiles there is still greater flexibility of the
than in fishes. This is secured in two ways, by the
number of the vertebræ, and by a peculiar arrangement
em. There are three hundred and four vertebræ in the
constrictor, over three hundred in the common ringed
, and over two hundred in the rattle-snake. The articu-
is of the vertebræ in reptiles are with a ball and socket
gement. The forward part of each vertebra has a deep
ike depression, in which plays a round smooth ball from
ack part of the next vertebra. And as these joints are
y bound together by ligaments, the spinal column is very
g as well as flexible. In the gracefully flexible neck of the

Arrangement of collar-bone, shoulder-blade, and breastbone.


giraffe we have the same ball and socket articulations of the vertebrae.

290. The framework of the chest I have already described sufficiently in the chapter on Respiration. The breastbone, which is flat and of simple form in man, is much larger and less simple in its form in some animals. In birds it is not only broader, but it has a keel-shaped projection for the attachment of the large muscles used in flight. The *clavicle*, *g*, Fig. 86 (so called from its resemblance to a key,) and commonly called the collar-bone, is attached at one end to the top of the breastbone, and at the other unites with a process of the *scapula*, or shoulder-blade at the top of the shoulder joint. It is a prop to the shoulder, pressing it outward; and accordingly it is large in those animals, the movements of whose superior extremities tend to bring the shoulders towards each other, while it is very slender, or absent even, in those the tendency of whose movements is to keep the shoulders apart. Thus in birds the drawing down of the wings by the strong muscles would bring the shoulders towards each other, were this not prevented by stout clavicles. Sometimes a second bone is added for the same purpose. But in the horse and other similar animals, the pressure of the body downwards between the shoulders tends to separate them, and here we find the clavicle deficient because it is not needed. The *scapula*, or shoulder blade is a thin bone with a stout raised spine or ridge running across it, and ending in forming the top of the shoulder joint. It is situated differently from any other bone in the body. It is imbedded in muscles and has a very free motion. Its design is to give freedom of motion to the arm. It is directly connected with the skeleton only by its union with the clavicle. In Fig. 101 you see the arrangement of the clavicle, scapula, and breastbone. C, C, are the scapulæ or shoulder-blades. A, is the upper part of the breastbone. B, B, are the clavicles fastened to the breastbone at one end, and to the shoulder-blade at the other end at E, which is a process of the shoulder-blade, making the projecting top of the shoulder-joint. D, is another process of the shoulder which serves for the attachment of muscles and ligaments. It is called the *coracoid* process, from its resemblance to the beak of a crow.

291. The upper extremity is divided into three parts, the arm, the forearm, and the hand. The arm has but one long bone, the *humerus*, *i*, Fig. 86. This has a round head which moves in a shallow cup formed by the shoulder-blade. The

Collar-bones. Shoulder-blades. Bones of the forearm.

FIG. 101.



THE COLLAR-BONES AND THE SHOULDER-BLADES.


FIG. 102.



Arrangement of the bones of the forearm for rotary motion. Bones of the hand.

shallowness of the socket is the cause of the frequent dislocation of the shoulder. But if there were a deep socket like that in which the head of the thigh-bone is, the arm could not have any thing like the freeness of motion that it now has. Such an arrangement would involve too much of a sacrifice of necessary uses for the sake of security. At its lower part the humerus makes a hinge joint with the forearm. The forearm has two bones, the *radius*, *b*, Fig. 102, and the *ulna*, *a*. The particular arrangement of these two bones is worthy of notice. The hinge-like motion of the forearm upon the arm is performed by the *ulna* alone. This bone has a beak-like process, which works over a smooth round surface at the end of the humerus. It is the outside of this process which you feel at the point of the elbow. The other bone, the *radius*, has nothing to do with this motion. This only rolls on the *ulna* in the rotary motions of the forearm. But at the other end of these bones, at the wrist, the arrangement is reversed. Here, it is the *radius* on which the hand moves in a hinge-like manner, while the *ulna* at *c* rolls on the *radius*, as the *radius* does on the *ulna* at the elbow. You can readily see that as the *radius* rolls on the *ulna* at the elbow, and the *ulna* on the *radius* at the wrist, a very free rotary motion of the forearm is provided for. The combination of this motion with the motions at the wrist, the elbow, and the shoulder, secures that almost endless variety of movement, which is so striking a peculiarity of the upper extremity, as compared with the lower. The hand is divided into three parts, the *carpus*, *p*, Fig. 86, composed of eight small bones, the *metacarpus*, *q*, composed of bones which are like the bones of the *fingers*, *r*. The eight bones of the *carpus* are firmly packed together, but they have a slight motion upon each other, and this, together with the motion of the *metacarpal* bones, makes the hand a more easy, light, and springy instrument than it would be, if these bones were all consolidated into one. The *metacarpal* bones are the framework of the flat part of the hand, and to them are joined the first row of the bones of the *fingers*. The *metacarpal* bone of the thumb has a very free motion upon the *carpus*, differing in this respect altogether from the *metacarpal* bones in the body of the hand. The bones in the wrist and hand are bound together by very strong ligaments. Those which are seen in the palm of the hand are represented in Fig. 103. Those which you see at *a*, *b*, and *c* bind the small bones of the wrist together, and also tie them strongly to the bones of the forearm, the ends of which you see

FIG. 103.



in the Figure. The bone at *b*, to which so many of these ligaments are attached, is the prominent bone which you feel at the beginning of the palm of the hand on the side towards the body. The ligament *g* connects this bone with the metacarpal bone of the little finger. At *d, d*, are ligaments which running across the hand bind the metacarpal bones together at their beginning. At *e, e*, are similar ligaments where the bones of the fingers join them. The bones of the fingers and thumb are strongly held together by lateral ligaments, as seen at *f, f*. The various ligaments of the wrist and hand permit a slight motion between the bones; and thus the hand has freedom and ease in its motions while it is also a very strong and firm instrument.

292. The lower extremities have some resemblance to the upper in their structure and arrangement, but they differ from them in some important respects. Here firmness is the chief object, while freedom of motion is the great thing to be secured in the structure of the upper extremities. The lower extremi-

Bones of the leg and the foot. Arranged for firmness.

ties are chiefly for locomotion, but the upper are fitted for a variety of purposes. The body is supported upon the lower extremities, and, therefore, the thigh-bones have sockets in the broad flaring bones of the pelvis *m* and *l*, Fig. 86.

In Fig. 104 is represented a rear view of the thigh-bone. Its head, *a*, is round, and fits into a deep socket in the pelvis. At *b* is a depression in which one end of a stout short ligament is fastened, its other end being attached to the bottom of the socket. At *c* is the neck of the bone; at *d* and *e* are two projections to which are attached large muscles to move the limb.

Along the shaft of the bone, *g*, there is a rough ridge, *h*, to which muscles are fastened; *i* and *k* are two smooth surfaces for articulation with the leg below. At *t*, Fig. 86 is the bone called the *patella* or kneecap, which answers as a defense to the joint, and at the same time affords a mechanical advantage to the muscles which throw the leg forward. These muscles are fastened to the upper part of the patella, and then a connection is formed by a strong tendon between its lower part and the large bone of the leg. You see at once that the leg can be thrown forward with more force by this arrangement, than it could be if the tendon of the muscles passed over the front of the joint without any patella. I shall

refer to this again in the Chapter on the Muscles. The leg, like the forearm, has two bones, *v* and *u*, Fig. 86; but unlike them they are constructed and arranged for strength, and not for freedom of motion. The foot, like the hand, is divided into three parts. The *tarsus*, *a*, Fig. 105, is that part of the foot which extends from the heel to the middle of the foot. It is composed of seven bones, the largest of which makes the body of the heel. The *metatarsus*, *b*, has five long bones reaching

FIG. 104.





FIG. 105.



from the tarsus to the toes. The toes, *c*, have fourteen bones. The object of having so many bones in the body of the foot is to give it a certain springiness to it, which guards against shocks, facilitates motion. Its arched form also tends to secure the foot from the ground. In every movement of the foot there is a slight motion between all these bones. Thus in walking, when the foot touches the ground, it does so at the heel, as represented in FIG. 105. Then as the body moves forward, the fore-part of the foot is brought down, the weight of the body at length presses upon the ground at the ball of the foot, *b*. In executing every movement, elasticity is given to the tread of the foot by a very slight motion which occurs between these many bones. If the body of the foot were all one bone it would necessarily be a very stiff and awkward affair, and ease and grace in walking would be an impossibility. With such a foot a man should not walk much better than one does with a wooden

93. Before leaving the subject of the bones, I will call your attention to the provision which is made for the easy movement of their joints. The ends of the bones are tipped with cartilage, so as to afford a firm but smooth surface for the friction of the one bone upon the other. Besides this provision, the ends of every two bones that move upon each other are lined with a membrane, so arranged as to form a blind sac. This is illustrated in FIG. 106, in which *a* and *b* are the ends of two bones, the sac, *c*, lying between them, represented here as detached from the bone, in order that the arrangement may be clear to you. It is as if a small

FIG. 106.




DIAGRAM
showing the lining of a joint.

Each fibril of a muscle supplied by a nervous tubulus.

bladder were introduced between the two ends of the bones, and were fastened all over the surfaces that press together. The inside of this sac is kept lubricated with a bland fluid resembling the white of egg, so that the joint may work easily. This fluid is secreted by the membrane itself, and the moving machinery of the human system may therefore be said to oil its own joints. In the knee-joint, the broad surfaces of which are subjected to so much pressure, there are two flat pieces of cartilage loose in the joint, which operate like friction wheels in lessening the friction. There is a similar provision in the articulation of the lower jaw. This member does so much work in talking, and such heavy work in mastication, that each of its joints has a movable cartilage for the diminution of friction. Sometimes when the lubricating fluid is deficient, or becomes too thick, a disagreeable crackling noise is produced by these cartilages in the motions of the jaw.

CHAPTER XII.

THE MUSCLES.

294. HAVING described the bones, I now proceed to speak of the muscles, which move them and other parts of the frame. I have already described the structure of muscles in § 203 in the chapter on Cell-Life. Each fibril, you there saw, is a chain of cells, and it is the shortening of all these chains of cells in a muscle that produces its contraction. The action of a muscle is dependent upon the nerves. Each fibril has a nervous fibril or tubulus, (§ 232.) by which its connection with the brain or spinal marrow is established. And each fibril is in this respect probably wholly separate from every other fibril. When, therefore, the mind wills that a certain motion shall be performed, an impression (§ 232) is sent to each fibril of every muscle engaged in that motion, through the tubulus devoted to that fibril. When the action is a very compound one, calling into operation many muscles, a multitude of these impressions are communicated through a multitude of distinct channels or tubuli. The individual is not at all conscious of the compound nature of muscular action, and he knows nothing of the muscles

sh produce any particular movement, unless he has studied anatomy and physiology. He wills the movement to take place, and at once the requisite impressions are sent along the appropriate channels or tubuli to their destination. These impressions must differ in degree or intensity in producing different amounts of motion; and they must differ in some cases in different parts of the same muscle, as some fibres are put in action while others are not, or as some act with more force than others. I will not dwell here on this point, as I shall return to it in another part of this chapter, when I come to speak of the compound character, and the varieties of motion.

295. Muscles commonly end in tendons, which, as they are white and shining, are quite in contrast with the red muscular mass. The tendons have in themselves no power of contraction, but are mere passive cords. They have the same relation to the muscles, that ropes have to the men that pull them. They are of various shapes, according to circumstances. Long slender tendons may be seen on the back of the hand in many persons, the muscles that pull them being in the full arm extended. The tendons are not bounded by a distinct line where they join the muscles, but tendinous and muscular fibres intermingle, so that they appear to run insensibly into each other. Tendinous fibres also mingle in the same way with the fibres of the muscle, making so strong an union, that a great force exerted in pulling on the tendon will sooner effect a rupture of the tendon from the bone, than a separation of the connection between them. The tendons are very strong, being made of very condensed fibrous substance. The tendon of a muscle is, therefore, much stronger than the muscle itself. This is a circumstance of much importance in the arrangement of the moving apparatus of our members. The bulky muscles and the slender tendons, are so arranged, for example, in the limbs, as to give them both freedom of motion and beauty of form. The muscles that move the fingers help to make up the full part of the arm, while the slender tendons occupy but little space as they play over the bones of the wrist. If there were no tendons, and the muscles were extended to the parts which they move, the hand would be a large cumbrous mass, instead of the light and agile organ that it is now. For the muscles would of necessity be continued of their full size, and, therefore, the bones would of course be very large in order to afford an attachment to the muscles.

296. In the action of the muscles upon the bones, we have

The three kinds of lever exemplified in the action of muscles.

examples of the three kinds of levers treated of in natural philosophy. Some of these I will now notice. The first kind of lever has the fulcrum between the weight and the power, as represented in Fig. 107. F is the fulcrum, W the weight, and

FIG. 107.



FIRST KIND OF LEVER.

P the power. You have examples of this lever in the common pump handle, the beam of a pair of scales, the crowbar, as commonly used, scissors, &c. You have an example of this form of lever in the human body, in the action of the muscles in moving the head back and forth on the top of the spinal column. In this case, when the head is moved forward, the top of the spine is the fulcrum, the weight to be moved is the back of the head, and the power is the contraction of the muscles that bow the head forward. When the head is bent backward, the power is the contraction of the muscles behind, and the weight is the front part of the head. The muscles that move the head backward are stronger than those that move it forward. It is necessary that it should be so, for there is more of the head in front of the point of support or fulcrum than there is behind it. Hence, when sleep relaxes the muscles, if we are sitting up the head falls forward.

297. In the second kind of lever the weight is between the fulcrum and the power, as represented in Fig. 108. The common wheelbarrow is an example of this form of lever. You have an example of it in the body in the raising of the heel

FIG. 108.




SECOND KIND OF LEVER.

Motion of the foot in walking.

from the ground in walking. In doing this the weight to be raised is the whole body, the foot being the lever, and the forward part of the foot being the fulcrum. This will be made clear by Fig. 109. W is the large bone of the leg sustaining


FIG. 109.



the weight of the body; F, is the fulcrum, the forward part of the foot that presses on the ground as the heel is raised; and P, is the large muscle in the calf of the leg, the power that raises the heel, the end of the lever.

298. In the third form of lever the power is between the weight and the fulcrum. A common example of this is seen in the raising of a ladder. The fixed foot of the ladder is the fulcrum, the ladder itself is the weight, and the power is applied as far from the fulcrum as it can be. Fig. 110, represents

FIG. 110.



THIRD KIND OF LEVER.

a lever of this kind. This form of lever is more frequently used than the other forms in the human body. We have an example of it in bending the forearm upon the arm as seen in Fig. 111, in which 1 is the bone of the arm; 2, the bones of the forearm; 4, the muscle which bends the forearm upon the arm; 5, its double headed attachment above; and 6, its at-

Two objects aimed at in muscular action ; quickness and power.

FIG. 111.




tachment to the radius, one of the bones of the forearm. In this case the fulcrum is at 8, the joint of the elbow, the weight is the hand with whatever it holds, and the power is applied at the point where the tendon is fastened to the radius, that is, as in the case of the ladder, between the fulcrum and the weight. The muscle which straightens the forearm upon the arm is represented at 7. I shall remark upon this in another connection.

299. In the management of the three kinds of levers there are two different objects aimed at under different circumstances. One object is to move a great weight with a small power. Here quickness is not aimed at, but the weight is moved slowly. The other object is to move the weight quickly, an object inconsistent with the moving of any very heavy weight. When the object is to move a heavy weight slowly, the lever is so managed as to get a good purchase, as it is expressed. Thus in the case of the lever of the second kind, Fig. 108, if the weight be a heavy one, the power is commonly applied at some distance from the weight. The nearer the power is to the weight, the greater must it be to move the weight. The smaller the power, the further must it be from the weight in order to raise it. But though a small power if at a distance from the weight answers to raise it, yet in this case the power must move through a considerable space to move the weight but little ; while to raise the weight to the same height, a power nearer to it passes through but little space. This will be made clear to you by Fig. 112. F is the fulcrum, and W the weight. If the lever, A, be raised to the line, B, the dotted lines will show the different spaces which the power passes through, according to its distance from the weight. If the power be at P,

Quickness more often important than power.

FIG. 112.



passes through the space indicated by the dotted line *a* in raising the weight *W* to *c*. But if it be at *p*, it passes through much shorter space, *b*, in raising the weight to the same height. The more important, therefore, in this form of lever quickness of movement is, the nearer to the weight is the power applied. Let us look at the application of these principles to the example of this kind of lever, which I cited from the human body, represented in Fig. 109, the raising of the right of the body on the foot in walking. The power is here applied quite near to the weight, for quickness in raising the heel in walking and running is of great importance. By having the heel project farther behind, the muscle could be attached farther from the weight, and thus act with more power. But there would in this case be a sacrifice of quickness of movement, and besides this, the lengthened heel would present a very awkward and ugly appearance.

300. But it is in examples of levers of the *third* kind that we find these principles best illustrated. This form of lever is much more often used in the mechanism of the muscles than the other forms. I refer you to the example given of this lever in the action of the biceps muscle in bending the forearm, as shown in Fig. 111. In this case it is of much more importance to move small weights quickly, than to move heavy ones slowly. Therefore the power is applied quite near to the fulcrum. The action of the biceps, as you see, is fastened to the main bone of the forearm near the fulcrum, the elbow. You can readily see that the point where the power is applied would pass through a rough but a little space, in moving a weight through a considerable one. The lower jaw, in its upward motion, is a lever of the same kind. In this case, force rather than quickness is required in breaking and grinding the food. Here, therefore, the power, the action of the muscle, is applied farther from the fulcrum than in the case of the biceps muscle of the arm,

Force most important in the case of the lower jaw.

and nearer to the weight to be moved, or the point where the resistance is which is to be overcome. It is applied also in a different direction, a point which I shall however speak of in another connection. The muscles which move the lower jaw upward can be seen in Fig. 113. One is the large spreading

FIG. 113.



MUSCLES OF FACE AND NECK.


muscle *b*, the swelling of which, in its contraction, we can feel, if we place the fingers on the temple while moving the lower jaw upward. The other is the short strong muscle *c*, the front edge of which is so far forward, that one-third at least of the lower jaw-bone is embraced by this muscle. Now, if you compare this bone as a lever with the forearm as acted upon by the biceps, you will at once see that the power is applied much nearer to the weight, or the resistance to be overcome, in the case of the jaw, than in the case of the arm. It is so even when the resistance to be overcome is at the front teeth; and it is much more so when the resistance is at the back part of the mouth, as when we are grinding our food. Here, indeed, a portion of the muscular force is brought to bear upon the resistance in a direct line. It is not merely because the back teeth are

Mechanical disadvantage in muscular action.

onger than the front ones, but also because the power is nearer resistance, that we can crack a nut more easily with the back, than we can with the front teeth.

301. It is clear that the biceps muscle acts, as it is expressed, a mechanical disadvantage, if we regard mere power or force, I leave out of view quickness of motion. If it were inserted farther down on the forearm, nearer the hand, it could raise much greater weights than it now can. And the same can be said of most of the other muscles of the body. But force is sacrificed for the sake of quickness in most cases, because the latter is more important. In the few cases in which force is more important, as in the case of the lower jaw just cited, the reverse arrangement is provided. The gain in quickness in the arrangement of the biceps muscle can be illustrated on Fig. 114.

FIG. 114.




being the fulcrum, the power in raising the weight, W , to o , acting at P , passes through the space indicated by the dotted line a . But if it act at p , it will pass through all the space b , and of course raise the weight more slowly than when acting at P .

302. Most of the muscles work at a mechanical disadvantage in another way. I refer to the direction in which the muscle acts on the bone to be moved. This is seldom at right angles, and therefore a considerable part of the force exerted is lost. This can be made clear to you by Fig. 115. Let b represent the bone of the arm, and r its fulcrum, or point of support in the shoulder. You readily see that if the bone be acted on by a muscle, m , at right-angles to it, it will require less force to move it to a given point than would be required if the same muscle were placed in the position represented by n . For the

When loss in power, gain in quickness.

FIG. 115.



muscle *n*, acting obliquely on the bone would expend a part of its force in pressing the end of the bone upward against the socket of the joint at *r*.

303. But in this case also, what is lost in power is gained in quickness of movement. This can be shown on the figure. We will suppose that the muscle contracts or shortens itself the half of the length of the tendon. If the muscle were placed as at *m*, the bone would be carried to the line *a, c*. But if the muscle be placed as at *n*, the same degree of contraction would raise the bone to the line *a, d*, the point of the bone where the tendon of the muscle is attached moving in the curved line as marked. The resistance to be overcome, of course, requires much more power for the obliquely placed muscle, *n*, to raise the bone to the line *a, d*, than for the muscle *m* to raise it to *a, c*; and therefore a much larger muscle is needed than there would be if it acted at right-angles to the bone as at *m*. And the muscle which raises the arm at the shoulder, acting as it does at so great disadvantage, is a very large muscle. The muscle, *n*, in the figure represents only the line of its action, and not at all its shape. If you observe the various motions of the arm in which this muscle has a part, you will appreciate the necessity of so arranging it as to secure quickness of movement. This was the chief object to be aimed at in its arrangement; and the second and less important object, power, is secured, so far as it is needed, by simply making the muscle a large one.

304. The mechanical disadvantage, which I have noticed as resulting from the oblique action of the muscles, is in part obviated by a very simple contrivance. It is done by making the

Contrivance to change the direction of force.

n of the muscle work over an enlargement of the bones at joints. The operation of this contrivance can be made clear by Figs. 116 and 117. Let r and o (Fig. 116) be the two bones of a joint, and let muscle m be attached to the bone o at i . As it contracts, almost all its force will be spent in moving the bone o upward against the bone r , so it acts almost entirely in a line with the bone o . But let the ends of the bones be enlarged as in Fig. 117, and you can see that the action of the tendon of the muscle m is so directed where it is attached to the bone, that the bone can now very easily make the lower bone move upon the upper. The enlargement then of the bones at the joints, which is needed to give a requisite extent of surface for working them, serves also another good purpose in thus altering the direction of force in the muscles. In the case of the knee-joint there is an additional contrivance for making this change of direction still greater. A movable bone, the patella or kneecap, besides acting as a protection to the joint, effects also the purpose referred to. The manner in which this can be made plain by Fig. 118, in which a represents the end of the thigh-bone; b , the end of a large bone of the leg articulating with it; c , the patella; d , the large tendon which comes from the muscle, and is fixed into the patella; e , the tendon which goes from the patella to the large bone of the leg below. The dotted line shows much the direction of the force the muscle is changed by this arrangement. The movement performed by this muscle is throwing the leg and foot forward, which it is by the above arrangement of the patella enabled to do with great ease in walking, and with great force in the act of kicking.

5. The pulley is used in the arrangement of the muscles, though by no means as often as the lever. It serves, whenever it is used, to give the force a different direction

FIG. 116.





FIG. 117.




FIG. 118.



The pulley-arrangement in muscles.

from what it would otherwise have. I will cite but a few examples. At the wrist and the ankle there are broad ligaments, which bind down the tendons of the muscles, and sustain to them the relation of pulleys. If it were not for these ligaments the tendons at these joints would fly out continually when the muscles are in action, making projecting cords under the skin. And if the skin were removed, the tendons would be in a position similar to that represented at A, in Fig. 119.

FIG. 119



In this Figure, C is the tendon of the great toe in its position as bound down by ligaments. Now if the muscle were in the position represented by A, it is plain that it would act at a greater mechanical advantage than in the position C; but the toe would not be moved as quickly; and besides, if the tendons projected in this way, the foot would be a very cumbrous piece of machinery, compared with what it is now, with the tendons bound down around the slender ankle. So that both beauty and use are secured by the arrangement.

306. There is a beautiful application of the pulley in the case of the muscle that draws down the lower jaw, called the *digastric* muscle. It is represented in Fig. 120, in which *a* is one end of the muscle attached behind the ear, and *b* is the other end attached to the inside of the lower part of the chin.

Manner in which the lower jaw is drawn down.

FIG. 120.



DIGASTRIC MUSCLE.

muscular at the two ends, and tendinous in its middle


This middle part runs through a loop or ring in a small bone as represented in the Figure. This little muscle is attached above to a small process of bone under the ear, and below to the hyoid, or U-shaped bone, *c*, which is situated just above the larynx. Now when the jaw is to be drawn down, the two fleshy ends of the *digastric* muscle contract, and the tendinous part works in the ring provided in the little bone. This muscle is so slender, that its loop is of itself alone strong enough, as we should suppose, for the tendon of any other muscle as the *digastric* to work in. And we accordingly find that there is an additional security in a strong ligament, which fastens the tendon of the *digastric* muscle to the little bone. This ligament (which I have not represented in the Figure, because it would confuse your view of the pulley-arrangement of the parts) is sufficiently long to allow of all the freedom of motion necessary to drawing the jaw downward. We see at once that one object of this arrangement of the *digastric* muscle is to secure beauty of form in the neck. A muscle extending from the top of the chest to the chin in a straight direction would very effectually draw down the lower jaw, and it would be a great deformity. This is avoided by the pulley-arrangement of the *digastric* muscle. But this muscle answers another purpose besides drawing down the jaw. If while the jaw is held fast by muscles which draw it upward, the *digastric* contracts, it will draw up, as you can readily see by the Figure. the hyoid bone, *c*, and with it, of course, the larynx which is at-

Straight and oblique muscles of the eye.

tached to it. Now precisely this set of motions occurs when we swallow. The mouth is shut by the drawing up of the jaw, and then the contraction of the digastric muscle draws up the larynx, as you can perceive if you place your fingers on the larynx, or Adam's apple, as it is called, when you perform the act of swallowing. The little muscle in which the loop is, renders some assistance to the digastric in thus drawing up the hyoid bone and the larynx, as you can see by the Figure.

307. I will notice one more example of the pulley-arrangement. It is in the eye. There are six muscles that move the eye-ball. Five of them are represented in Fig. 121. There are four straight muscles, three of which are marked

FIG. 121.



a, *b*, *c*; the fourth is behind *b*, the upper edge of it only being seen in the Figure. These muscles are at their origin in the back part of the socket of the eye arranged round the optic nerve, and passing forward are attached to the sclerotic coat, the firm white coat of the eye. The two lateral muscles, *b*, and its opposite, move the eye to the one side and the other, and the two muscles, *a* and *c*, perform the up and down motions. But there are certain oblique rolling motions of the eyeball which can not be executed by these straight muscles. For these motions two muscles are provided, one of which has a pulley-arrangement, as represented in the Figure. This muscle, *s*, has a long tendon which passes through a ring in cartilage in the roof of the socket, and then turning back is fastened as you see to the upper part of the eyeball. This muscle, as stated in the chapter on the Nervous System, is under the direction of one nerve alone. It is an involuntary muscle which performs the insensible rolling motions of the eyeball, and like the other involuntary muscles of the body, is at work while we are asleep, as well as when we are awake. It is the muscle which rolls about the eye tremulously when it is open in the insensible state sometimes produced by disease.

Opposing muscles. Compound muscular action.

. Every muscle performing a motion has its opposing muscles, which perform the opposite motion. In the case of any two opposing muscles the one must be in some degree relaxed while the other is in action. Thus in alternately bending the elbow, and straightening it, there is alternate contraction and relaxation in the two opposite muscles 4 and 7, as represented in Fig. 111. So in moving the head back and forth the muscles in front and rear are alternately contracted and relaxed. Paley very aptly compares this to the action of the sawyers in a pit, as they move the saw back and forth. This comparison, however, is not strictly true, because the relaxing muscle is never wholly relaxed. There is indeed in every muscle some amount of contraction which is independent of the will, through the nerves, whether it be reflex, or produced by the will. For this reason the muscles cut off in amputation cannot retract. So also if the muscles on one side of the face are palsied, the muscles on the other side draw the mouth to that side. The mouth is held in the middle of the face by the equal action of pairs of muscles. The head, too, is held in equilibrium in the same way. In what is called wry-neck, this equilibrium is disturbed, as it is sometimes termed, is greater on one side than it is on the other. In some cases a cure can be effected only by dividing the contracted muscles. Strabismus, or squinting, one of the straight muscles of the eye contracts too strongly for its opposing muscle, and as a surgeon divides the contracting muscle is often necessary to remedy the difficulty.

2. Most motions are not performed by single muscles, but by the joint and agreeing action of several, and sometimes of many muscles. And as these muscles may vary to a great extent in their degree of contraction, the motions produced by them are not only compound, but are exceedingly varied. To illustrate this compound and varied character of motion, I will give as a single example in which only two muscles are concerned in the motion. In Fig. 113 you see a pair of muscles, of which one is marked *h*, which extend from the large protuberances behind the ears to the top of the breast-bone. In the case of a thin muscular person these muscles are very prominent.

When they contract *equally*, the head is bent straight forward in the middle line between the muscles, and a line drawn from the middle of the forehead down to the breast would strike exactly at the point where these two muscles

But if one muscle contracts more strongly than the

Variety in muscular action. Exemplified in the tongue.


other, the head as it bows forward bows towards the side on which is the strongest contraction. And as the degrees of contraction in these two muscles may be endlessly varied, so there may be an endless variation in the degree of inclination of the head to one side or the other, as it is bent forward. If then so great a variety in the direction of motion may be produced by variation in the degrees of action in two muscles, you can readily see that an almost infinite variety of motion must result from this variation, where many muscles are called into action.

310. I know not any part of the body, which exemplifies in so palpable a manner the compound and diversified character of muscular motion as the tongue. It is mostly a bundle of muscular fibres, apparently mingled together in confusion, but really arranged in perfect order, so that it can be moved with great definiteness in all directions, forward, backward, upward, downward, to either side, and in all intermediate directions. If you stand before a glass, and opening your mouth, move the tongue rapidly about in all these directions, you think of a harlequin performing his antics. But all this wonderful variety of movement is produced in obedience to the definite action of nerves, whose fibres are mingled with the muscular fibres of the tongue. And in order to produce each motion there is an agreement of action not between merely many of these fibres, but between multitudes of them.

311. With the view which I have given you of the compound and varied character of muscular motion, you are prepared to take a general survey of the muscular system. For this purpose I call your attention to a side view of the muscles of the body as presented in Fig. 122. I must premise, that you can get no idea from this Figure of the number of the muscles in the body, for you see here only the outer layer of muscles, and there are many muscles concealed by them. You observe that they are of various shapes and sizes, according to the motions which they are designed to produce, and the circumstances in which they are placed. They are round, long, short, flat, fan-shaped, circular, serrated, &c. I will point out some of them. At *a* is the very large muscle that makes the fleshy prominence at the upper part of the arm, and the office of which is to raise the arm, carrying it out from the body. You observe that its fibres are not all arranged alike but lie in different directions. The result is, that while the arm is raised by the muscle as a whole, it may be carried at the same time forward or backward by the varying action of

External layer of the muscles of the body.

FIG. 122.



MUSCLES OF THE BODY.

General description of the muscles in various parts.


these different fibres. There are many of the muscles of the body which are made thus to produce various results by variation of the action of different parts of the same muscle. And the regulation of this variation by the nerves is one of the most wonderful and mysterious things which we find in our study of the nervous system. For each fibre in the cases referred to is told, as we may express it, just how much it must do in order to produce the requisite general motion of the muscle. It is manifestly much more wonderful thus to produce various but accurately graduated contraction in different parts of the muscle, than to produce an uniform contraction in all its fibres.

312. I go on with my notice of the particular muscles. At *b* is the biceps muscle, which bends the forearm upon the arm, and at *c* is another muscle that assists the biceps. At *e* is the large muscle in the back of the arm, which acts in opposition to the biceps, and straightens the forearm upon the arm. At *d* is a muscle which rolls the radius outwards, and thus turns the palm of the hand upward as seen in the Figure. At *g* is a very large broad muscle coming from the whole length of the back, and at the axilla or arm-pit, its fibres are collected, twisted, and folded upon each other. The muscle is fastened by a stout tendon to the upper and back part of the bone of the arm, and its office is to pull the arm backwards and downwards. At *h* is a serrated muscle, which rising from the ribs, goes to the shoulder-blade, and serves to draw the shoulder-blade forwards. At *i* is one of the broad muscles of the abdomen. At *l* and *k* are two large muscles that move the thigh. At *o* and *p*, as seen on the right thigh, and at *n*, as seen on the left, are three large muscles, which are fastened to the kneepan, and serve to throw the leg forward as described in § 304. At *q* is the tendon that forms the outer hamstring, and at *r* are the two tendons which form the inner one. The muscles to which these tendons belong, serve to bend the leg upon the thigh, drawing it upward and backward. At *s* is the muscle which makes the bulk of the calf of the leg. It lifts the heel upward and backward, and it is seen in action in the right leg of the Figure. Its strong tendon which is attached to the top of the heel bone is called, on account of its strength, the tendon of Achilles. This muscle is in Fig. 109, the power *P* which raises the weight of the body, *W*, on the fulcrum, *F*, as the heel is raised from the ground in walking.

313. In Fig. 123 you have a rear view of the muscles. At

Rear view of the external layer of the muscles.

FIG. 123.



REAR VIEW OF THE MUSCLES.

Some muscles are very small. Symmetrical arrangement of the muscles.

a is a very broad muscle, which rising from the back is attached to different parts of the shoulder-blade. You can see that this irregularly shaped muscle, will move the shoulder-blade variously, according to the various action of the different fibres of the muscle, which run in so different directions. At *c* you see the rear part of the muscle that raises the arm. At *b* is the extensive muscle that you saw in Fig. 123 at *g*, which draws the arm backward. At *e* is a large muscle that draws the thigh backward. At *g*, *h*, and *f* are the muscles whose tendons form the two hamstrings. At *i* is the muscle that forms the calf of the leg, and raises the heel.

314. I have thus described to you a few of the principal muscles in the body, that you may have some idea of the modes in which they act, and the manner in which they are arranged. Those which I have described are all muscles of considerable size. But there are some exceedingly small muscles in the body, producing some very delicate motions. For example, all the variations in the note of the voice result, as you will see in the Chapter on the Voice, from the variation of tension of the vocal ligaments, which is regulated by certain very small muscles. As the laborer sings over his work, great is the contrast between the delicate action of these little muscles, and the strong action of the muscles of his stalwart arm. A variation of less than a hair's breadth in the contraction of the muscles of the vocal ligaments suffices to produce an appreciable difference in the note of the voice.

I have thus far spoken of the bones especially as being moved by the muscles. But other parts are moved by them also. In the case of the voice, just alluded to, the little muscles move cartilages to which the vocal ligaments are attached. The tongue and the palate are moved by muscles. Muscles move the skin. In man this is generally very much confined to the face. The mouth, the eyelids, the eyebrows, &c., are moved by muscles. In many animals the skin is moved extensively by muscles, as for example when the horse shakes his skin to get rid of the biting flies.


315. In the arrangement of the muscles great regard has been paid by the maker of our bodies to convenience and symmetry, and not merely to mechanical advantages. Thus, the muscles moving the fingers are mostly placed in the forearm, while the slender tendons pass over the surface of the bones in the wrist. The flowing outline of the arm is thus secured, and the hand is made a light, and at the same time, a strong ap-

 Contrivances in muscles and tendons of the hand and foot.

The same can be said substantially of the arrangement of the muscles and tendons in the leg and foot. There is an arrangement in the foot which is worthy of especial notice. There is a muscle in the fleshy part of the leg, which by its tendon, divided in the foot into four tendons, bends the joints of the toes. There is also a short thick muscle in the bottom of the foot which joins the tendons of the first muscle, and assists it in bending the toes. It is as if four different sets of men were placed in two different positions, the ropes being arranged so as to pull in the same direction. The question arises, why the toes are not bent by a single muscle, conveniently in the fleshy part of the leg. The reason is, that the muscle placed in the sole of the foot is there as a filling up in the arch of the foot, and so the necessary to bend the toes is divided between the two muscles.

There is another contrivance in this muscle that bends the toes which I will notice here. Its four tendons pass to the last joints of the toes, and in doing so they go through the tendons of the muscle that bends the second joints. These latter divide into four ends where they join the bones for this purpose. An arrangement also is made in the fingers for the tendons of the second and third joints. This is represented in Fig. 124,

FIG. 124.



where *e* is the tendon which goes to the last bone *c* through a division in *f*, which goes to the second bone *b*. It is manifest that this is the best way of packing the tendons, as we may see it. Any other conceivable arrangement would add to the bulk of the finger. As they are represented in the figure they are raised up, instead of being closely packed down upon one another, as they are in reality.

I have already alluded to the fact that many muscles are producing most of the movements of the body, and as they vary in the degrees of their contraction, the amount of motion resulting from both these causes, is exceed-

ingly great. I will now call your attention more particularly to these points, as you can more readily appreciate them after the general view which you have taken of the muscular system. Even when only a part of the body is put in motion, there are often many muscles engaged in the act. Take, for example, the act of swallowing, which I have described in § 78 in the Chapter on Digestion. In this compound act the muscles of the jaw close the mouth, the tongue thrusts the food back into the throat, the digastric muscle (§ 306), pulls up the larynx, and the epiglottis is at the same time shut down by muscles upon the opening into the larynx, to let the food slide over it. In speaking and singing the action of the muscles is much more complicated than in the act of swallowing. The muscles of the chest work the bellows of the organ (for such is the relation of the chest to the musical instrument, the larynx,) the muscles of the vocal ligaments put them in the state of tension required to produce the note intended, the muscles of the epiglottis raise it to let the sound out, and the muscles of the throat, palate, tongue, and lips, give articulation to the sound as it comes from the larynx. And observe, that some of the same parts are engaged in the act of speaking that are engaged in that of swallowing, but are put in different positions for the two acts. Thus, the epiglottis is raised up when we speak, and is shut down when we swallow, and the larynx is raised up when we swallow, and is drawn down again when we speak. And how quickly we pass from the one act to the other, as we mingle our talking and eating together! And we do it with such facility and precision, that it is a very rare accident that a crumb or a drop slips into the larynx. Observe farther, that when we take a breath, as well as when we speak, the epiglottis must be raised, the air passing in, instead of passing out as in speaking. The parts, therefore, are often engaged in these different acts, not only distinct from each other, but inconsistent with each other also, and they change from one of these acts to another so readily, that as we eat, and breathe, and talk, we are conscious of no disturbance, and scarcely ever of any effort in the change. No change of action in any machinery of man's invention can be at all compared with this in the precision and facility of the change, much less in its complicated character.


313. But if there be complication and variety of action when but one part of the body is put in motion by the muscles, there will be vastly more when the muscles of the body as a whole are brought into action. If you look at Fig. 122, you see the

les generally in more or less action, and the action of each as its particular relation to the attitude assumed. If now attitude be varied, this particular relation of each muscle be varied also. If, for example, the right foot be carried so as to bring the weight of the body on to that foot, and of the left, on which it now rests, as represented in the Figure, all the muscles of the frame will have a different relation to their action. And not only this, but while the body is passing from the one attitude to the other, there will be a continual change of this relation. At no one moment during rest or motion, which changes the attitude, will the state of action in each muscle be precisely the same, that it is at the next moment. Thus, the state of the muscles in the beginning of the change of attitude is altogether different from what it is when the movement is half accomplished. And the same can be said of any other two points in the progress of the movement. The same is true of any other general action of the muscles. Thus, if one is pulling with his feet braced, the muscles do not remain in the same relative condition all the time, but as the body which is pulled yields, the relative tension of the muscles is changed every moment. But there is no movement which exemplifies this change of relative condition of the muscles so well as that of balancing. If with the views I have presented in your mind, you observe some one who is skillful in balancing, you will be impressed with the ever existing but precisely regulated degree of tension in the different muscles, and with the variety of combination in their

action. I will not comment to any extent upon the general elements and attitudes of the body. But I will here simply call your attention to one particular mode of action, in which a large number of muscles are called into play, on account of its analogy to an expedient often used in mechanics. I refer to what is called the *toggle*.

This I will explain. Let c , a , and c , b , represent two bars connected together, like a tailor's folding rule, by a hinge or joint at c . Oppose the two ends, a and b , to be fitted between the two blocks represented in the Figure. Let the block at b be fixed, and the block at a movable, and force be applied to the joint c it towards d , the block at a will be

FIG. 125.



TOGGLE-JOINT.

Examples of the toggle-joint in muscular movements.

pressed upward with considerable power. If on the other hand, the block at *b* is movable, and that at *a* is fixed, the block at *b* will be pressed downward. We see this latter form of the contrivance applied in printing presses. In the human body this toggle-joint is used in both ways. When one stoops to take a heavy weight upon his back or shoulder, he puts both the knee and the hip-joints into the condition that the toggle-joint is when it is bent; and then as he straightens up, the weight is raised by an action of the joints precisely similar to that of the toggle-joint in machinery. In the case of the knee, the straightening of the joint is done by the muscles on the front part of the thigh, that draw up the kneecap with the tendon attached to it. This is using the principle of the toggle-joint in pressing *upward*. It is also sometimes used in pressing *downward*. In crushing any thing with the heel, we give great force to the blow on the principle of the toggle-joint, by flexing the knee and straightening the limb as we bring down the heel upon the thing to be crushed. In pushing any thing before us, we bend the elbow as preparatory to the act, and then thrust the arm out straight, thus exemplifying the toggle-joint. The horse gives great force to his kick in the same way. The great power exerted by beasts of draught and burden is to be referred very much to the principle of the toggle-joint. When a horse is to draw a heavy load, he bends all his limbs, especially the hinder ones, and then as he straightens them, he starts the load. In this case the ground is the fixed block of the mechanism, the body of the horse to which the load is attached is the movable one, and his limbs are so many toggle-joints. By this application of the principle we see draught horses move very heavy loads. "So, (admitting fable to be fact,)" says Dr. Griscom, "when the farmer, in answer to his petition for assistance, was commanded by Hercules to exert himself to raise his wagon from the pit, he placed his shoulder against the wheel, and drawing his body up into a crouching attitude, whereby all his joints were flexed, and making his feet the fixed points, by a powerful muscular effort, he straightened the toggle-joints of his limbs, and the wheel was raised from its bed of miry clay. His horses at the same moment extending their joints, the heavily laden wagon was carried beyond the reach of farther detention."

320. The hand is the most wonderful of all parts of the body, in regard to variety and complication of movement. There are over fifty muscles, which are engaged in the various

Great variety of action in the muscles of the hand.

ons of the upper extremity, all of which, of course, have or less reference to the hand. Indeed the hand is the of the upper extremity to which all its other parts are tary, and therefore we may properly consider all these les as in a great measure belonging to the hand. If now call to mind the fact, that each one of these muscles can the *amount* of its contraction in all degrees, from the most rful action down to the slightest movement, you can ily see that fifty muscles with this power of variation can use an almost endless number of combinations of motion. variety would be exceedingly great, even if every muscle, ever it acted, had always the same amount of contraction. the power of varying the amount of contraction multiplies variety to an inconceivable extent.

1. If you watch the movements of the hand with its fingers, u exercise it in a great variety of motions, you can get idea of its capabilities in this respect. If, too, you ob- its movements in different individuals in all kinds of labor handiwork, you will be still more impressed with the ex- e variety of its movements. It is capable of performing the est and rudest work, and at the same time the most deli-

How wide the difference between wielding the ax or the e-hammer, and moving the engraver's tool in some of the . productions of his art! How firm is its grasp of the ner, and yet how gentle is its pressure upon the graver, as it s it in almost invisible lines! The shape of the hand, with gers of unequal length, and its thumb opposite to them, ple of touching the tip of each of the fingers, or all of them her; enables it to accommodate itself to a vast variety of s and sizes of objects; and its delicate papillæ, filled with s, and arranged in rows, as you can see, on the tips of the s under the skin, endow this wonderful instrument with a ility which guides its muscular movements. When, fore, we consider the almost endless variety of its motions, delicacy and accuracy of its sense of touch, and besides , the force and grace with which it acts in the expression ught and feeling, we hardly wonder that some have fired the hand as man's distinguishing characteristic, and we npressed with the thought, that it is a fitting instrument rk and expression for that mind, which is the image of in man.

2. Having thus taken a survey of the muscular system, let k for a moment at the whole machinery, as it works when

Nice adjustment of the muscular movements. How effected.

it is engaged at the same time in some general movement, and in some special movements of some departments of it.* Look, for example, at some one who is busied in conversation while he is walking, and is perhaps at the same time twirling something in different directions in his fingers. Here you have a general action of the muscles as described in § 318, and with it a particular action of two sets of muscles in two different parts of the body; and yet so well do the nerves regulate these various movements, that there is no disturbance or confusion in the complicated machinery. While the muscles of the arm and fingers are at work executing their diversified motions, the little muscles of the larynx are ever varying the notes of the voice, and the muscles of articulation are putting that voice into every variety of shape. And while these movements are going on in these particular parts of the system, the machinery as a whole is executing one of its grand general movements. And besides all this, the muscles of respiration are at work all the while, introducing air into the lungs to change the blood, and forcing it out through the trachea to make the vocal ligaments vibrate; and that compound muscle the heart is pumping at the rate of seventy times a minute sending the blood through its tubes every where; and if there be any food in the stomach, the muscular fibres of that organ are at work churning the food to make more blood. How complicated is the machinery that performs all these operations, and yet with what precision every muscle, nay, every individual fibre works in obedience to the nerves!

323. The question arises, how in all the diversified action of the muscles their nice adjustment is effected. How do the muscles *know*, as we may express it, just how much to do in each movement? When, for example, you reach your hand up to touch some object, how does each muscle know just what degree of contraction is necessary to make the hand go with precision to the particular point arrived at? And so when one is playing on an instrument with the fingers, as the piano, varying their pressure continually in accordance with the desired loudness of the sound, how does each muscle know just what amount of contraction is required of it in each movement? Though the senses of vision and touch afford some assistance in the guidance of muscular action in such cases, something else is manifestly necessary. Sir Charles Bell, therefore, supposes that there is what he calls a *muscular sense*, which acts as a guide to the muscles, in connection with the senses of sight and touch. In some cases it is the sole guide. On this subject, Sir Charles

Sir Charles Bell's description of the muscular sense.

, "When a blind man, or a man with his eyes shut, stands upright, neither leaning upon or touching aught; by what means is it that he maintains the erect position? The symmetry of his body is not the cause; the statue of the finest proportion must be soldered to its pedestal, or the wind will cast it down. How is it, then, that a man sustains the perpendicular posture, or inclines in due degree towards the winds that blow upon him? It is obvious that he has a sense by which he perceives the inclination of his body, and that he has a ready application to adjust it, and to correct any deviation from the perpendicular. What sense then is this? for he touches nothing, sees nothing; there is no organ of sense hitherto observed which can serve him, or in any degree aid him. Is it not that sense which is exhibited so early in the infant, in the fear of falling? Is it not the full development of that property which is early shown in the struggle of the infant while it yet lay in the nurse's arms? It can only be by the adjustment of muscles; the limbs are stiffened, the body firmly balanced, and kept steady. There is no other source of knowledge, but a sense of the degree of exertion in his muscular frame, by which a man knows the position of his body and limbs, while he has no means of vision to direct his efforts, or the contact of any external body. In truth, we stand by so fine an exercise of this power, and the muscles are, from habit, directed with so much precision, and with an effort so slight, that we do not know that we stand. But if we attempt to walk on a narrow ledge, or stand in a situation where we are in danger of falling, or rest upon one foot, we become then subject to apprehension; the actions of the muscles are, as it were, magnified and demonstrative of the degree in which they are excited."

24. It is obvious then that this muscular sense informs the mind of the changing postures of the body, and guides the muscles in effecting these postures. And it has a particular set of nervous fibres devoted to it, separate from those fibres which innervate the muscles to action, though they are ordinarily included in the same sheath. This sense, it may also be remarked, is a source of pleasure, as well as the other senses. The motions of the body are attended with a sense of enjoyment, which intensifies labor, and adds zest to our active sports. The enjoyment of the muscular sense we see constantly exemplified in the gambols of animals. It may be still further remarked, that this sense is capable of being educated like the other senses. But of this I shall speak in another place.

CHAPTER XIII.

LANGUAGE OF THE MUSCLES.

325. AS THE nerves of sensation are the inlets of all knowledge to the mind, the nerves of motion are the outlets by which all knowledge is communicated. Thought and feeling are expressed only by muscular motion. It is true that there are some accompanying and subordinate modes of expression, as the flowing of tears, the action of the capillaries producing blushing, and the paleness occasioned by fear. But these could not of themselves alone communicate thought and feeling, and can do so only by being associated with other signs. They only add force to the expression already produced by muscular action. Indeed they are signs which can not be understood, unless muscular action interpret them. Thus if tears flow, we know not whether they are tears of joy or sorrow, except as the expression of the countenance informs us; and expression, as I shall show you in this chapter, is wholly the result of the action of muscles. So too, the muscles of the face tell us, whether the blush that mantles there is the blush of shame, or of modesty. And when we see paleness caused by fear, we know that this is the cause, only from the expression of the countenance and the attitude of the body, which may very properly be called the expression of the body, though it is much less marked than the expression of the countenance.

326. It is by the voice chiefly that thought and feeling are communicated. And every variation of note, or of articulation, is caused, as I shall show you in the next chapter, by the action of muscles. When the muscles of the hand communicate to others thought and feeling by writing, they merely translate the language of the muscles of the vocal organs into conventional signs. Leaving the language of these vocal muscles for another chapter, I shall in this notice the language of the other muscles of the body and especially of those of the face.

327. As we watch an animated speaker, we see that it is not the face alone, that adds force to his utterances by its corresponding expressions. Various parts of the body in a measure do the same thing. The head is nodded or shaken, the shoulder is shrugged, the foot is stamped, and above all, the hand ex-

Extent of range of the language of the muscles.

cutes a great variety of motions, in correspondence with the thoughts and feelings which the mouth utters. Sometimes too, the whole frame is brought into action. The gestures and the attitudes, which are but gestures of the whole body, are important aids to the orator in conveying his thoughts and feelings into the minds of his auditors.

328. This language of the muscles is used to a greater extent than we are conscious of in our ordinary intercourse. We are not aware how much we communicate in this way. This language is by no means confined to those palpable acts which this subject suggests at once to the mind,—the broad laugh of merriment; the sighing, and sobbing, and weeping of grief; the stamping of the foot in anger; the pointing of the finger in calling attention to any particular subject; the gesture used in beckoning one to come to you, &c. But it includes numerous little and scarcely observed motions, which in great variety add to the significance of the words which we utter. And in the case of the countenance, far more is communicated in the aggregate by the constant gentle play of the muscles, than by the broader and more palpable expressions, which are occasionally produced by their stronger action. The deaf mute can gather from the language of the muscles, as it accompanies the voice that he can not hear, much more information as to the passing conversation than one would suppose that he could. And the full capabilities of this language we can only learn, by observing to what wonderful extent the deaf and dumb can communicate with each other by the use of natural signs, without any aid from those which are artificial.*

329. While in man the muscles of the face are the chief agents of expression, in other animals the very limited expression of which they are capable, is chiefly effected by other parts of the body. For example, the dog wags his tail, the cat puts up her back, the game-cock spreads out his ruff of feathers on his head, &c. Rage is almost the only passion which can be expressed by animals in the countenance. They can snarl, but

* I was much struck with an illustration of the great range of the language of natural signs, in an exhibition made many years ago by the lamented Gallaudet before the legislature of Massachusetts. Previous to exhibiting the attainments of his pupils, he requested, that if any deaf and dumb person who had not been educated in an asylum were present, his friends would bring him forward, that he might show how much could be communicated by natural signs. A man came forward, and Mr. Gallaudet learned from him by natural signs alone such facts as these,—the place of his residence, the fact that his parents were living, the number of his brothers and of his sisters, the fact that he had seen Mr. G. before in a certain place, &c. Any one, it may be remarked in this connection, who has been engaged in teaching the deaf and dumb, and who has, therefore, become skilled in the use of sign-language, can converse quite readily by signs with foreigners from any part of the world.

Principal muscles used in smiling and laughter.

they can not laugh or cry. Hence it has been said, that man can be very properly distinguished from other animals by calling him "a laughing and crying animal."

330. Though the variety of expression in the human countenance is very great, it is ordinarily produced by the action of very few muscles. The principal muscles are these—the muscle that wrinkles the eyebrow, causing frowning; the muscles which draw down the corners of the mouth; and those which draw them up. When a smile occurs, it is produced by the muscles which raise the corners of the mouth. When sadness is expressed, it is done by the muscles by which the corners of the mouth are drawn down. Hence the origin of the common expression, "down in the mouth." In laughter, the muscles which raise the corners of the mouth act strongly, wrinkling the cheek, simply because the corner of the mouth is carried up so far as to push up the cheek before it. One other muscle is brought into some action—the circular muscle which closes the eyelids—for the eyelids are brought nearer together in laughter, though in mere smiling they are not. In Fig. 126, representing broad laughter, you see the two effects spoken of above, the wrinkling of the upper part of the cheek.

FIG. 126.



Muscles used in the expression of grief.

the partial closure of the eyelids. In weeping, the muscles that draw down the corners of the mouth, which in mere expression of sadness act slightly, now act strongly. At the same time the frowning muscle wrinkles the eyebrow. In ordinary weeping it does so but slightly, but in weeping from pain this muscle is strongly contracted. So it is also, there is crossness mingled with the grief. Fig. 127.

FIG. 127.



This is the face of a faun weeping from pain, illustrating these facts. Sir Charles Bell, from whose work on the Anatomy of Expression most of the figures in this chapter are taken, states that he represents the expression of weeping in the face of a faun, because it is mean and ludicrous as seen in the countenance of man.

31. It is very commonly supposed that the eye has much

Prominent agency of the mouth in expression.

to do with the expression of the countenance, and hence such phrases as these are in universal use—a speaking eye; a wild eye; the witchery of the eye; the eye flashed, &c. But the eye of itself has no active agency in expression. The muscles which move it have, but not to any great extent ordinarily. Of them I shall speak in another part of this chapter. The apparent expression which the eye has is merely apparent, and not real. It results altogether from the position of the parts about the eye. This can be proved to you by any portrait painter. It is related of an artist that, when a royal visitor was admiring a sketch of the face of a weeping child, he said to him, “has your majesty a mind to see how easy it is to make this very child laugh?” As the king said that he should like to see it, the artist rubbed out a little at the corners of the mouth and on the eyebrows, and added a few strokes to represent the corners of the mouth as raised, and the eyebrows as with out wrinkles, and the face, which was the moment before the very picture of grief, now exhibited a merry laugh. Afterward he as readily restored the original expression. Now in this case there were the same eyes in the two expressions. The alterations were made only in the neighboring parts, and the same eyes were apparently weeping eyes at one time and laughing ones at another.

332. In Fig. 128 and 129 you can see how much the mouth alone affects the expression of the whole countenance. The apparent expression of the eye is wholly altered by the

FIG. 128.



FIG. 129.



The eye has little active agency in expression.

re about the mouth. If we could add at the same time
nge at the eyebrows, the expression of the eye would be
more affected.

3. The language which is ordinarily used, in relation to
gency of the eye in the expression of the countenance,
as that the eye itself, apart from any motion, changes in
changing expression. How this is done is not inquired;
here seems to be an ill defined notion that the animal
s, as it is expressed, flow into the eye more or less freely
the changing feelings, or that a nervous influence is
ed in some way upon the eye, altering its appearance.
e notions are so universal, and are so inwrought into our
uage, and especially the language of poetry, that scientific
even are apt to use the expressions to which they give rise,
eir descriptions of the language of the passions. Even Sir
ell, in his celebrated book on the Anatomy of Expression,
escribing the expression of the emotion of joy, uses the
se, the eye is lively and sparkling. Let me not be under-
d to mean, that I would have the expressions, in such uni-
al use in common language and in poetry, given up. I
ld as soon claim that the expression, the sun rises, should
abandoned in common language. But as the astronomer
ld have it understood, that the apparent fact, that the sun
s, is only apparent, not real, so as a physiologist, I would
e it understood, that the apparent active agency of the eye
he expression of the countenance is not real. And as it
ld be objectionable to speak of the sun as rising, in a book
astronomy, so in a professional book on the Anatomy of
pression it is objectionable, in a description of the physical
as of an emotion, to use the common phrases in regard to
agency of the eye in expression.

334. Having thus noticed the principal muscular motions
t are concerned in the expression of the countenance, I pro-
se now to go more extensively into the subject, and show
a how other muscles, besides those to which I have alluded,
in producing certain expressions. I shall also show how
e expressions are varied by combinations of muscular action,
it is as true of the muscles of expression in the face, as it
of the muscles generally, as stated in § 309, that almost every
ovement is produced, not by the action of one muscle alone,
t by the action of several, sometimes many muscles. The
rious expressions of the countenance are all of them com-
und results, some of them more so than others.

a supercilious one. It has, as you will see as we go on, its play in many varieties of expression, produced by contractions of action in the muscles of the face. There are muscles on the nose, 5 and 6, which compress the nose, wrinkle its skin. They have some agency in certain expressions of the countenance. At 7 is the circular muscle of the mouth. When this contracts it closes the lips, and if it contracts strongly it pushes them out. This is the muscle with which the pouting is done. At 8 is a muscle which is fastened to the bone of the nose, and runs down, its fibres ending in the wing of the nose, and in the upper lip. When it contracts, therefore, it moves the wing of the nose outward, and raises up the lip. You see this muscle in action in some expressions, the nostrils appearing spread out. At 9 is a muscle which raises the lip, and at 10 and 11 are two muscles, that draw the corner of the mouth, carrying it a little to one side. At 12 is the muscle which acts in opposition to the two last. It draws the corner of the mouth down. At 12 is the muscle which pulls down the lower lip. At 13 is the muscle in the corner of the mouth, which draws the corner of the mouth outward, and also serves to press the cheek inward, and thus prevents the food from getting outside of the teeth when we are eating it. This muscle also, by its compressing power, forces out the air from the mouth when the cheeks are distended, as in blowing a horn or a trumpet. Hence it is called *buccinator*, *buccinare*, to blow a trumpet. At 15 is a large muscle which closes the lower jaw against the upper, and although its use is to masticate the food, it has some agency in the expression of the countenance, in fixing the teeth firmly together, as in the expression of rage. There are three muscles which move the ear; 16, moving it upward; 17, forward; 18, backward. These have but little power in man, but in some animals they move the ear considerably, and are important agents of expression.

6. In Fig. 131 the muscles about the mouth, which have much to do with the expression of the countenance, are very distinctly shown. At *a* is the muscle which draws up the wing of the nose and the lip; *b* raises the lip; *c* raises the corner of the mouth; *d* and *e* raise the corner of the mouth, and at the same time carry it outward; *f* draws it outward; *g* draws it inward and outward in which it is assisted by a broad thin muscle, *h*, which is situated just under the skin comes up from the cheek; *i* draws the lower lip downward; and *j* is the cir-

FIG. 131.



MUSCLES ABOUT THE MOUTH.

cular muscle which closes the lips, and thrusts them out in pouting. At *h* is a short muscle which is fastened to the sockets of the teeth, and has its fibres ending in the skin of the chin. It therefore draws the chin up when it contracts. It has so much agency in the expression of scorn and contempt that it has been called the *superbus*. It is by the action of this muscle, together with the circular muscle *i*, that the expression termed pouting is produced. The muscles which I have thus described are all in *pairs*; and in every pair both muscles contract always exactly alike, unless affected by disease. We laugh and frown and weep on both sides alike. All of these muscles of expression in the face are governed in their action by the branches of one nerve, the respiratory nerve of the face. When this nerve, therefore, is paralyzed on one side, and not on the other, as is no uncommon occurrence, these muscles on the paralyzed side are motionless, and the individual can laugh and frown and weep on only one side of the face. In Fig. 82 you have illustrated the result of this partial paralysis, the face being perfectly quiescent on the left side. The contrast would have been still greater if the face had been represented as in more decided action, as laughing, for example

. Having thus described the muscles of the face which are agents of expression, I will now show their action in the expression of different passions and emotions. And I remark, you will see, as I proceed, that so far from there being any muscle devoted to the expression of one emotion or passion, expression is commonly the result of the combined action of muscles. And you will also see that, by virtue of this combination, the same muscle often takes a part in the expression of various emotions.

3. When the frontal muscle (1, 2, 3, Fig. 130) contracts it raises the eyebrows. This motion expresses either doubt or surprise, and the observer determines which it is, by the expression of other parts of the countenance accompanying it, or by other words, by the action of other muscles in the face. When this muscle contracts very strongly, it draws up the eyebrows so much, as to push up the skin of the forehead, and wrinkle it. This, as you will soon see, is one of the many motions of the face which make up the expression of great bodily passion.

In joy this muscle acts moderately, raising the eyebrow, a little. This muscle often acts in connection with the *corrugator supercilii*, the wrinkler of the eyebrow. This may be seen in Fig. 132, representing a testy, peevish, or melancholy. Here the corrugator and the frontal muscle are both in strong action. You see also in this face other muscles about the mouth acting forcibly. The muscle which draws the corner of the mouth down is in action while the *superbus* (h, Fig. 131,) is drawing up the chin which it raises up the lip before it. At the same time the muscle which draws up the wing of the nose and the lip, (a, Fig. 131,) acts to some extent, producing an arching of the mouth, and a peculiar shape of the wings of the nose. The upper lip is arched by the action of this muscle in such a way, as to fit the arching upward of the lower lip, produced by the *superbus* the muscle which draws down the corner of the mouth.

39. In the expression just described, and illustrated by the figure, you see that the muscle which draws down the corner of the mouth has a considerable agency. Now, this muscle is the chief agent in the expression of sorrow, as you saw in the part of this chapter. The difference in the two cases lies in the combination of action of the muscles. Thus, in sorrow the muscle which draws down the corner of the mouth, does not have the *superbus* to act with it, as in the case of the expression, or rather compound feeling, represented in Fig. 132.

FIG. 132.



So also, in some forms of grief the *corrugator supercilii* acts quite strongly, as seen in Fig. 127, where the grief is represented as caused by bodily pain. It performs a different office in this case from what it does in the case of the expression represented by Fig. 132, simply through the accompanying action of other muscles, thus illustrating the effect of combination in muscular action in varying the character of the expression. I have already alluded to the different degrees of action in this muscle in different forms of grief in § 330. In quiet sorrow this muscle is not in action, but there is a general languor relaxing the muscles of the face, while the corners of the mouth

Action of the muscles in calm pleasure, and in admiration.


lightly depressed. It is a state of the muscles directly opposite to that which exists when there is a calm quiet pleasure. Most of the muscles are in a state of gentle action, and the corners of the mouth are a little raised, giving the radiance of a light smile to the whole countenance. The frontal muscle, slightly raising the eyebrows, adds to the effect.

The attitude, for so we may call it, of the countenance in admiration, is quite nearly allied to that which I have just described. The brow is expanded by the action of the frontal muscle, and there is a slight smile produced by the raising of the corners of the mouth. But the expression differs in some respects from that of mere pleasure. The frontal muscle acts more strongly in the former than in the latter, the eyes are wide open, and is fixed upon the object of the admiration, and the mouth is apt to be open, the jaw falling a little, so that we can see the edge of the lower teeth and the tip of the tongue. In both pleasure and admiration the expression varies in different individuals, according to their temperaments, characterized by activity in some, and in others more by inaction or even languor.

Let me now call your attention to an expression of the countenance, in which many of the muscles are in a state of strong action. I refer to the expression of rage represented in Fig. 133. The combination of muscular action here is quite diverse. The *corrugator supercilii* acts forcibly, but unequally, as is the case with the action of all the muscles in the expression of this passion. The frontal muscle acts at the same time in raising the eyebrows. The eyes are opened widely, showing the rolling eyeballs. The muscle that raises the upper lip, Fig. 131, and the muscle that raises the wing of the nose and the lip, are in strong action. The nostrils are therefore spread out to the utmost, and the upper lip is drawn up.

But as the circular muscle of the mouth also acts strongly, there is only that part of the upper lip to which the muscles, *a* and *b*, Fig. 131, are attached, that can be drawn up. This point is just where the sharp eye-teeth, or *canine* teeth, as they are sometimes called, are situated. They are therefore seen laid bare. This allies man to the snarling dog, that shows his sharp teeth in his rage. Cooke, the trainer, is said to have had great power in the use of these muscles. "In him," says Sir Charles Bell, "the *ringentes* (the ring muscles) prevailed; and what determined hate could express, when, combined with the oblique cast of his eyes,

FIG. 133.



he drew up the outer part of the upper lip, and disclosed a sharp angular tooth!" In rage the teeth are firmly closed by the muscles which move the lower jaw, and when utterance is given to it by the voice, these muscles but slightly relax to let the words out through the almost closed teeth, and are rigid again as soon as the words are finished.

342. The expression of mere bodily fear, represented in Fig. 134, is very different from that of rage, although some of the muscles act in the same way in both. The frontal muscle acts very forcibly, raising the eyebrows to their utmost extent, and the eyeballs are largely uncovered, giving to the eyes a broad stare. The *corrugator supercilii* is perfectly relaxed, while in rage it is strongly contracted. The lip is raised and the nostrils are spread out by the same muscles, *a* and *b*, Fig. 131, which act so forcibly in rage. But the circular muscle of the mouth, *i*, is relaxed, so that the whole lip is raised, instead of

FIG. 134.



a part of it, as is the case when rage is expressed. The lower jaw is fallen, while in rage it is in the opposite condition. The hair is raised up by a general action of the whole frontal muscle, 1, 2, 3, in Fig. 130.

343. The muscles of the eye, that is, those which move the eyeball have some agency in certain expressions of the countenance. Thus, in admiration, the fixing of the eye upon the admired object makes a part of the expression. In the expression of devotion the eye turns instinctively upward. There are certain involuntary motions of the eyeball, which have much to do with expression in certain states of the body, and in certain emotions. These motions are performed by the oblique muscles (§ 307.) When the straight muscles which ordinarily control the motions of the eye lose their power from a state of general insensibility, the eye is given over to the action of these oblique muscles, which are involuntary, and therefore is

Muscles of expression peculiar to man.

rolled about in its socket, being turned upward all the time, so that the white of the eye only is seen. This occurs in sleep, in fainting, in the stupor of disease, and in the approach of death.

344. The loss of power in the voluntary muscles of the eyeball and eyelid is often seen ludicrously exhibited in the intoxicated man. He squints and sees double from deficiency of action in the straight muscles of the eyeball. The oblique involuntary muscles of course roll the eye in proportion to the deficiency of these straight muscles. The voluntary muscle too, which holds up the upper lid, fails to do its duty, and the lid is constantly disposed to fall over the eye. The frontal muscle is therefore called upon to aid it. Hence, in the effort of the drunkard to keep his eyes open, you see him raise up the eyebrows, the eyelids being of course dragged up after them to a little extent. "It is," says Sir Charles Bell, "the struggle of the drunkard to resist, with his half-conscious efforts, the rapid turning up of the eye, and to preserve it under the control of the voluntary muscles, that makes him see objects distorted, and strive, by arching his eyebrows, to keep the upper lid from descending. The puzzled appearance which this gives rise to, along with the relaxation of the lower part of the face, and the slight paralytic obliquity of the mouth, complete the degrading expression."

345. I have thus pointed out the agency of the several muscles that are engaged in the expression of the countenance. Most of them are peculiar to man, being found in no other animal. The inferior animals are variously endowed in regard to muscles of expression. But even those that have the most expression, have but few of those muscles which we find in the face of man devoted to this purpose. They have the muscles that move the eyes, those which raise the upper lip and thus expose the teeth, and to some extent those which distend the nostrils. The horse is especially endowed in regard to this latter motion. In that glowing and beautiful description of the horse in Job it is said, "the glory of his nostrils is terrible." But most animals, even of the higher orders, have but a limited motion of the nostrils compared with man. In him they have much more to do with the expression of the countenance than is commonly supposed. Their chief agency is in the expression of the nobler passions, and Sir Charles Bell remarks, that the great tragedians, Mrs. Siddons and Mr. John Kemble, exhibited their power in this respect in a remarkable manner.

346. None of the inferior animals have the *corrugator supercilii*. Indeed they have no eyebrows to move. The eyebrow

Muscles of expression in animals.

long peculiarity of man, and in view of its agency in the expression of the countenance, varied as it is by the frontal muscle the corrugator, it has been said by some one, that it is "a rainbow of peace, or the bended bow of discord." So also, muscles that raise and depress the corners of the mouth are wholly peculiar to man. It is sometimes said that the dog smiles. But if you observe him closely, you will see that as he opens his lips or opens his mouth, at the same time that he wags his tail, there is no raising of the corners of the mouth, therefore no true smiling. The idea that he smiles has arisen from mere association with other motions by which he indicates pleasure. The same can be said of the expression of sorrow in the dog and other animals. There is little of it in the face amounting to nothing more than a mere downcast look, and in that; and we connect the idea of sorrow with the face, by the force of association, from hearing the cries and witnessing the movements which distress produces. The grand peculiarities of human expression are in the muscles whose action I noticed in this paragraph, viz., the muscle that wrinkles the brow, the muscle that raises it, and those muscles which wrinkle the corners of the mouth up and down. No animal but man can frown, or weep, or laugh, for it has not the muscles by which these acts are done.

7. Fear and rage are almost the only passions that are expressed in the faces of animals. And in some of them there are special provisions in muscular endowment, for the expression of these mere brutal passions, particularly for rage. Thus, in the case of prey the *ringentes*, or snarling muscles have great power. They raise the lip strongly, and display the sharp long canines which are to rend their prey in pieces. The eye too is rendered terrible by certain muscles which are not found in man. These are muscles which draw the eyelids backward upon the naked eyeball, thus producing a fixed staring of the eye, exposing its brilliant white coat, which by reflecting the light gives the eye a sparkling appearance. These muscles Sir Charles Bell calls *scintillantes*, from the apparent scintillating light which they produce. In the cat tribe light is reflected from the bottom of the eye, when the pupil is dilated so as to fill the light over a large portion of the retina. This occurs in an obscure light simply because the pupil is then so much dilated. The light is not created in the eye, and it is no indication of passion, as has been supposed.

18. You have seen the fact most fully illustrated in this

Variety of combination in muscular action in expression.

chapter, that it is from combinations of action among the muscles, that the various expressions of the countenance result. To produce each one of these combinations, there must be a consent of action between the muscles. Some are relaxed, while others are contracted; and those which are contracted are in different degrees of contraction. Sometimes this harmony of action is sportively destroyed by one who has great command over the muscles of the face, and the most incongruous expressions result, mingled together in the same countenance, giving it a very ludicrous appearance. And I may remark, that the portrait painter is not always true to nature, but sometimes fails to depict the full harmony of muscular action in the expression of the countenance. I have noticed some of the combinations of muscular action in expression; but the view which you thus get of them gives you but a faint idea of the infinite variety of expression of which the human countenance is capable, as the result of these combinations. In order to obtain some adequate idea of this variety, keeping the views presented in this chapter in your mind, watch some one engaged in speaking or in conversation, in whom the play of the muscles of expression is peculiarly free. By so doing you will acquire new views of the capabilities of the countenance in communicating thought and feeling, and you will learn a lesson in this respect which the deaf mute from necessity learns every day.

349. But we do not get a full view of the combination of muscular action in expression, if we confine our observations to the countenance. As I remarked in the first part of this chapter, the muscles of other parts of the body, and sometimes of the whole frame, are brought into action in connection with the muscles of the face, in expressing thought and feeling. The attitudes and motions of other parts of the body correspond with the attitudes and motions of the countenance, so as to produce an harmonious effect. The hand is more used than any other part in aid of the countenance in expression; but the whole body is often brought more or less into action. The character of a passion can sometimes be inferred from the attitude merely, or from the mode of walking, as you see one at a distance.

“You may sometimes trace,
A feeling in each footstep, as disclosed,
By Sallust in his Cataline, who, chased
By all the demons of all passions, showed
Their work even by the way in which he trode.”

tion of the respiratory muscles and the circulation in expression.

But it is the muscles of the respiratory organs which associate most with the muscles of the face in expression. Emphysema is the result of a nervous connection, and the expression in the face is therefore, as before stated, as if called the respiratory nerve of the face. Observe the intimate agency which the muscles of the chest have in the expression of the passions and feelings. In laughing, the individual draws in a full breath, and then lets it out in interrupted jets, the muscles of the throat, neck and chest, by the diaphragm, being convulsively agitated. And if laughter be strong and continued, he holds his sides, which become really sore, from the violent action of the respiratory muscles in this expression of his emotions. In weeping too, the same muscles are affected. The diaphragm acts spasmodically, his breathing is cut short by sobbing, the inspiration is rapid and the expiration is slow, and often with a melancholy expression. But it is not alone in these marked cases that the respiratory muscles are seen to act, but you can observe their action in the slightest expressions of feeling.

There are certain effects produced by emotions upon the circulation, which heighten the expression resulting from their action. I have already referred to the blush of modesty and the paleness of fear. In both laughter and weeping, the spasmodic action of the muscles of respiration impedes the circulation of blood through the lungs; and hence the countenance becomes flushed or suffused with the blood of the impeded circulation. This is very different from common blushing, which has nothing to do with the state of the general circulation, but is merely a local effect, confined to the capillaries of the part, where it occurs. These capillaries are affected by the emotion through nervous connections, just as the minute secreting vessels and tear glands are excited to unusual action.

From the views which I have presented of the capabilities of the human countenance in expression, you must be struck with its adaptation to the mind that moves it, as compared with the hand in this respect. Both are instruments of the mind, by which it accomplishes its purposes; and they would be out of place in any other animal, even one of a higher order, because he has not a mind capable of using such instruments to advantage. Man needs the face, with all its endowments, to express his thoughts and feelings, and the hand to do the work which his mind designs; and the Creator has

Training of the muscles of expression. Beauty depends much on their action.

proportioned the capabilities of these instruments to the necessities and the mental powers of man.

353. As the muscles of the face perform such high functions, as the instruments of the mind in expression, it is important that they should be well trained in these functions. Much is often said about the importance of grace in the attitudes and movements of the body, while seldom is a thought given to the attitudes and movements of the countenance. Muscles are at work in the one case as well as in the other, and the muscles of the face can be trained to work skillfully and gracefully as well as the muscles of any other part of the body. Indeed, grace of action is much more important in the face than in the body generally, because the muscles there are used so much more for expression than in any other part. And yet the speaker, who aims to gesture gracefully with his arms, is often very careless in regard to the gestures, for so we may call them, which are made by his face. So too the parent, who takes unwearied pains to make the gait and attitudes of her child graceful, often allows most uncouth attitudes of countenance to grow into a habit. Many a child that has been drilled most faithfully, in order to overcome awkwardness of movement, is suffered to become incurably awkward in the face, as some one has aptly expressed it. Sometimes even a habit of making grimaces is unconsciously contracted, which utterly prevents the countenance from accompanying the words that are uttered with any thing like appropriate expression.

354. Beauty depends much upon the attitudes and movements of the face, and not alone upon the shape of the features. We often see a face which is beautiful in repose, that becomes ugly the moment that it is in action, because the movements of the muscles are so ungainly. And, on the other hand, we often see faces which are quite at fault in the shape of the features, display great beauty when in action, from the movements which play so easily and gracefully among the muscles. It is a great triumph of the spiritual over the physical, when the mind within thus puts its impress of beauty upon a material form which is destitute of symmetry. When it does this, there is more to challenge our admiration, than when the sculptor chisels the marble into beauty. And if he were to undertake, in imitation of what we often see in living nature, to put beauty into ill-shapen features, he would signally fail. This can be done only by the active mind within, moving plastic features by the subtle agency of nerves and muscles. In relation to the inadequacy

Skill in the use of the muscles of expression.

symmetry of form to meet our ideas of beauty in the countenance, Addison has justly said, "No woman can become so handsome by the force of features alone, any more than she can become so witty only by the help of speech."

There is nearly as much difference in skill in the use of the muscles of the face, as in the use of those of the hand. And I do not go to the accomplished orator or actor, as furnished alone with the higher examples of this skill. It is often exhibited in the ordinary intercourse of life, in those who have great capacity of expression, together with a mind unconfined and susceptible. In them every shade of thought and feeling is clearly and beautifully traced in the countenance. This is the result of education of the muscles of expression, an education of which the individual is for the most part ignorant, no direct attempt in the training of these muscles being made, unless the mind itself be of the right character. Kindness and kindness cannot be made to beam from the countenance, if they do not exist in the moving spirit within. The countenance is often awkwardly counterfeited, the one by the bustling and noisy, and the other by the face of the shallow pretender, and the other a smirk of him who smiles only to get favor or profit from

The counterfeit is often mistaken for the reality; and when the truly intelligent and kind, there is often much to be learned from the estimate put upon their intelligence and kindness, from the different degrees in which these qualities, when existing in the same amounts, are exhibited in the expression of the countenance. In some, the muscles of expression respond more readily and aptly to the thought and feeling within, than they do in others.

I know not of any more beautiful and striking exemplification of the influence of the mind and heart upon the expression of the countenance, than is to be seen in those institutions where juvenile outcasts from society are redeemed from their degradation by the hand of benevolence. You can often note clearly the progress of the mental and moral cultivation in the lineaments of the face, as lively intelligence takes the place of stolid indifference, and refined sentiment that of brutal coarseness. Sometimes a few weeks suffice to change the whole character of the expression. The dull eye becomes bright, not only by change in the eye itself, but from the intelligence and feeling which now play upon the muscles in its neighborhood. The muscles which impart a lively and pleasant cast to the countenance when they are in action, are awakened from their

The habitual expression of the countenance after death.

long continued dormant state by the magic wand of benevolence, and thus give outward expression to the thoughts and feelings, which genial influences are producing in the mind and the heart. The change is often as great in a little time, as it would be in the face of an idiot, if he could be suddenly brought into the full possession of the mental faculties.

357. The habitual expression of the countenance, depending as it does upon the habitual condition of the muscles, is seen after death. In the state of relaxation which immediately occurs at death the face is very inexpressive, because its muscles are, together with those of the whole body, so entirely relaxed. But very soon they begin to contract, and they assume that degree of contraction to which they were habituated during life, and therefore give to the countenance its habitual expression. It is when this has taken place—when the muscles, recovering from the relaxation of the death-hour, resume their accustomed attitude, as we may express it, that the countenance of our friends appears so natural to us, and we are held, as if by a charm, gazing upon the intelligence and affection beaming there amid the awful stillness of death, till it seems as if those lips must have language. And this expression is retained through all the period of rigidity, till it is dissolved by the relaxation which succeeds this state and ushers in the process of decay. It is thus that the soul, as it takes its flight, leaves its impress upon the noblest part of its tabernacle of flesh; and it is not effaced till the last vestige of life is gone, and the laws of dead matter take possession of the body. The state of countenance which I have described is thus beautifully alluded to by Byron.

He who hath bent him o'er the dead,
Ere the first day of death has fled,
The first dark day of nothingness,
The last of danger and distress,
(Before decay's effacing fingers
Have swept the lines where beauty lingers),
And mark'd the mild angelic air,
The rapture of repose that's there,
The fix'd yet tender traits that streak
The languor of the placid cheek,
And—but for that sad, shrouded eye,
That fires not, wins not, weeps not, now,
And but for that chill, changeless brow,
Where cold obstruction's apathy
Appals the gazing mourner's heart,
As if to him it could impart
The doom he dreads yet dwells upon;
Yes, but for these, and these alone,

Superiority of the vocal apparatus to musical instruments.

Some moments, aye, one treacherous hour,
 He still might doubt the tyrant's power ;
 So fair, so calm, so softly sealed,
 The first, last look by death revealed !

CHAPTER XIV.

THE VOICE

THE apparatus of the voice is truly a musical instrument. We can see therefore, in its construction and arrangement the application of those principles, which usually regulate the production of musical sounds, and which man observes in the various instruments which his ingenuity has invented to reach the ear. It is, however, a much more perfect instrument than any which man has invented. Almost every musical instrument, it is true, has a greater compass than that of the voice; but it is by no means the chief excellence of an instrument that it can command a great extent of the scale. The apparatus of the voice can execute enough of the scale for most purposes. It is wonderful that its compass is so great, for it is a very small instrument, occupying a space less than an inch square where the vibrating ligaments are situated. In every respect besides compass this instrument far surpasses all others. Listen to a good voice which has been cultivated. Its transitions have an ease and a grace which the skill of man can not equal; the richness and sweetness of its tones are above all imitation with the most perfect instruments; and utterance is given to its various notes with so little apparent effort, with so little show of machinery, in comparison with the instruments made by man, that we are filled with wonder at the effects produced by so simple, delicate, and unobtrusive a piece of mechanism. But the most important circumstance to be noticed is, that there are parts connected with the apparatus, which give *articulation* to the voice as it issues from the vocal chords, thus making it the principal medium of communication between man and man. This distinguishes it from every other musical instrument, and constitutes

its crowning excellence. When I come to speak particularly of the articulation of the voice, you will see how really complicated is the apparently simple mechanism that produces the varied articulations, and thus makes the voice the chief medium of mental communication. And if you try to measure, with the utmost stretch of conception, the endless variety of thought and feeling, which this apparatus conveys daily, hourly, every moment from heart to heart in the intercourse of life, you will be able to estimate in some good degree the value of those organs, which, though we seldom spend a thought upon them, are so constantly ministering to our enjoyment.

359. Such being the high uses for which the voice is designed, when it possesses a rich and flowing melody, and its articulation is graceful and easy, its powers of fascination are wonderful. Such a voice is a fit medium of communication for "thoughts that breathe and words that burn." This is more often true of the voice of conversation than that of song. It is in the hourly intercourse of life that melody of voice is most valuable to us as a source of enjoyment, and here its influence is often astonishing. It will sometimes give a charm, not to say beauty, to an ordinary face; while on the other hand, the fascination of beauty is often destroyed by the utterance of a voice harsh and without melody. And it may be remarked that a rich and finely modulated voice of conversation, and a melodious voice of song, do not always go together. The voice which has delighted the ear of multitudes at the public concert, may be divested of all its charms, when used in conversation; and on the other hand, there are many who sing unskillfully, and yet in conversation give utterance to genuine and varied melody.

360. There is music not only in the human voice, but in the voices also of the brute creation. And the varied forms of the apparatus by which it is produced show the impress of the same power. What variety there is in the sounds which come from the multitudes of different animals on our globe, and how diversified is the handiwork exhibited in their vocal organs! The power from which springs this endless variety is the same as that which gives such diversity to the human countenance, and I know not which is the most wonderful display of it. And it may be remarked, that although the voices of some animals are harsh and discordant, those which we most frequently hear are melodious. Even some of those which are unpleasant to the ear, become in some degree pleasant when occasionally heard at the right time and in the right place, from the addition which


Two kinds of wind instruments—reed, and those having an inflexible mouthpiece.

they make to the variety of sounds that we hear, and from the associations which become connected with them. A goose on a common, says Cowper, is no bad performer.

With these preliminary remarks I proceed to the investigation of the subject. I shall speak first of the voice as it is produced in the larynx by the vibration of the vocal chords or ligaments, and then treat of the articulation of the voice.

361. As the apparatus of the voice is really a wind instrument, I will first develop the principles on which wind instruments produce the various musical notes, and then show you the resemblance between these instruments and the set of organs which are engaged in producing the notes of the voice. Wind instruments are of two kinds—those that have an inflexible mouthpiece, and those in which the sounds are produced by a vibrating reed. The horn, trombone, trumpet, flute, fife, flageolet, flute-stop and other stops of the organ, &c., are instruments of the first kind. The cause of the variation of notes produced in these instruments may be thus explained. The column of air contained in the tube is the vibrating body from which proceeds the sound. Any thing then that affects the column of air affects the note. The length, the breadth, and the mode of producing the vibrations are the causes of the variation of the note. The holes which are in the side of a flute are for the purpose of altering the length of the confined column of air. In the trombone this is done by sliding one part of the instrument upon the other. The general rule is, the longer is the column of air the more grave is the note. Thus in the flute, the lowest note that can be produced by the instrument is made by covering all the holes, so that you have a column of confined air the whole length of the tube. The highest note, on the other hand, which the instrument is capable of producing is made by so arranging the fingers as to allow the air to escape at the first hole. In this case the length of the confined vibrating column of air extends only from the mouth

PL. 135.



Size and width of vibrating column of air affecting the note.

hole to the hole from which the air escapes. I take another illustration from the organ. Fig. 135 is a representation of one of the pipes of the flute-stop of the organ, which is a wooden box, made very much after the manner of a boy's chesnut whistle. At *a* is the passage for the introduction of the air; *b* is the inclosed column of air, the vibration of which produces the sound; *c* is the place of escape for the air; and *d* is a movable plug, by means of which the vibrating column of air can be made longer or shorter, according to the note desired. In tuning the organ, if the pipe gives too low a note the plug is moved downward, thus shortening the column of inclosed air, but if too high a note, the plug is raised up.

362. The same rule applies to the *width* of the vibrating column of air. The wider the column the graver the note, and vice versa. I would observe, that in a long, slender column of air, as in the trombone, by giving the current of air from the mouth a great velocity a high note may be produced; but where, as in the ophicleide, the column is both wide and long, it is difficult to do this, because it is difficult to produce a quick vibration in so large a body of air, with all the suddenness and force with which we can move it.

363. In those instruments which have no expedient for altering the length of the column of air, such as the common horn, the various notes are produced by narrowing or widening the orifice by the agency of the lips, as the case requires, at the same time giving, by the varied velocity with which the air is forced into the instrument, a quicker or slower vibration to the air. Grave sounds are produced by a wide, and acute by a narrow opening. In playing the flute the opening of the lips is thus varied in order to produce a vibration which shall correspond with the length of the column of air. If the flute player, with his fingers arranged for a high note, should blow into the mouth hole with his lips forming a large orifice, he would not produce the desired note. To produce the proper vibration in a short column of air, the orifice from which the air issues to move this column must be small enough to correspond, and with it there must be the requisite velocity in the air as it comes from the mouth. You have a good illustration of the influence of size of orifice on the note of sound in common whistling. The higher the note produced the more narrow is the outlet from the mouth. The size of it is regulated by both the lips and the tongue.

364. In *reed* instruments the variations in note are produced

Reed Instruments. Principles. Tube connected with the reed.

ferent manner. The clarinet, hautboy, bassoon, the pipes in the organ, &c., are instruments of this sort. It is the vibration of the thin plate called the reed that causes the sound.

The longer this plate is, the slower are the vibrations, and the graver is the note, and vice versa. The principle may be well illustrated in the reed stops of the organ. The reeds of the different pipes are made of different lengths, according to the notes which they are to produce. In a reed instrument played by the mouth, as the clarinet for example, the frequency of the vibrations is regulated by the pressure of the lips. In producing a high note the lips press firmly on the reed and only a small portion of it to vibrate; while in producing a low note the lips press less firmly on the reed, and leave a large portion of it to vibrate.

You see that the same principles apply to the reed as to the column of air in the other kind of wind instruments. In reed instruments the longer and thicker the vibrating body the coarser the vibration, and the graver the note. This same principle applies to stringed instruments. Thus in the piano, the low notes come from long and large strings, while the higher notes come from slender and short ones. In the violin the strings are all of the same length, the larger strings giving the lower notes, and the smaller the higher ones. The notes are also in the case of each string, by varying the tension. The frequency is varied too while playing on the instrument by varying the length of the vibrating strings by the pressure of the fingers. The reed is always connected with a tube. Has this influence upon the note produced by the reed? It contains a column of air through which the sound caused by the vibration of the reed must pass. Unless, then, the vibration of this column of air corresponds with the vibration of the reed, it will not produce the note. It does alter the note to some extent always. It either raises it, but always makes it more grave. That is, the vibration, in passing from the reed to the column of air, becomes less rapid and coarser, as is always the case when vibration passes from any substance to another. But the tube is arranged that there may be as little change in this respect as possible, and yet have the combined effect of a reed and wind instrument secured. Holes are therefore properly placed in the tube, so that with the fingers the column of confined air, in the case of every note, be placed in correspondence with the vibration of the reed. Suppose the tube to be long without holes; in this case low notes could be easily pro-

Description of the organ of the voice. Hyoid bone. Larynx. Trachea.

duced, but attempt a high note and you would fail. The reason is obvious. The low note is caused by a low and coarse vibration of the reed, for the transmission of which a long column of air is fitted. But if a high note be attempted, the slow vibration of the long column of air *disagrees* with the quick vibration of the reed, and flattens very much the sound after it comes from the reed, as it passes through the tube. As I have already hinted, the object of the tube is to secure in the instrument the combined effect of a reed and a wind instrument. The tube makes the reed speak, as it is expressed; that is, it gives intensity and an agreeable character to the sound. If you disconnect the reed of the hautboy or bassoon, for example, from its tube, and blow upon it, you can produce all the variety of notes, but the sound is disagreeable; but by connecting the tube with the reed you produce a *compound* sound, as we may call it, which has a sweet and rich melody.

We will now examine the apparatus of the voice, and see how far the principles which I have developed in relation to common musical instruments are applicable to this instrument.

387. Just at the root of the tongue, as described in the Chapter on the Bones, § 282, is a small bone, shaped so much like the Greek letter *v* that it is called the *hyoid* or U-like bone. The round end of this bone is towards the root of the tongue, and its two ends point backward toward the pharynx. To this bone is connected a long cartilaginous tube extending to the lungs, called the trachea, or windpipe. It is through this tube, as you have already learned, that the air goes back and forth from the lungs in respiration and speech. It is not one solid tube, but is composed of a great number of rings of cartilage connected together by membranous parts. The rings are not perfect circles. They are deficient behind, and this deficiency is supplied by a membrane. The object of this arrangement is evident. The part of the tube where the rings are deficient is directly in front in its whole length of the œsophagus or gullet, the tube through which the food passes. If the rings had been made entire, it is manifest that their pressure would interfere somewhat with swallowing. But it is the *upper* part of the windpipe, that part which is immediately below the U-like bone, which claims our attention as the seat of the formation of the voice. This part is called the *larynx*. It is formed of five cartilages, the arrangement of which I will now show you. The largest of these cartilages, the one which forms the most of the body of this music-box, as we may call it, is the *thyroid*. It is

Thyroid, cricoid and arytenoid cartilages.

um Adami, or Adam's apple, which is so easily felt in the neck. This cartilage forms the front and sides of the larynx, but it is open behind. The cricoid cartilage is very much like a seal ring, and this resemblance gives it its name. The narrow part of it is situated directly under the thyroid cartilage, in its front and at its sides, but the broad part of it is behind, projecting upward and filling up the open space left by the deficiency of the thyroid in the rear.

A side view of these parts is given in Fig. 136, in which 1 is the hyoid bone; 4 is the thyroid cartilage; 6 the cricoid. At 8 is the narrow part of the cricoid, filling up the space in the open rear of the thyroid; 3 is a horn shaped process of the thyroid, and 5 is a process below, projecting over on the outside of the cricoid; 2 is a membrane or ligament connecting the hyoid or U-like bone with the thyroid; 9 is the epiglottis drawn up by a hook; and at the rings of the trachea. The larynx is composed in part of cartilage. It is, as I have already told you in the Chapter on Digestion, § 78, the music box, the larynx, is drawn down when we swallow, so that food or drink may pass over it, and being raised up when we speak.

There are two small cartilages which are not seen in the diagram, called *arytenoid* cartilages, from two Greek words, *aryte* a *ladle* and *shape*, because they bear some resemblance to a ladle. They stand in the open space in the rear of the thyroid, on the top of the cricoid cartilage. They are pillars to which the vocal chords or ligaments are attached.

These two cartilages are movable, having a regular motion with the upper edge of the cricoid. There are small muscles which pull them in different directions, and thus change the degree of tension and the position of the vocal ligaments, and thus vary the note of the sound produced by their vibration. That you may understand how this is done, I give you

FIG. 136.

Side view of
THE LARYNX.

in Fig. 137 a diagram showing the arrangement of these ligaments. It represents a view of them as you look down into the larynx, in which *a* is the front of the thyroid cartilage, and *bc* are the two arytenoid cartilages. To these you see are attached two sheets of membrane, which are also fastened all around to the inside of the thyroid. If these movable posts, as we may call them, to which the ligaments are thus attached, be drawn backward, it is obvious that it will make the ligaments more tense. If they are separated from each other, the opening between the ligaments will be widened. If they are brought nearer together, this opening will be narrowed, and the forward part of the free edge of each ligament will be prevented from vibrating, because it is here brought in contact with the other ligament. Now there are small muscles which are attached to the arytenoid cartilages for the purpose of moving them as I have pointed out. The figure which I have presented is a mere diagram, to show the arrangement of the ligaments for the production of the various notes of the voice. In Fig. 138 is represented the actual appearance of the ligaments and the arytenoid cartilages, as you look down upon them. The ligaments you observe are thicker at their free edges than any where else.

369. In Fig. 139 you have a view of the larynx and trachea from *behind*, in which are shown two of the muscles that move the arytenoid cartilages. At *h* is the hyoid bone; *tt*, the posterior margins of the thyroid cartilage; between these stands the broad rear part of the cricoid cartilage, the middle line of which you see at *c*; at *r* are the rear ends of the rings of the trachea; *l* is the membranous part of the trachea, which lies in front of the œsophagus or gullet; *a* marks the top of one of the arytenoid cartilages, and you see also the top of the other; *e* is the epiglottis represented as

FIG. 137.

Diagram showing the action of the
VOCAL LIGAMENTS.

FIG. 138.



THE VOCAL LIGAMENTS.

Muscles regulating the tension of the vocal ligaments.

FIG. 139



REAR VIEW OF THE LARYNX AND THE TRACHEA.

raised up as when we are speaking; *b* is a muscle, which, beginning at the middle line of the cricoid cartilage, runs forward, and is fastened to the outside of the arytenoid cartilage, there being one like it on the other side, as you see; *s* is another muscle going from the cricoid to the arytenoid cartilage, which also has its fellow on the other side. You can see that the muscle, *s*, and its fellow, if contracted would bring the arytenoid cartilages nearer together, and so diminish the opening between the vocal membranes which are fastened to these pillars. The muscle, *b*, and its fellow, on the other hand, when they act, so draw upon the outer edges of the arytenoid cartilages as to separate these cartilages from each other, and therefore enlarge the openings between the ligaments. There are other muscles not seen in the figure, that alter the size of the orifice between the vocal ligaments and their degree of tension, and thus affect the notes of the voice.

370. I have described the true vocal ligaments. But there

Interior view of the larynx and epiglottis.

is another pair of ligaments directly above them, the space between which is the real opening into the larynx, upon which the epiglottis shuts down when we swallow. You will get a good idea of the arrangement of the two pairs of ligaments from Fig. 140. This is a representation of an *inner* view of one

FIG. 140.



INTERIOR OF THE LARYNX.

half of the larynx, the division being made directly down, and from front to rear. At *t* is the front of the thyroid cartilage with its cut edge; at *c c*, are the two cut edges of the cricoid, showing how narrow is its front part compared with its broad rear portion; *a* is the left arytenoid cartilage, *c* showing the place where it is united by a joint to the top of the cricoid; *f* is the trachea; *r* is the true vocal ligament or chord; *v* is the space between this and the upper ligament; and *e* is the epiglottis which is shut down upon the upper ligaments as a cover by the contraction of the muscle *b*, just when this is needed.

Upper and lower ligaments. The lower the true vocal chords.


In Fig. 141 is a diagram representing the plan of these two pairs of ligaments, as shown by a perpendicular section from side to side. B B represents the vocal ligaments, C C the upper ligaments, and V V, the two recesses between them.

371. We know that it is the lower ligaments that are the true vocal chords, because the parts above these, even the upper ligaments, may be all cut away, and yet a vocal sound may be produced; while if an opening be made into the larynx below the lower ligaments the voice will be destroyed. Magendie, a French physiologist, speaks of a man, who on account of an opening in the larynx was never able to speak without pressing his cravat tightly against this opening,

in order to prevent the air from escaping through it. Many experiments have been tried with the larynx after death to verify the results above stated. The lower ligaments are then the vocal chords, by the vibration of which all the different notes of the voice are produced. And the other parts of the vocal apparatus serve only to modify the sound caused by the ligaments. The lungs act merely as the "wind-chest," to hold the air which being forced out strikes on the ligaments, and makes them to vibrate.

372. Let us now apply to this apparatus the principles which I have developed in the beginning of this chapter, as regulating the variation of note in common musical instruments. The size of the aperture, through which the sound is thrown out, influences the note, of which we have a familiar example in whistling. And as you have seen that the size of the opening between the vocal ligaments is varied by the muscles moving the arytenoid cartilages, this must have an influence upon the note of the voice. But this is not the only cause of the variation of the note. As I showed in relation to the reed, and to the strings of stringed instruments, so also here the larger and less tense are the vibrating bodies, the vocal chords, the graver is the note, and vice versa. You have seen

FIG. 141.



how these chords or ligaments are varied in tension by the action of the muscles that move the arytenoid cartilages. You have also seen that, as these cartilages are brought near together by the muscles, the extent of the free vibrating edges of the ligaments is shortened, because their edges are brought together in their anterior part (Fig. 137). Magendie verified this by observation. He opened the throat of a noisy dog in such a way that he could look directly upon the vocal ligaments. When the sounds were grave, he observed that the ligaments vibrated in their whole length, and that the air passed out in the whole length of the chink between them. But when the sounds were on a high note, the ligaments did not vibrate in their anterior part, but only in the posterior, and the air passed out only at the open vibrating part. It is manifest that in producing the various notes, the muscles that move the arytenoid cartilages act upon the ligaments just as the lips do upon the reed of the hautboy or bassoon, regulating the extent and the rapidity of the vibrations.

373. There has been much discussion as to the kind of musical instrument the larynx most resembles. From the facts above stated it appears clear that it most resembles reed instruments, though its analogy to stringed instruments is also quite apparent. There is also a resemblance to some small extent to common wind instruments, as the size of the orifice between the vocal ligaments must have some influence upon the note. Whatever we may think as to the degrees in which these analogies exist, we can see that the great principle of musical sounds is regarded in all the arrangements of the vocal apparatus, viz., that coarse and slow vibrations produce grave notes, while rapid and fine vibrations produce high ones.

374. I will trace the resemblance between the instrument of the voice and common musical instruments still farther. The sound as it comes from the larynx passes through a tube, just as the sound coming from a reed does in a reed instrument. In other words there is a body of inclosed air extending from the larynx to the outlets of the mouth and nose, which vibrates in transmitting the sound from the larynx. This body of air is not as simple in its form as that which is inclosed in the tube of common reed instruments. It has three outlets, the mouth and the two nostrils. The sound of the voice, however, seldom comes out from the orifices of the nostrils, but almost always from the mouth. In humming it comes altogether from the nostrils. In ordinary speaking and singing the cavities of the

Tube of the vocal apparatus like that of a reed instrument.

nose act as reverberating cavities, the sound which reverberates there issuing from the mouth. This fact will be illustrated when I come to speak of the articulation of the voice. The curtain of the palate answers as a sort of swing door between the cavity of the mouth, and the cavities of the nose, to direct the air the one way or the other. When a sound is to be reverberated in the cavities of the nose, it hangs in such a way that the communication between the mouth and these cavities is open.

375. You have seen that the tube connected with the reed in the reed instrument is so arranged, that the length of the confined column of air can be changed, in producing the different notes, the vibration of the air thus being brought into correspondence with that of the reed. How is the same thing effected in the vocal apparatus? It is done in two ways. First, the length of the tube is altered. If you place your finger on the front of the larynx, and then sound various notes, you will feel the larynx rise when you sound a high note, and fall when you sound a grave one. The object of this movement is to alter the distance from the larynx to the outlet of the mouth, in other words, to alter the length of the column of air in the tube, so that it may correspond in its vibration with the vibration of the vocal chords. But the size of this column of air is altered in another way. It is altered in its *width*, which, as I have remarked in relation to musical instruments, § 362, is quite as effectual in changing the vibration as an alteration of length. The tube of the vocal instrument you readily see can be altered in its width by the muscles of the throat and mouth.

376. The object of the tube of the reed instrument is, I have stated in § 366, to make the reed speak, as it is termed; that is, to give intensity and an agreeable character to the sound. The tube in the instrument of the voice undoubtedly does the same thing. If the voice should come directly from the larynx without passing through the tube attached to it, it would be as disagreeable as the sound of a reed when separated from its tube. The voice gets most of its melody after it is made in the larynx, as it passes out through the column of air in the throat and mouth. And it is the variations of this tube produced by the muscles that surround it that give to the voice its variety of tone as well as its melody, thus constituting one of the great excellencies of the vocal instrument in comparison with all common musical instruments. If the voice of Jenny Lind

could be made to come directly from the larynx, notwithstanding its great compass, it would lose all its charm, and would be better fitted for the performances of Punch and Judy, than for the public concert.

377. It is a very common popular notion, that a hoarseness, or a loss of voice, indicates disease in the lungs. But you have seen that the lungs are the mere bellows, or the "wind-chest" of the organ of the voice, and that the voice is produced by the vibration of the vocal ligaments as the air forced from the wind-chest strikes them, and is modified by the tube which extends from the larynx to the outlet of the mouth. Any alteration of the sound therefore, as hoarseness, must be caused by difficulty either in the ligaments, or the tube, or in both, and an entire loss of the voice can be caused only by an affection of the ligaments. Disease in the lungs, it is true, is very apt to affect the larynx and the throat by extension or by sympathy, and thus alter the voice; but it often does not. Consumptive persons sometimes have a clear voice almost to the last.

378. The epiglottis, besides acting as a lid for the larynx, for the food to pass over it into the cesophagus, also has an influence upon the voice in two ways. First it can be made to narrow more or less the passage of air from the larynx. And secondly, some experiments of M. Greniè on reed instruments show, that it has an influence upon the intensity of the voice. When experimenting on some reed instrument, he wished to increase the intensity of sound without changing the reed. For this purpose he gradually increased the force of the current of the air; but this not only augmented the sound, but raised its note. He at length obviated the difficulty, by placing obliquely in the tube, just under the reed, a supple elastic tongue. He could now give greater intensity to the sound without raising its note. The epiglottis seems to perform the same office in our vocal tube, for it is elastic and supple like the little tongue which M. Greniè placed in the tube of his instrument. Its situation is similar also, it being directly over the double reed of the larynx, as we may call its ligaments. There are muscles to move it, so that it may be at the right inclination in all cases. One of these is seen in Fig. 140 at *b*.

379. I have thus traced the analogy between the apparatus of the human voice, and musical instruments. How nicely adjusted are all its parts! With what precision must the muscles that move them act in those who are able to produce the most delicate, as well as the most striking variations of note! Every

Delicacy of the action of the vocal muscles. Gliding from note to note.

modulation of the voice, however slight, requires muscular action to effect it. The vocal ligaments must be put in just such a state, or the wrong sound will be produced. So too, the muscles of the mouth and throat must put the tube of the vocal instrument into the right shape, in order to have the contained column of air correspond in vibration with the vocal ligaments. To have some conception of the variety of the motions of the muscles concerned in the modulation of the voice, listen to some singer whose voice can command with ease and freedom a great extent of the scale. For every note that you hear there is a distinct and particular adjustment of the vocal ligaments, and of course a particular degree of contraction of the little muscles that move them. Let us see how delicate the action of these parts is. It is calculated that the ligaments vary in length only about the $\frac{1}{4}$ of an inch in producing all the notes of the voice. Now the natural compass of the voice (that is its range from its lowest to its highest note) in most singers is about two octaves or 24 semitones. Within each semitone a singer of ordinary capability can produce 5 or 6 distinct notes; so that for the whole number of notes that he can sound distinctly 120 is a moderate estimate. He therefore produces 120 different states of tension in the vocal ligaments. And as the variation in their length for passing from the lowest of these 120 notes to the highest is only the $\frac{1}{4}$ th of an inch, the variation required to pass from one note to another will be only the $\frac{1}{480}$ th of an inch. A very expert singer can produce a much more delicate action than this, and distinctly appreciate the result by his ear. How great the contrast between the minute contractions of the little muscles that move these vocal ligaments, and the contractions of the large muscles in the arm that wield the ax and the sledge-hammer!

380. It is proper to notice here one very marked difference between the vocal apparatus and common musical instruments. I have spoken in the previous paragraph of distinct notes as executed by the voice. Most instruments execute only these distinct notes. But the voice can also glide from one note to another with a continuous sound. In this respect the vocal instrument is superior to common musical instruments. There is one instrument, however, the violin, in which this gliding movement can be to a great extent imitated. It is done by sliding the finger on the string, as it vibrates under the bow. A peculiar use of this gliding movement distinguishes the voice of speech from that of song, as I shall show you in another part of this

Training of the muscles of the voice. Importance of keeping the chest full of air.

chapter. It is by an imitation of this, by sliding the finger on the string, that the violin can be made to imitate so well the tones of conversation.

381. The muscles, by which all the variations in the tension of the vocal ligaments are effected, receive nerves from the brain, and are under the guidance of the will. When the mind therefore wills to produce a certain sound, these muscles immediately place the parts in such a state as to cause that sound. This is true of the muscles that put the tube in correspondence with the larynx, as well as of those which produce the right state of tension in the ligaments. It is also true of the muscles which articulate the voice, of which I am yet to speak, and of those which work the chest, the bellows or "wind-chest" of the organ of the voice. The muscles of this apparatus are in the same condition with other voluntary muscles; and therefore, like them, the more they are trained in the exercise of their powers, the more perfect will be their action. The muscles in the arm and hand of the infant learn to execute the motions of which they are capable gradually. Just so it is with the muscles of the voice—from our infancy they are trained under the ear as an instructor. The muscles which regulate the adjustment of the vocal ligaments, in producing the different notes, cannot do it accurately without the education of exercise, any more than the lips of one just beginning to play on the hautboy or clarionet, can regulate their pressure on the reed, so as to sound the different notes correctly. The analogy is perfect, for it is the *muscles* moving the vocal chords that vary the note of the voice, and it is the *muscles* moving the lips that vary their pressure on the reed, and of course vary the note of the instrument.

382. The skillful singer or speaker exhibits much skill in managing the muscles of the "wind-chest." He keeps it all the time well supplied with air, so that but a comparatively slight action of the expiratory muscles will suffice to throw the air against the vocal ligaments with the requisite force. But an unskillful singer or speaker much of the time has his chest poorly supplied with air, and so speaks or sings, as it is expressed, from the top of the chest. It costs him, therefore, so much labor to throw out the air with sufficient force, that he is soon tired out. The necessity of keeping the chest full of air, in order to work the vocal apparatus easily, may be illustrated by reference to the bagpipe. If the bag containing the air be well filled, a slight pressure of the arm upon it will force the air through the pipe with sufficient rapidity to produce the sound. But if the

Tiring out the vocal muscles. Vocal apparatus in birds.

bag be flaccid, from the little quantity of air in it, a very strong pressure of the arm will be required to produce the same effect.

383. But it is not the muscles of the chest only that are tired out in the unskillful singer or speaker, but also the muscles of the larynx and the throat. And a frequent tiring of these muscles weakens the force of the parts, and often at length produces disease. Much of the throat-disease of public speakers comes from this cause, and is a nervous disease, the affection of the lining membrane of the throat being often a mere accompaniment. This result is more apt to occur when the nervous force of the system generally is impaired, than when there is a state of vigor. It is also more apt to occur in those who speak in a uniform and somewhat monotonous manner, than in those who have much variety in their mode of speaking. A continuation of precisely the same muscular effort for any length of time is apt to produce painful exhaustion, while a much greater amount of *varied* muscular effort may be put forth without weariness, or even with pleasure.

384. It would be interesting to trace the differences in the arrangement of the vocal apparatus in different animals, but I will only notice the arrangement which we find in birds. The voice of birds is formed not, as in us, at the top of the windpipe, but at its lowest portion. Like the human voice, it is produced by the vibration of sheets of membrane. These are placed just at the division of the trachea, where its two branches go off to supply the two lungs with air. The voice is formed by these ligaments, and is then transmitted through the column of air contained in the whole length of the windpipe. This column of air must have some influence on the note of the voice, according to its length and diameter. Birds, therefore, in singing different notes change its length in some measure. This is easily done, as the windpipe is composed of rings of cartilages, connected together by membranous substance. There are muscles indeed up and down the tube, for the purpose of shortening it by approximating these rings to each other. As the turkey gobbles he throws his head up and down, and thus shortens and lengthens the trachea. This movement is quite obvious also in the canary bird.

385. Having thus treated of the formation and the modulation of the voice, I come now to its *articulation*, which makes it the grand medium of intercourse between man and man. I will first describe the parts engaged in articulation, and then speak of the agency of each of them.

386. The vocal tube, which I have described as extending from the larynx to the outlets of the mouth and the nostrils, produces all the variety of pronunciation in all the different languages of our globe. It is all one cavity, though it is partially divided by partition walls. If you recur to Fig. 10, on page 48, you will see a representation of this compound cavity. At the top of the trachea *d* you see the epiglottis *e*, which shuts down upon its orifice when we are swallowing. Above this is a large space called the pharynx. It is the back part of the throat, which we can see behind the arch of the palate on looking at it through the open mouth. Its communication with the mouth and the cavities of the nose is regulated by the palate *g*, which is moved by muscles into the different positions required. The cavities are very complicated, having several partitions partially dividing them, as seen in Fig. 89, and they communicate with cells in the bones by small orifices. That very movable organ, the tongue, and the teeth and lips, I need not describe.

387. We will now observe the agency which the different parts of this compound vocal tube have in the articulation of the voice. Every letter, whether it be a vowel or a consonant, requires a particular position of the different parts of the vocal tube. In some letters the tongue is the chief agent in articulation, in others the lips, in others the teeth, in others the palate, and there are some in the formation of which the cavities of the nose have an important agency. I will notice the different parts separately.

388. The tongue has been considered so essential to speech, that tongue and language are often used synonymously. But though it does perform an important part in articulation, it is not absolutely essential. Though it assists in the formation of many of the alphabetical elements, it is the principal agent in but two of them, *l* and *r*. The loss then of this busy little organ does not necessarily produce dumbness, nor even impair to any great extent, in some cases at least, the power of speech. To prove this I will cite a few facts which appear to be well authenticated. The Emperor Justin says that he had seen venerable men who, after their tongues had been cut off at the root, "complained bitterly of the torture they had suffered." He says also in another place that some prisoners, who were punished in this barbarous manner by Honorichius, King of the Vandals, "perfectly retained their speech." But there are cases more thoroughly attested, having been examined and reported upon by scientific observers. A boy, who lost his tongue by disease at the age of eight years, was exhibited publicly because

The tongue less essential than commonly supposed. *Dentals.*

he could talk without a tongue. At the request of the members of the University of Saumur, the boy was brought before them by his friends. After a strict examination they were perfectly satisfied as to the facts in the case, and recorded their official testimony to that effect. A very interesting account is given of another case in the Philosophical Transactions, in several papers published from time to time between the years 1742 and 1747. It is the case of a girl who lost from disease the whole of her tongue, together with the uvula, (the little round body which hangs down from the middle of the arch of the palate,) and yet could talk and swallow as well as any one. So perfect was her articulation, that she could pronounce with exactness those letters which commonly require the agency of the tip of the tongue. She could sing finely, articulating with the same clearness as when she talked. The sockets of the teeth too were so much injured, that there were few teeth, and these rose so little above the gums, that they could not render much assistance, if any, in articulation. This case was investigated very thoroughly. The account was given to the Royal Society, attested by the minister of the parish, a physician of repute, and another respectable person. The Society, not wishing to give too easy a credence to so strange a case, requested another report from another set of witnesses appointed by themselves, and they gave them a series of questions to guide them in their investigations. The report which they made out coincided very minutely with the account first given. The case excited so much interest that the young woman was at length brought to London, and appeared before the Royal Society to satisfy them that she could really talk and sing, although she had no tongue.

389. Some of the letters are formed principally by the teeth, as *c, t, s, z*. They are therefore called *Dentals*. It is the too frequent and bungling employment of some of these which constitutes lispings. Those who have a tongue too large for the mouth are apt to lisp. In advanced age, when the teeth are lost, we find this defect of lispings. The reason is obvious. When the teeth are gone, the sockets gradually become obliterated, and that part of the jaw-bone where the teeth were, of course diminishes in size, making the mouth too small for the tongue.

390. The letters, in the articulation of which the lips take the lead are *b, p, m, f, v, w*, &c, and are called *labials*. Children, when they first begin to talk, use labials freely, because they can see in others the motions necessary for their pronounci

 Labials. Reverberation in some letters in the nasal cavities.

ation, and then imitate them. Hence the endearing terms used by the child to the parent are, I believe, in all languages, or nearly all, composed of labials and vowels. And too, it is from the delight which the child takes in repeating over and over these terms, that we have the word *papa* and *mama*, instead of *pa* and *ma*. The same thing can be observed in other languages as well as the English. If we teach a child to say father instead of *papa*, he finds little difficulty in articulating the first syllable, because it begins with a labial, *f*; but in the last syllable he will at first substitute for *th* the labial *v*, making it *fäver*. Intoxicated persons, their lips being weak and trembling, are apt to make an awkward use of the labials, as well as of those letters in which the tongue has much agency. Persons with large lips also are apt to use the labials unskillfully. Sometimes one labial is used for another, as *f* for *v*, and *p* for *b*. This is very common among the Welsh. Shakspeare gives us an amusing case of this sort in Sir Hugh Evans in the *Merry Wives of Windsor*. "Ferry goot," says he, "I will make a prief of it in my note book." And so he says prains for brains, peings for beings, petter for better, &c. The labial *w* is sometimes used for *v*, thus, winegar, indiwisible, werry wigorous.

391. The nasal cavities, it is obvious, must have a great influence in articulation. The letters *m* and *n* are partly nasal. In pronouncing *m* at the end of a syllable, as *am*, *em*, or *om*, we close the lips, and the sound issuing from the larynx reverberates in the cavities of the nose. You can perceive this reverberation by pressing gently upon the nostrils with the fingers while pronouncing this syllable. The same can be said of *n*, except that in pronouncing it we press the tip of the tongue against the roof of the mouth just behind the front teeth, preventing the passage of the air out through the mouth in this way, instead of doing it by closing the lips, as in articulating *m*. When *m* and *n* begin syllables, as in *mo* and *no*, the mouth is opened after the *m* or *n* is pronounced, in order to give utterance to the next letter. These are two distinct acts, but the one succeeds the other so quickly, that they appear to be a single act. The nasal sound *ng* is the one which we employ in humming. Hence, the mouth is kept closed and the sound issues from the orifices of the nostrils.

392. A reverberation of sound in the back part of the mouth and the cavities of the nose constitutes a distinguishing peculiarity of many of the consonants. Thus, in pronouncing *b* and *n*, the lips are placed precisely in the same manner, and the

This reverberation in some consonants and not in others.

only difference between them is that *b* has the reverberation spoken of, but *p* has not. If you pronounce these two letters in the syllables *ap* and *ab*, for example, while you press on the nostrils with your fingers, you can feel the vibration occasioned by this reverberation in pronouncing *b*, but there is obviously none in pronouncing *p*. This reverberation is heard in the following alphabetical elements, B, D, G, V, Z (the sound of *s* in the word *as*), Y, W, Th (as in *thou*), Zh (the sound of *z* in *azure*), Ng, L, M, N, R. Those which have not this reverberation are P, T, K, F, S (as heard in *sun*), H, Wh (as heard in *which*), Th (as heard in *thing*), Sh (the sound of *s* in *sure*). That you may contrast these two sets of alphabetical elements individually, I place them here in two rows. B is like P, except that it has a reverberation, and so on through.

B, D, G, V, Z, Y, W, Th, Zh, Ng, L, M, N, R.
P, T, K, F, S, H, Wh, Th, Sh.


393. In what is commonly called speaking through the nose the reverberation mentioned above is disagreeably strong. The popular idea of it is incorrect, for this fault occurs in those who have some obstruction to the free passage of the air through the nose. This obstruction acts like the pressing of the nostrils with the fingers, confining more or less the body of air contained in the nasal passages. It is the vibration of this air thus partially confined in tortuous passages that produces the nasal twang. Any thing therefore which prevents the free outlet of the air from the nose will occasion it. Pressing the fingers on the nostrils while speaking, as already hinted, will produce it. A common example of it we have in what is called a cold in the head. The snuff-taker has this twang, because by such constant stimulation of the lining membrane it becomes thickened. Those who have this fault of "speaking through the nose," do not like others breathe ordinarily through the nose alone, but you see them sitting with their mouth constantly open, showing that there is so much obstruction in the nasal passages that they are not able to transmit sufficient air to the lungs.

394. I have thus far spoken of articulation as employed in ordinary speech, that is with a vocal sound. But when no sound is produced by the ligaments of the larynx, as is the case in whispering, the noise produced by the passage of the air through the cavities of the vocal apparatus can be so articulated, as to be heard distinctly at a considerable distance. Persons, therefore, who have entirely lost the voice can converse. In

whispering the vocal ligaments are relaxed as they are when we simply breathe. But the sound of whispering has its high and low notes like the vocal sound. The variation of note is caused by variation of the size of the column of air contained in the vocal tube. This is effected chiefly by the tongue. In the high notes of whispering the tongue is nearer the roof of the mouth than in the low notes. The distinction between many of the letters as to reverberation noticed in § 392 holds in whispering as it does in ordinary vocal speech.

395. You can observe the mechanism of the parts that is necessary for any one of the alphabetic elements, by pronouncing some syllable which it ends, prolonging the sound of the letter in question. And in doing this you will readily see the incorrectness of the common definition of consonants, viz., that they are letters which cannot be sounded without the aid of a vowel. Take, for instance, the letter *m* in the syllable *am*. After getting an idea of the mechanism necessary for it by sounding it with *a*, you can readily sound it alone. It is proper to remark here, that in observing the distinctions between the alphabetical elements, you must bear in mind that the names which are given to the letters in the alphabet do not represent their sounds. For example, H (aitch) and W (double-u) are nothing like the sound of these letters in *have* and *wave*.

396. Various attempts have been made to imitate the articulation of sounds by mechanism, but with very limited success. In 1779 a prize was offered by the Academy of Science at St. Petersburg, for the best dissertation on the theory of vowel sounds, and it was awarded to G. R. Kratzanstein, an account of whose experiments was published in the Transactions of the Academy. He found that the sound of the four vowels, A, E, O and U, might be produced by blowing through a reed into tubes, the forms of which are represented in Figures 142, 143, 144 and 145, and that the sound of I, as pronounced by the



French and other European nations can be produced by blowing into the tube, Fig. 146, by blowing at *a* without using the reed. M. Kempelen, of Vienna, the inventor of Maelzel's automaton chess-player, carried the imitation of the human voice still farther. He produced an instrument capable of uttering certain words and short phrases in Latin and French. But it is not known exactly how he accomplished this, as he kept the matter secret. A gentleman of Cambridge, England, investigated this subject, and among other things found that by blowing through a reed into a conical cavity, the vowel sounds could be produced by altering the size of the aperture for the passage of the air from the cavity, by means of a sliding board. I have alluded to these attempts to imitate the voice, to show by contrast the wonderful completeness and perfection of the vocal apparatus. Kempelen's instrument, a box three feet long, could produce only a few words, but the instrument of the voice, although it occupies so little room in the body, can utter all words in all languages.

397. We have now examined the whole of the vocal apparatus. You will observe that I have spoken of it as having two parts, the larynx, which is the reed of the instrument, and the vocal tube, which you have seen is quite complicated, for the purposes of articulation. Every action in both parts of the instrument is produced by muscles. You have seen that the action of muscles is requisite to cause any, even the slightest, variation of note. So it is with the articulating apparatus, as it may be called. Every alphabetical element, (and in our language Rush makes 35 in the whole,) requires a particular adjustment of the articulating apparatus. This adjustment is effected by muscles that move the tongue, lips, palate, &c. As these muscles then perform such varied movements, to produce this variety of note and articulation, it is no wonder that they require such long and diligent training. The child begins this long course of education the moment he utters an articulate sound. Observe him as he pronounces the syllable *pa* or *ma*, the first which children generally learn. He looks at his mother's lips, and imitates the motion as well as he can. Cheered by his success, and by her approving smile, he is constantly repeating these first lessons in pronunciation to every one that comes near him. Being as yet without skill in the use of these organs, he gives much more force than is necessary to the mechanical motions of articulation. For example, in pronouncing the word *pa*, he closes his lips strongly, and not slightly as we do, and

when he opens it for the utterance of the word he does it with an explosive force, at the same time quickly bowing his head. The energy of his whole frame seems to be concentrated upon the effort. Day after day he strives to add to his stock of words, but his progress is slow; and as a sort of compensation for the leanness of his stock he repeats those which he has learned, and so of his own accord he says papa and mamma instead of using the words of a single syllable. In this education of the organs of the voice the ear is the principal instructor, but the eye, as you see, is also of great assistance. The little pupil, on hearing a sound which he wishes to utter himself, tries to imitate the motion which he sees is used in producing it, and he continues to try till his ear assures him that he has actually mastered the sound. Soon he is able to utter two different articulate sounds in succession; and he goes on learning year after year, till at length he can command all the sounds of his native tongue. And I may remark that it is in childhood and youth alone, that we can learn accurately and thoroughly the pronunciation of a language that is at all difficult in this respect. Hence a foreigner, however long he may live in a country, to which he goes in adult life, cannot wholly conceal his native accent. And we know how much such sounds as that of *th* trouble the German and the Frenchman, unless they begin to learn the English language early in life.

398. If we observe different persons while speaking or singing, we shall see that some manage the vocal apparatus, or play on the vocal instrument, as we may express it, with more skill than others. Listen to two persons in conversation, the one modulating and articulating his voice with a graceful melody, the other having an utterance harsh and awkward; and the contrast is as great as that between two instruments, one of which is well and the other badly played. In some you can almost imagine that you hear the creaking of the machinery; while in others you do not once think of the mechanism of the voice, but your ear feasts upon its richly modulated and gracefully articulated sounds. It is as true of the muscles of the vocal apparatus as of those of any other part of the body, that skill in the management of them can be very much increased by exercise. The rope-dancer, by training his muscles, gives them a wonderful precision of action. The same thing can be done with the muscles that regulate the modulation and articulation of the voice. And in the most noted singers the little muscles which move the vocal ligaments and those which adjust the

Stammering. The ear the instructor of the voice.

parts of the vocal tube, must have a precision of action incomparably more accurate and delicate than the large muscles in the limbs of the rope-dancer. If we compare the limited and bungling operations of the vocal apparatus in a little child just beginning to talk, with its infinitely varied but precise movements in a voluble speaker, or a skillful singer, we shall have some conception of the delicacy of motion, of which the muscles of this apparatus become capable by long continued exercise.

399. There is a defective action of the muscles of the vocal apparatus, called stammering or stuttering, which I will just notice. It is an irregular spasmodic action of these muscles, very much like that which we see in the muscles of other parts of the body in the disease called St. Vitus' dance. It is very much influenced by habit, and mental agitation aggravates it. Shakespeare gives the following accurate description of it. "I would thou wouldst stammer, that thou mightest pour out of thy mouth, as wine comes out of a narrow mouthed bottle, either too much at once, or none at all." It is a singular and instructive fact, that many who stutter in ordinary conversation can read and sing as well as others. Dr. Good remarks that one of the worst stammerers he ever knew was one of the best readers of *Paradise Lost* that he ever heard. Such facts suggest some valuable principles in the treatment of this difficulty, which can be more easily overcome than is commonly supposed.

400. Not only is the ear the educator of the muscles of the voice, but the dependence upon the ear is entire. The deaf and dumb therefore are in almost every case dumb because they are deaf. Their vocal organs are in a good condition, and the muscles are all there with their nervous connections. But the machinery does not work, for there is no guiding power to direct it. That this is the true view, is proved by those cases in which hearing has been restored, for such restoration is followed by that of the power of speech. Magendie relates an interesting case of this kind. It was the case of a young man deaf and dumb from birth, who had his hearing restored by M. Itard. He first heard the sound of the neighboring bells, which not only caused very lively emotions, but even headache and dizziness. The next day he heard the sound of the small bell in the room, and shortly after he could hear the voice of persons speaking. His delight was then extreme, and he was so absorbed in his new enjoyment that, says Professor Percy, "his eyes seemed to search the words even on our lips." His voice was soon developed. The muscles of the vocal organs, so long

Absolute dependence of the voice upon the hearing. Seen in the deaf and dumb.

inactive, began to wake up under the tuition of their instructor, the ear. Only vague sounds were formed at first, and, although after a while he could pronounce some words, he did it awkwardly as children do when they are beginning to talk. He learned to talk very slowly. It would have been very interesting to have watched this case in its progress, but this was prevented by a disease which proved fatal.

401. Few cases occur like that which is related above, but there are many cases in which the dependence of speech upon hearing is proved in another way. I refer to those cases in which the loss of the power of speech is obviously the consequence of the loss of the hearing. This is the case with children that become entirely deaf after they have made some progress in learning to talk. They cease to talk, and very soon forget the motions which they had learned to make in articulation. Sometimes some of these motions are remembered, and the individual can pronounce some words. But he does it very awkwardly, and the consciousness of this makes him very averse to trying it. A friend mentioned to me the case of a man who became deaf just after he had learned the alphabet. He remembered the mechanical effort necessary to produce each letter, but he had no control over the loudness or note of the voice, so that some of the letters he sounded very high, others low, some very loud, and others soft, making of course some laughable contrasts. It is undoubtedly possible to teach deaf and dumb persons to talk to some extent, if we begin early enough; but the power of speech, after the most persevering training, must be awkwardly mechanical, and exceedingly limited. Accordingly all such efforts have been very soon given up.

402. The question has probably arisen in your minds as to what the difference is between the voice of speech and the voice of song. The common notions on this subject were very indefinite until recently. But Dr. Rush, in his admirable work on the voice, has developed the true principles in regard to it. He has shown that we use the same notes in speech and song, and that the difference lies in the mode of using them. I will endeavor to place before you the most prominent and material points in his view of this subject.

403. If you pronounce the sound *a* as heard in day, you will observe that it ends in another sound, that of *e*. The voice in pronouncing it rises through the interval of a tone, the sound at the same time gradually diminishing. So of other letters. Thus, *a* as sounded in *awe*, ends or vanishes in *e* as heard in *err*; *o*

Voice of speech and of song. Explanation of emphasis.

as heard in *old* vanishes in *oo* as heard in *ooze*; and *ou* as heard in *our* vanishes also in *oo*. The vanishing sounds are of course rather obscure and feeble. The first sound he calls the "radical movement of the voice," and the subsequent diminishing sound its "vanishing movement." The rise of the voice during the vanishing movement is not always through the interval of a tone, but it may be only a semitone, or it may be even through the interval of an octave. In singing the movement is very different. We pass "quickly and faintly through the radical movement to dwell with greater time and fullness on a note or level line of sound at the extreme place of the vanish." Both in song and speech there is also a downward as well as an upward movement on the scale. The gliding of the voice on the scale, and its gradual vanish cannot be imitated on instruments. They may be imitated to some extent however on the violin if the finger moves along the string while the bow is drawn. The difference between the voice of speech and song is thus represented by Dr. Rush:



At 1 is represented the vanish on the interval of a tone; at 2 on that of a third; at 3 on that of a fifth, and at 4 on that of an octave.

404. I will notice very briefly the use of the vanishing movement in speech. In simple narrative the vanish never rises above the interval of a tone, as at 1. Whenever it rises higher it is either for emphasis or interrogation. The vanish on the interval of a fifth, as at 3, is the most common mode of interrogation. That of the octave, 4, is used when the question is asked with great vehemence, or is accompanied with sneering, mirth, contempt, or raillery. Thus when the Jew in the Merchant of Venice asks,


Hath a *dog* money? Is it possible
A *cur* can lend ten thousand ducats?

there is a rise through the interval of an octave on the words *cur* and *dog*. You observe that the rise is on the words which are emphasized. Thus we can make four entirely different

Use of the semitone in speech. Difference in capability of singing.

sentences of the question, do you ride to town to day? according as we make the rise on *you*, or *ride*, or *town*, or *day*. By the use of this rising vanish we can make a question of the most positive assertion, even of the blunt negative, no.

405. The vanish on the interval of a semitone gives the voice a plaintive character, and it is therefore used for the expression of love, grief, supplication, &c. It is sometimes used so much as to give a general character of plaintiveness to one's whole conversation. As a very clear and striking illustration of the power of the semitone we will take the cry of fire. Divide the word into two syllables, *fi-ye*r, and ascend the scale thus :



The two places of the semitones, indicated by the braces, will give the cry of fire as we commonly hear it. Sometimes we hear it cried in sport upon one note, and the sound is discordant and ludicrous. So also, the two words, "*O dear*," sound like a mere mockery of grief, if uttered on one note, or any other interval than the semitone.

406. Every one learns to talk, but there are many who do not learn to sing. Now as the same notes are used in the two cases, what is the reason of the difference? The reason is not in an absolute inability to appreciate the variations of note in sound, for these are practically appreciated in the use of the vanishing rise in conversation. There are two reasons for the difference. One is this. As the transitions of the voice from one part of the scale to another are much more varied in song than in speech, and are made by leaps instead of slides, song requires greater skill than speech does in the action of the muscles. Another reason is, that speech is a *necessity*, and song is not. We learn to speak therefore as a matter of course, but singing is a mere accomplishment. If it were learned as universally as speaking is, there would be nearly as much good singing as good speaking. We can realize the truth of this assertion, when we observe the results of very early training in singing. And we should realize it still more if singing were universally considered, as it should be, as an essential part of

Ventriloquism. Difference between a sound and a noise.

the education of children. And I may remark in this connection, that all have some measure of musical talent, though in some it is exceedingly small in amount. The difference in this respect in different persons is the same as the difference in regard to any other talent, as that of drawing for example. Skill is acquired in the same way in both cases, and its degree depends to the same extent, and in the same manner upon natural endowment.

407. Some persons possess extraordinary powers in the use of the vocal organs. I refer to ventriloquism. This is a purely imitative art, and is not to be attributed to any peculiar formation of the parts in the individual who possesses the power. The ventriloquist must have the faculty of appreciating with great accuracy the almost infinite variety of tones, articulations, and inflections of the voice, and must be able to imitate them with but little motion of those parts of the articulating apparatus which appear in view. He at the same time makes skillful use of those circumstances, which will favor the false impressions in the minds of his audience, in relation to the locality of the source of the sounds. This is the simple explanation of this wonderful power.

CHAPTER XV.


THE EAR.

In the last chapter I treated of the production of sound by the vocal apparatus. In this chapter I propose to show you how the impression of sound is transmitted to the brain, in order to produce the sensation of hearing.

408. That you may the better understand the arrangement of the apparatus of hearing, I will first notice some of the principles that govern the transmission of sonorous vibrations. Sound may be produced by the vibration of any substance; though some are better fitted to produce it than others, and are therefore called sonorous bodies. When the vibrations which cause sound are equal, a *musical sound* results; but if they are

unequal, we have a discordant sound, or what we ordinarily call a *noise*. Sound is transmitted from the point where it originates, in all directions. And its vibrations gradually lessen, just as the ripples lessen which are produced by dropping a stone into the water. The vibrations of sound are reflected by objects against which they strike. For this reason the voice can be heard at a much greater distance if it be transmitted along a wall than when it is uttered in an open space. This may be illustrated on Fig. 147. Let A B represent a wall, and

FIG. 147.



C the position of the ear. If the bell at D be rung, besides the vibrations which come to the ear at C in the direct line C D, a vibration striking the wall at F will come to the ear in the line F C, and the same can be said of other points along the wall. An accumulation of vibrations, therefore, comes to the ear at C, which therefore receives a louder sound from the bell than it would if the bell were rung in a perfectly open space. For the same reason a speaker can be heard much more easily within walls than he can be in the open air. The sound is reflected, and, therefore, in some measure concentrated by the walls. In speaking tubes this reflection and concentration are carried to a still greater extent. Sound can in this way be heard at a great distance from its source. M. Biot found that when he spoke in a whisper at one end of a tube, over three thousand feet in length, he was distinctly heard at the other end; so entirely do the walls of the tube prevent the diffusion of the vibration in the air around. Speaking tubes are therefore used to a great extent in large manufactories, where directions need to be given continually to workmen in different parts of the establishment. The flexible tube, now so commonly made use of by deaf persons, furnishes another illustration. The vibrations of the voice received by the trumpet-shaped end are transmitted through the tube to the ear.

Difference in the transmission of sound through solid, liquids, and gases.

409. Sound may be transmitted through any substance, whether it be solid, liquid, or gaseous. It cannot be transmitted through a vacuum, for there is nothing there to vibrate. Sound differs in this respect from light, which passes as readily through a vacuum as it does through any transparent substance. The fact that sound cannot be transmitted through a vacuum is often illustrated by an experiment with the air-pump. If a bell be put under the receiver, and be set to ringing, as the air is exhausted by the pump, the sound becomes more and more faint, and at length it is not heard at all. For the same reason, a pistol fired on the summit of a mountain, gives nothing like so loud a report as when it is fired in the valley below. The more solid the medium is for the transmission of sound, the more readily is it transmitted. The scratching of a pin at the end of a long log may be heard by the ear applied to the other end, although it cannot be heard through the air, at even the distance of a few feet. Savages are in the habit of putting the ear to the ground to hear the step of their enemies when they apprehend their approach. A deaf gentleman, resting the bowl of his pipe on his daughter's piano-forte as he smoked, found that he could hear the music with great distinctness; and many deaf persons can hear conversation, by holding a stick between their teeth, while the other end rests against the teeth of the person speaking. A knowledge of the ready transmission of sound through solids suggested the examination of the chest in disease by the ear. If the ear be applied to the chest, the various sounds produced by the air, as it passes through the bronchial tubes into the air cells, can be heard through the solid walls of the chest, and thus the state of the lungs can be discovered. Water is a much better conductor of sonorous vibration than air, though it is not as good an one as a solid substance. The force of the vibration is lessened more gradually in water than in air, and its rate of progress in water is, according to Chladni, 4,900 feet in a second, or between four and five times as great as in air.

410. Sonorous vibration does not pass readily from one medium to another. Thus, although the scratch on the log is heard so easily by the ear at the other end, if the ear be removed a little from the log, it does not hear the sound, because the vibration is so much lessened in passing from the solid wood to the air. It is clear that the more unlike the two substances are, when sound passes from one to the other, the more will the vibration be lessened; for the more unlike they

Hearing a compound process. Only in part mechanical.


are, the less easily will the one take the vibration from the other. For this reason, a sonorous vibration, produced in a solid body, may be transmitted to water with much less loss of intensity or force, than occurs when it is transmitted to air. And it may be remarked in this connection, that when vibrations are transmitted to a fluid, from air or from a solid, the intervention of a membrane is of essential service, for it presents a firm surface upon which the vibrations can be received.

411. The principles which I have thus noticed will be seen to apply to the arrangement of the apparatus of hearing, as we proceed in the examination of it. It has various parts for the different portions of the process which we call hearing. I will premise a mere general description of this process, before entering upon the examination of the apparatus in detail. The vibrations of sound, passing into the ear by a tube, strike at the bottom of that tube upon a drum. The air can go no farther, for this drum is perfectly air-tight. It communicates its vibrations, however, to the drum, which transmits them to a chain of four little bones, the last of which transmits them to another drum, covering an opening into various winding passages in solid bone. In these passages is contained a limpid fluid, which is put in motion by the vibrations of the drum last mentioned. So much for the mere mechanical part of the process. In the winding passages are spread out the minute fibres of the nerve of hearing. The vibrations of the liquid in these halls of audience, as we may call them, make an impression upon these nerves, which is communicated to the brain through the trunk of the nerve, and this completes the whole process necessary to the production of the sensation of hearing.

412. The parts of the apparatus of hearing may be seen in Fig. 148. The internal portions are made rather larger than natural, in order that the arrangement may be more clear. At *a b c* is the external ear; at *d* is the entrance to the tube of the ear *f*; *g* is the drum of the ear at the end of this tube, called the membrane of the *tympanum*; *h* is the cavity of the tympanum, the chain of bones which it contains being left out, so that the plan of the apparatus may be more clear to you; *k* is the Eustachian tube, which makes a communication between the back of the throat and the cavity of the tympanum; *n* is a part of the winding passages, shaped like a snail's shell, and is therefore called the *cochlea*; at *m* are three other winding passages, called, from their form, *semi-circular canals*; and at *l* is the *vestibule*, or common hall of entrance to all these

The parts of the apparatus of hearing described.

FIG. 148.



VERTICAL SECTION OF THE ORGAN OF HEARING

winding passages. In the cavity of the tympanum, on the side opposite to the drum of the ear, you see two holes. These open into the winding passages, the larger one into their vestibule or entrance hall. Both of these holes are covered by a membrane, and to the membrane of the larger one is attached the last of the chain of bones. At *o* is the trunk of the nerve of hearing, and at *ee* is the bone that incloses these parts, which is so hard that it is called the *petrous*, or rock-like bone.

Having given you this general view of the apparatus, I shall now speak of each part more particularly.


413. The object of the external ear is to collect the waves of sound, and direct them into the tube of the ear. There have been many speculations in regard to the use of the prominences and ridges of the external ear, but they are fanciful and groundless; and its surface is thus diversified, probably for the sake of making this organ a comely one. If the object were to give it the best shape and arrangement for collecting the vibrations of sound, it would have had a different shape altogether, and

would have been arranged with muscles which could turn it in different directions, as is the case with many animals. The shape of the external ear is much better in many animals than it is in man, if we consider its object to be merely the collection of the waves of sound. The endowment is in this case, as well as in every other, according to the necessities of the case. The bat is guided so much in its movements by the sense of hearing, that it has of necessity very large ears, and they are so shaped as to collect, in the best possible manner, the vibrations of the air. With proportionably large, and similarly shaped ears, man could hear much better than he now does, but he has no need of such ugly appendages. In regard to the motions of the ears in animals, it is worthy of remark, that animals of prey can turn their ears forward with the most facility, while timorous animals turn their ears backward to keep warned of danger.

414. The tube of the ear is about an inch long in the adult. It is formed of cartilage like the external ear, and ends at the drum. At its entrance are hairs which afford some protection against intruders. But the chief protection is the bitter wax, which is secreted by little glands, situated in the skin of the tube. The odor from this secretion so effectually keeps out the insects from this open entrance, that it is quite a rare occurrence to have an insect get into the ear. And when one does get in, the wax envelopes him, and commonly soon destroys him.

415. The drum of the ear, which makes the closed end of the tube above described, as seen at *g*, Fig. 148, is very thin and transparent. On the other side of it is the cavity of the tympanum *k*. In this cavity are the four bones. These are represented in Fig. 149, enlarged so that you can see their shape distinctly. They are named from their shapes. They are the *malleus* or hammer *m*; the *incus* or anvil *i*; the *os orbiculare*, or round bone *o*, the smallest bone in the body; and the *stapes* or stirrup-bone. The long handle of the hammer *h* is fastened to the middle of the drum of the ear. The little round bone is fixed between the slender end of the anvil, and the top of the stirrup-bone. In Fig. 150 you have a representation of these bones, together with the drum of the ear. While the end of

FIG. 149.



Eustachian tube. Winding passages of the internal ear.

the handle of the hammer is fastened to the middle of the drum, the base of the stirrup is fastened to another drum, covering the hole or window, opening into the vestibule of the winding passages. There are three very delicate muscles which move these bones. One of them relaxes the drum of the ear, and another makes it more tense; and thus the drum is put into the right states of tension, to accommodate it to the various kinds of vibration that come to it. This is a matter of some importance, for it is plain that while a relaxed drum can vibrate properly to grave sounds that enter the ear, it must be tense, in order to respond properly to the vibrations of the air in the higher notes.

FIG. 150.



DRUM OF THE EAR
with the bones.

416. The cavity of the tympanum (*h* Fig. 148) in which the little bones are, and which is beyond the drum, communicates with the mouth by the Eustachian tube *k*. If you shut your mouth, and close the nostrils with the fingers, and then perform the action of blowing, you will feel the air enter the Eustachian tubes, and fill the cavity of the tympanum. The chief object of this communication is to have air on the inside as well as the outside of the drum, so that it may vibrate freely. The cavity of the tympanum might indeed have been a closed cavity, containing air. But it would then have been very much like a common drum, with the hole in its side closed. This would very much impair the vibration.

417. We now come to another part of the apparatus of hearing—the winding passages. These are inclosed, as I have already stated, in the most solid bone in the body. They are called together, very appropriately, the *labyrinth*, sometimes the *internal ear*. This is really the essential part of the apparatus. Here are the true halls of audience, where the nerve is posted, which receives the messages from without, and transmits them to the brain. The drum of the ear and the chain of little bones may be destroyed, and yet, if these winding passages remain entire, with the membranes over the two windows that open into them, the hearing will not be lost; though it will be less perfect than it is when the whole of the apparatus is there, and in good order. Sir Astley Cooper relates the case of a gentleman, who lost the drums of both ears by disease. By shutting his mouth, he could blow the air out through his ears, with such force as to make a whistling noise, and to move

Description of the winding passages. Their importance.

the hair that hung from his temples. Yet he was not only able to hear with ease all common conversation, but he had a nice appreciation of musical sounds. Sir Astley says that "he played well on the flute, and had frequently borne a part in a concert; and he sung with much taste, and perfectly in tune."

418. The labyrinth is represented much magnified in Fig.

151. The middle part of it, *v*, is the *vestibule*. From this go out the *semi-circular canals*,

x, *y*, *z*, on the upper side, and

on the lower the winding passages of the cochlea, *k*. At *o*

you see the opening called the *fenestra ovalis*, or oval window. This is covered by a

membrane, on which presses the base of the stirrup-bone.

You see another opening *r*, which is called the *fenestra rotunda*, or round window.

This is covered with a membrane. Both of these openings you see in Fig. 148, in

the cavity of the tympanum, opposite to the drum of the ear. In these winding pas-

sages is a watery fluid, the vibrations of which, acting upon the branches of the nerve distributed there, cause the sensation of hearing. Of course, if either of the membranes covering the openings into these passages be destroyed or broken, the fluid will run out from the ear, and there can be no more hearing, although the rest of the apparatus is perfect. The drum will continue to vibrate as sounds strike upon it, the little chain of bones will repeat the vibration, but it will stop at the end of the chain, the stirrup-like bone. So too, although the membranes may be entire, and the whole apparatus may be perfect as a piece of mechanism, so that the succession of vibrations from the air without through the drum and the chain of bones, to the fluid of the labyrinth, is uninterrupted, if the nerve of hearing be paralyzed, so that it cannot be impressed with the vibration of the fluid that bathes its branches, there can be no hearing. Partial deafness is undoubtedly often owing to a thickening of the fluid in these passages, or to a partial failure of the nerve distributed in them.

FIG. 151.



419. It will be proper to say a word here in relation to the choice of a fluid, instead of a solid or an aeriform substance, as the medium through which the impression of the vibration of sound is communicated to the nerve. It is better than a solid would be, so far as we can see, because no arrangement of a vibrating solid with the minute fibres of the branches of the nerve could be effectual, and at the same time so little liable to derangement, as the arrangement of nervous fibres immersed in a liquid, and the whole inclosed in solid walls of bone. It is better than air would be, for at least two reasons. 1st. The vibrations of sound, as stated in § 409, are communicated with much more ease and rapidity through water than through air. This we see to be a consideration of some importance, when we look at the complicated and winding passages that contain the fluid. 2d. There is not as much loss in the force of the vibration in the transmission from the solid stirrup-bone through the membrane to the fluid, as there would be if the transmission were to air.

420. The whole arrangement in regard to material we can see to be admirable, if examined in relation to the known principles of the transmission of sound. We can see the object of the chain of bones. If these were left out of the arrangement we could hear, but not so well as we do now. For it has been ascertained by experiment, that the transmission is much more perfect when the vibration passes, as in the case of the ear, through a tense membrane, then through a chain of solid substances, and from them through a second membrane to the fluid, than it is when the chain of solid bodies is omitted, and air is made to take their place. And when the vibration has arrived at the fluid in the labyrinth, there is a contrivance there for increasing its intensity. There are two little chalky concretions suspended in this fluid by nervous fibres. These are found in all mammalia, and in fishes they are quite large and hard. This being the case, it was inferred that these bodies have some important influence upon the transmission; and it has been found by experiment that hard bodies thus situated in a fluid increase the sonorous vibrations in their neighborhood.

421. You will remember that there are two openings into the labyrinth, from the cavity of the tympanum. Both are covered by membranes, one of which is pressed upon by the stirrup-bone, while the other is free. It was formerly supposed that the second opening was absolutely essential to the vibration of the fluid in the labyrinth. For, as fluids are incom-

pressible, it was inferred that, as the stirrup-bone communicated its vibration to the membrane of the *fenestra ovalis*, the fluid in the labyrinth would not vibrate, unless there was another opening some where, the membrane of which would yield to pressure. This, however, has been ascertained to be not strictly true. It has been proved by experiment that a sonorous vibration can be transmitted through a confined fluid. Indeed there are some animals in which there is only one opening into the labyrinth. But, although this second opening is not essential to the vibration of the liquid, it undoubtedly makes that vibration more perfect. Although the second opening is so near the first, as seen in the cavity of the tympanum, (Fig. 148) yet in relation to the arrangement of the winding passages of the labyrinth, as you will soon see, it is really quite at the other end of it. The vibration then may be considered as communicated through a long tube, which has a membrane at both ends. And it is obvious that a vibration communicated to the membrane at one end, will more readily move the fluid throughout all the tube, from the yielding of the membrane at the other end. This will be more obvious, as I describe more particularly the arrangement of the passages in the labyrinth, which I will now do.

422. To recur to Fig. 151, the vestibule *v*, into which the *fenestra ovalis o* opens, is, as before stated, a sort of common entrance hall to all the passages of the labyrinth. I have spoken of the semi-circular canals *x*, *y*, and *z*, that lead out from this. These are simple canals. But the passages of the cochlea, *k*, are very complicated, and it is this fact that has given the name of labyrinth to the whole of the internal ear. The vestibule opens into the cochlea at its base. Now, the cochlea is so divided, that the passage into which the vestibule opens, runs around the pillar in the middle of it to its top, making just two turns and a half. It there opens into another passage, which makes two turns and a half back to the base of the cochlea. This passage does not end in the vestibule where the other began, but it ends in the round hole *r*, which opens into the cavity of the tympanum. This disposition of the parts of the cochlea may be seen in Fig. 152, which represents it as opened to show the arrangement of the walls of the two winding galleries. The pillar in the middle, around which these dividing walls are fastened, expands in the top into what is called a cupola, where the two spiral galleries communicate together. With this description, you can understand in what

 Distribution of the nerve of hearing in the cochlea.

FIG. 152.



THE COCHLEA OPENED.

directions the vibration is transmitted, when it is received from the stirrup-bone, at the door of the labyrinth, by the membrane which covers it. It travels one way up the fluid in the three semi-circular canals. It travels another way through one spiral gallery in the cochlea to the cupola, and then down the other spiral gallery, reaching at length the membrane of the *fenestra rotunda*, or round window.

423. I will now describe to you the arrangement of the branches of the nerve of hearing in these passages. The arrangement is different in the vestibule and the semi-circular canals from what it is in the cochlea. In *all* the cavities of the labyrinth, there is a thin, delicate lining of membrane, which secretes a watery fluid. In the vestibule and semi-circular canals, there is a second membrane. This is separate from the first membrane, and lies loose in the cavities. It makes a close sac, and as it extends from the vestibule into the semi-circular canals, it is very irregular in its form. This sac contains a fluid, and the fluid secreted from the membrane which lines the bone bathes the outside of the sac. Now, it is on the delicate membrane which forms this sac, that the fibres of the nerve are distributed, so that they may receive the impression of the vibration of the fluid. In Fig. 153, is a representation of this sac, with the distribution of the nerve. At 1, 2, and 3, you see the parts of this sac which line the semi-circular canals. At 4 is a junction of two of these canals, for what purpose we know not. At 6, 9, 10, and 11, are seen the terminations of branches of the nerve. At 8 and 13 are two of these branches

Distribution of the nerve in the semi-circular canals.

FIG. 153.



and at 14 is the branch of the nerve which goes to be distributed in the cochlea. In Fig. 154 is represented one of the parts

FIG. 154.



Beautiful arrangement of the nervous fibrils in the cochlea.

where the nerve terminates, as at 10 in Fig. 153, much more highly magnified. You see the loop-like termination of the nervous fibrils. You can readily see that every vibration of the fluid would make an impression upon these nervous fibrils thus distributed upon this delicate membrane, which has the fluid upon both sides of it.

424. The distribution of the nerve is after a different manner in the cochlea. Here there is no loose membrane, with the nerve distributed upon it, and the fluid each side of it, as in the vestibule and the semi-circular canals. But the nerve is distributed upon the division wall of the galleries in a very beautiful manner. This is represented in Fig. 155, in which 2

FIG. 155.



is the nerve, and 3, 3, 3, show its distribution. These fibrils lie in little channels in a lamina, or leaf of solid bone. But the bone extends only to 4, 4, and the remainder of the division wall is made of membrane, represented at 5, 5, 5. At 7 is the opening in the cupola, by which the two spiral galleries communicate. At 1 you have these parts of the natural size. We know not exactly how this mechanism works, but the probability is, that the nerve receives impressions from the vibrations of the fluid in two ways—directly from the fluid itself, and also from the vibration of the membrane to which the extremities of the nerve are attached, this membrane being shaken of course by the vibrating fluid.

425. Having thus described the parts of the organ of hearing, I will trace for you, with some particularity, the steps of

Steps of the process of hearing given in their order.

the process of hearing, as it must occur in the case of every sound that produces that sensation. The vibrating air enters the tube of the ear, and, reaching the drum, produces a vibration there. This vibration is communicated to the chain of bones, which, as Dr. Paley very aptly says, like a repeating line of frigates pass it on. It is transmitted from the last of this chain of bones, the stirrup-bone, to the membrane covering the *fenestra ovalis*, and from this to the fluid contained in all the passages of the labyrinth. The vibration goes through all the semi-circular canals in one direction, and in another up one gallery of the cochlea, and down the other. In all these cavities, are spread out in various ways, the filaments of the nerve which receive the impression of the vibration. This impression is transmitted from the extremities of the nerve, through its trunk, to the brain, where the mind receives it. All this together constitutes hearing; and all of it occurs in the case of any sound which we hear, however closely it may follow any other sound.

426. Most of our hearing is done precisely in the way described, but not all. We sometimes hear directly through the bone surrounding the labyrinth. If you place a watch between the teeth, you hear the ticking; and it gives a very different sound from what it does when held to the ear, because the sonorous vibration is transmitted directly through the solid bones of the skull from the teeth. In the same way was the sound transmitted in the case of the deaf old gentleman, (§ 409) who heard his daughter's music through the stem of his pipe, as he rested the bowl of it on the piano. The fact thus illustrated is often made use of by physicians, in detecting the nature of the difficulty in cases of deafness. Thus, if a watch held between the teeth communicate a very distinct and loud sound to the ear, we infer that the internal ear is in a good condition, and that the difficulty is in some of the other parts connected with it, the drum, or the cavity of the tympanum, or the Eustachian tube.

427. I have described the apparatus of hearing as we find it in man. But it varies in different animals, according to the circumstances in which they are placed, and their necessities. Animals that live in water of course have a different apparatus of hearing from those that live in air. In most fishes the semi-circular canals exist, but there is nothing like a cochlea. As sounds are transmitted so easily through water, (§ 410,) fishes have no need of so complicated and perfect an apparatus

Hearing in other animals. Only a part of the process of hearing understood.

as animals that live in air. They are fitted to hear in their own element, and probably the moment that a fish is taken out of the water he becomes quite deaf, because his hearing apparatus is so poorly fitted to receive and transmit vibrations from the air. But in many animals that live in air the ear differs from that of man in its arrangements. The cochlea in birds is nearly straight instead of being spiral. Such facts lead to the inference, that the peculiar arrangements in the hearing apparatus of man have regard, not merely to the medium in which he is placed, but to peculiar uses which are necessary in his case, as the determination of the direction of sound, the appreciation of its pitch and its character, the power of hearing very slight sounds, &c. The simplest form of apparatus found in animals, is a cavity excavated in bone, with a fluid shut in it by a membrane, and nervous filaments distributed so as to be impressed by the vibrations of the fluid. And this is all that is absolutely essential to hearing.

428. Many speculations have been broached in regard to the special offices of particular parts of the labyrinth. Thus, it has been supposed that the semi-circular canals have an agency in informing us of the direction of sounds; for it is observed that they are always arranged in the same relative angle to each other. It has been supposed also, that the cochlea gives us the idea of the note of sounds, because it is noticed that the development of this part in different animals is in proportion to the variety of note which they produce. These suppositions, though quite probable, require farther investigation in comparative anatomy to test their truth.

429. In the process that makes up the sensation of hearing, there is one part which we can in some measure understand, and to which we can apply the known principles which govern the transmission of sonorous vibrations. But there is another part, that which links the process to the immaterial mind, that we cannot understand. We can trace the vibration received from the air through the several parts to the fluid in the labyrinth, but here we come to a stand in our knowledge. The vibration stops here, and what is transmitted through the nerve to the mind we know not. We call it an impression; but this is only an indefinite word, implying simply that something is transmitted, without defining what it is. Neither do we know *how* the transmission is made. All that we do know is, that the nerve is essential to the completion of the sensation of hearing, and that it spreads out its minute fibrils or tubuli in the

Ear equal to the eye in delicacy, beauty, and complication of structure.

halls of audience, in order to receive impressions from the vibrations that come there, and transmit them to the brain where the mind takes cognizance of them. Every part of the apparatus may be mechanically perfect, so that the vibrations may be transmitted to the fluid which bathes the nervous fibrils, but if the nerve be paralyzed, or if the communication between its extreme fibrils and the brain be in any way interrupted, the mind knows nothing of the vibration, and there is no hearing.

430. The eye has generally been spoken of as being more wonderful than any other organ in the body, in view alike of the delicacy, the beauty, and the complication of its structure. But the apparatus of hearing presents a combination of these qualities quite as wonderful. There is nothing more delicate, and beautiful, and complicated than the arrangement of the nervous fibrils in the winding labyrinthic passages of the halls of audience. And as we trace the steps of the process of hearing, from the drum of the ear where the sound strikes, to the gray substance of the brain where the mind receives the impression, and think of each sound as sending a vibration through membranes and a chain of bones to the fluid in which the nervous fibrils are immersed, and of these fibrils as catching from every vibration of the fluid a definite impression and transmitting it to the mind, we see a mingling of the purely mechanical with the spiritual, which greatly enhances our admiration of the mechanism. Though the apparatus is complicated, the mechanical result is a simple one—it is a mere trembling of a fluid inclosed in winding cavities of bone. But simple as the result is, it is made, through the beautiful nervous connections of the ear with the brain, one of the chief inlets of knowledge to the mind, coming to it from nature's multitudinous voices, and is a constant medium of communication for thought and feeling between man and man. Thus intimately in the human body are the simplest mechanical results connected with the complicated and diversified operations of the mind. In the process of hearing the drum of the ear is to be considered one end of the apparatus, and the gray portion of the brain the other. The drum simply vibrates; and instantaneously the mind receives a distinct impression from the vesicles of the gray matter. And thus is the communication established between the immaterial mind, and the vibrations of the material substances with which it is surrounded.

CHAPTER XVI.


THE EYE.

431. THE sensation of sight is the result of a compound process, which may be divided into two distinct parts, as I remarked in relation to the sensation of hearing, in § 429. The one part is purely mechanical, and the apparatus for it is constructed according to the common principles, which we find illustrated in optical instruments. The object of its arrangements is to form distinct images of objects in the back part of the eye. The other part of the process is executed by the nerve of vision, called the optic nerve. This nerve, expanded upon the membrane where the images are formed, transmits impressions from these images to the brain, just as the nerve of hearing transmits to the brain the impressions which come from the vibration of the fluid of the labyrinth.

Before proceeding to an examination of the eye as an optical instrument, I will call your attention to certain principles, which we shall find illustrated more beautifully and perfectly in the eye than in any optical instrument which man has ever constructed.

432. The rays of light coming from any luminous point go in straight lines in all directions, just as the vibrations of sound do, and, like them, become less intense the farther they are diffused. But they move in straight lines only so long as they remain in the same medium. When they pass from one medium into another they are bent out of their straight course, or *refracted*, as it is termed, unless they pass from one to the other in lines perpendicular to the surface of the medium which they enter. This may be illustrated by the following experiment. Place a coin, *a*, in the bottom of a basin, as represented in Fig. 156, and then withdraw from it so far that the coin may be hidden from your eye by the edge of the basin, as represented in the figure. Keeping your eye fixed in that position, pour some

FIG. 156.



Refraction as light passes from a rarer into a denser medium, and vice versa.


water into the basin up to the level, *c*. The coin will again become visible to your eye. The reason is, that the rays of light, as they come from the water into the *rarer* medium, the air, are refracted or bent downwards, that is *from* the perpendicular. The effect of this may be seen in the figure. A ray of light, coming from the coin in the direction *a, d*, does not pass to *d*, but is bent downward, and so passes to the eye at *e*. And so of other rays coming from the object. The coin, therefore, is seen by the eye at *e*, but it is not seen in its true direction from the eye which is in the line *e, c, a*. The only point in which the eye can see the coin in its true position is when the eye is at *b*, in a perpendicular line directly over it. A ray that passes from one medium to another in a line perpendicular to the surface of the medium into which it passes is not bent out of its course. All other rays are, and the more so the farther they are from the perpendicular.

433. While rays that pass from a dense medium into a rarer, as from water into air, are bent *from* the perpendicular, those on the other hand, which pass from a rarer medium into a denser, as from air into water, are bent *towards* the perpendicular. Thus if in Fig. 156 *a* be the position of the eye of a fish, and where the eye is, at *e*, there be an insect, the fish can see it, because the ray that strikes the surface of the water, *c*, is refracted or bent towards the perpendicular line, *b, a*. And so of other rays. He does not see the insect, however, in its true direction, *a, c, e*, but it appears to him to be at *d*. For we always judge of the place of an object by the direction in which the rays from it strike the eye.

434. When light passes from one medium into another which presents a convex or concave surface, instead of a flat one, a very great change is produced in the direction of its rays. Thus suppose, as represented in Fig. 157, three diverging rays coming from a point, *a*, through the air, enter a *convex* surface of glass, *b, b'*. The central ray *a, c* enters the glass in a direction perpendicular to its surface, and therefore does not bend from its course. But the ray *a, d* enters very obliquely, and is bent towards the perpendicular at that point, *e*, and passes on in the direction *f*. So likewise the ray, *a, g*, is bent towards the perpendicular *h*, and passes on in the line *i*. These rays *diverging* in the air have become *converging* in the glass, and the point at which they meet is called the *focus*. To this point all the other rays entering the convex glass converge also.


435. But if the surface of the glass be *concave*, as represented

FIG. 157.



in Fig. 158, the diverging rays which enter it will be made so diverge still more. The ray, *a, c*, being perpendicular to the surface is unchanged in its course; but the ray, *a, d*, is bent towards the perpendicular, *e*, into the line *f*, and the ray, *a, j*, is bent towards the perpendicular *h* into the line *i*. In the case of both

FIG. 158.



the concave and the convex lens, the greater the curvature, the greater is the change of direction in the rays. The greater the curvature, therefore, the sooner are the rays brought to a focus in the case of the convex lens.

There are other optical principles illustrated in the apparatus of vision, that will be brought out in the description of the eye, which I will now proceed to give.

436. The arrangement of the different parts of the eye you can understand by Fig. 159, which is a mere map of a section of the eye, through its middle part from front to rear. It is intended merely to represent the arrangement of the parts distinctly, without strict regard to proportion. The eye has three

FIG. 159.



DIFFERENT PARTS OF THE EYE.

coats, as they are called. At *a* is the thick strong white coat, called the *sclerotic* coat, from a Greek word meaning *hard*. This, which is commonly called the white of the eye, gives to the eyeball its firmness. Into it the *cornea*, *e*, fits, like a watch-glass into its case. The sclerotic and cornea then make one coat of the eye, the outer one. Next comes the *choroid* coat, *b*. This is a very vascular coat, containing the minute branches of blood vessels which nourish other parts of the eye. It is of a dark color, for reasons which I will state in another place. Its color is owing to coloring matter contained in pigment cells, which lie along on the inner surface of this coat, next to the inner coat of the eye, the *retina*, *c*. The retina is a thin membrane, being principally composed of the expansion of the optic nerve, *d*. The eye has three *humors*, as they are termed. The first is the *aqueous* or watery humor, *f*, which is in a chamber between the transparent cornea, *e*, and the *crystalline humor*, or lens, *h*. This chamber is divided into two parts by the iris, *g*, the pupil being the circular communicating door between them. The part of the chamber which is in front of the iris is much larger than that which is behind it. The crystalline humor, or *lens*, as it is more often called, has the consistency of half dissolved glue. At *i* is the *vitreous* humor, filling up a large part of the cavity of the eye. It is called vitreous from its glassy appearance. It is a clear, jelly-like substance, having about the tenacity of white of egg. It is contained in an ex-

Arrangement of the front part of the eyeball.

ceedingly thin and delicate sac, and this is divided into cells which contain the liquid.

437. Fig. 160 is a map of the front part of the eye, in which the parts are more minutely delineated than in Fig 159. At 2 is the sclerotic coat; 3, the cornea; *b*, the crystalline lens; *a*, *a*, the aqueous humor; 7, 7, the iris; 4, the choroid coat; 8, the retina; *c*, *c*, the vitreous humor, and 9, the sac containing it. Around the inside of the chamber containing the aqueous humor is a very thin membrane, (represented as you see by a line,) which secretes the humor. In this membrane, as in the case of every other closed sac in the body, there are both exhalents and absorbents, so that the fluid may be changed as necessity requires. There is another thin membrane of the eye which I have not yet described. It is represented by a line, 1, in the figure. It is the *conjunctiva*, so called because it unites or *conjoins* the ball of the eye with the eyelids. It covers the cornea, passes back a little way on the white of the eye, and then turns forward to line the eyelid. It is the seat of the most common form of inflammation in the eye. It is very vascular, as is shown by its distended vessels when it is inflamed. It is exceedingly sensitive, and hence the great pain which is occasioned by any thing, even the smallest mote, that gets into the eye. The object of having it so sensitive I have spoken of in the Chapter on the Nervous System, § 242.

438. At 6 in Fig. 160, is one of the *ciliary* processes, as they are called, from their resemblance to the eyelashes. There is a circular row of them, numbering from sixty to eighty, so arranged as to resemble the disk of a radiated flower. In Fig. 161 they are represented as they appear in looking at them from behind, the back part of the eye being removed. At 1 is the divided edge of the three coats; 2, the pupil; 3, the iris; 4, the ciliary processes. At 5 is the anterior edge of the retina,

FIG. 160.



Object of the apparatus to form images of objects on the retina.

FIG. 161.



CILIARY PROCESSES.

which stops at the beginning of these processes, presenting, as you see, a scalloped appearance. The processes, however, do not arise from the retina, but come from the choroid coat, and are united at their origin by a ring of ligamentous substance to the sclerotic coat. The exact operation of this beautiful arrangement is not known, but it is pretty well ascertained, that muscular fibres are so connected with these processes, that when they contract they draw the crystalline lens forward. This, as you will see in another part of this chapter, is a very important movement in the adaptation of the eye to seeing at different distances.

439. The object of all this apparatus, which I have described, is to have images of objects formed in the back part of the eye upon the retina, so that the optic nerve expanded there may carry impressions from them to the brain. This is done in this way. The rays of light coming from an object pass through first the cornea, then the aqueous humor, then the crystalline lens, and lastly the vitreous humor to the retina, where they, so to speak, daguerreotype the object. The fact that such an image is formed has been often proved by observation on the eyes of animals. If the eye of a rabbit be cleansed from the fat and muscles at its back part, and a candle, be held in front of it, you can see the image of the candle through the sclerotic coat, formed upon the retina. So if you take the eye of an ox, and carefully pare off the back part, so

Images on the retina inverted. Camera Obscura.

as to leave it very thin, a distinct image of any thing placed in front of the eye may be seen at the back part. The image however will be inverted, as represented in Fig. 162. For the

FIG. 162.



sake of clearness two rays only are represented as coming from each of the two ends of the object, *a, c*. These rays cross each other in the middle of the eye, those from *a* being brought to a focus at *b*, and those from *c* at *d*. As all the other rays, coming from other points in the object, are refracted in the same manner, a complete *inverted* picture of it is thus formed. The same thing is seen in the instrument called the *camera obscura*. If light be let into a darkened room through a small aperture in a window shutter, an inverted picture of objects without can be seen on a screen, as represented in Fig. 163.

FIG. 163.



This experiment, which can be performed by any one, illustrates in a rude way the principle of the camera obscura. The real instrument has a tube with a double convex lens, so as to collect together the rays from objects, and concentrate them upon a small space, thereby making a very distinct small image of them. The eye is a very beautiful and perfect instrument of this sort. The space filled by the vitreous humor is the darkened room; the pupil answers to the hole in the window shut-

Cornea. Iris. Its radiated and circular muscular fibres.

ter, or the tube of the more perfectly constructed camera; the crystalline humor is the lens; and the retina is the screen on which the images are formed.

We will now attend to the agency which the different parts have in producing the result, for which the apparatus is constructed, observing the perfect adaptation of each of them to the particular part which it performs in the process.

440. The cornea, as it lets in the light, requires to be transparent, and, as it is very much exposed to injury, it also requires to be very firm and hard. Both of these objects are secured in an admirable manner. Its transparency is secured in this way. It is made of different layers, which are kept moist by a delicate transparent fluid. It is this which in health makes the eye so clear and sparkling. Disease often so lessens it, as to give this window of the eye a dull appearance. The cornea is, as you see by Fig. 159, more convex than the sclerotic coat, so that it may act with some power as a lens in making the rays converge.

441. The iris is a circular curtain with a round opening in its centre, the pupil, which can be varied in size to a considerable degree. On the iris depends what is called the color of the eye, which is various, as blue, nearly black, grey, hazel, &c. The color is owing to the pigment which is in cells on its inner surface. The chief office of the iris is to regulate the quantity of light that enters the eye. When the light is obscure the opening in the iris is widely dilated; but when there is much light it is contracted; and if the light be excessive, it is contracted almost to a point. Its motions, therefore, considering its small extent, have a very wide range. You can realize this if you look at the eye of some one in a dim light, and then suddenly bring a lighted candle very near to it. These motions are effected by a peculiar arrangement of muscular fibres, of which the iris is in part composed. There are two sets of fibres, the circular and radiated, as represented in Fig. 164. When the circular fibres contract, the pupil is contracted; and when, on the other hand, the radiated fibres contract, the pupil is dilated. There must be a very nice adjustment of the fibres, to enable them to dilate the pupil as widely as they sometimes do, without producing any puckering of the surface of the iris. The opening in the iris is always round in man; but in animals whose range of vision requires to extend widely in

FIG. 164.



Crystalline lens. Seat of cataract. Choroid coat. Why dark.

a horizontal direction, (as the herbivorous animals,) it is in the form of an ellipse, with the long diameter horizontal. In animals, on the other hand, that leap up and down in pursuit of their food, as the cat and other carnivorous animals that seek their prey in the same manner, the pupil has the elliptical form, but with the long diameter vertical.

442. The crystalline lens is the chief agent in the eye in concentrating the rays of light by refraction. In Fig. 165 you have a side view of it. Its anterior part, 1, is less convex than its posterior, 2. In Fig. 166 is a magnified view of the lens hardened in spirit and cut open, so as to show the different layers of which it is formed. The layers are more and more hard as you go towards the centre. The object of this arrangement and of the peculiar shape of the lens, is not as yet understood. This lens is the seat of the disease called cataract. In this disease the lens becomes opaque so as to prevent the rays of light from passing to the retina. There are three ways of getting rid of the difficulty. One is to introduce an instrument shaped like a needle into the side of the eyeball, with which the opaque lens is pushed off one side in the vitreous humor, so as to be out of the way of the rays of light. Another is to break up the lens with the needle, so that its fragments may be absorbed. The third method is to make an opening in the cornea, and to extract the lens through it.

443. The choroid coat (*b*, Fig. 159) contains quite a large share of the minute bloodvessels, and nerves of the eye, and serves for a medium by which they pass to other parts of this organ. But it serves another important purpose by means of its dark pigment. It makes a dark chamber of the back part of the eye where the optic nerve is expanded. The object of this is to secure distinctness in the images formed upon the retina. If the choroid coat were of a light color, there would be so much reflection of the rays of light back and forth in all directions in the eye, that the pictures formed upon the retina would be confused. There would be a glare of light, such as we experience in a room where the walls are all of a very light

FIG. 165.



Crystalline Lens.

FIG. 166.



Want of pigment in the choroid of the albino. The retina.

color. There is the same reason for having the chamber of the eye of a dark color, as for having that of the camera obscura so. In the albino there is a deficiency of the pigment of the choroid; and, therefore, in a bright light there is in his case a defect of vision, from the cross reflection to which I have alluded. During the day his vision is very indistinct; and it is only when twilight appears that he can see well, or with comfort. The pigment is also deficient in the iris of the albino; and the bright red or pinky hue of the iris in his case is owing to the blood in the minute bloodvessels, with which this part is so well supplied. Those animals that use their eyes mostly in daylight have the pigment of the choroid of the darkest color; while, on the other hand, those that need to see most clearly at night, as the owl, either have none of this pigment, or have it of a very light color.

444. The retina is a soft greyish delicate membrane, formed chiefly of the expansion of the optic nerve. Here the images are formed, and the minute fibres of nerve in this membrane receive impressions from these images, which are transmitted to the brain by the trunk of the nerve. This nerve has the same relation to light that the nerve of hearing has to sound, the nerve of smell to odors, or the nerve of touch to the qualities of bodies that we feel. And it is curious to observe that the termination of the nerve of sight on the surface of the retina is arranged in *papillæ*, just as the terminations of the nerves of touch are. In Fig. 167 is represented a portion of the retina of a frog magnified three hundred times. The upper rows of papillæ, which are without dots, are seen sideways.


FIG. 167.



445. The superiority of the eye, as an optical instrument, is seen in a striking manner in several particulars, in which difficulties and defects to which all optical instruments are liable are removed. There is, for example, a defect in the operation of lenses in optical instruments, which is termed *spherical aberration*. This can be explained on Fig. 168, which represents a lens, L, L' , with some of the rays as they pass through it. Now the rays R, R'', R''' , are brought to a focus at F ; while the rays R, L and R''', L' come to a focus much nearer, at I . It was found by experiment, that if the central portion of the lens be covered, so that the rays $R', R'' R'''$, cannot pass, a distinct image will be formed on a screen

Spherical and chromatic aberration. How remedied in the eye.

FIG. 168.



put at *I*. And, on the other hand, if the outer portion of the lens be covered, so that the outer rays are intercepted, then the middle rays, *R'* *R''* *R'''* will form an image on a screen at *F*. But if the whole lens be used, no distinct image is formed, wherever you may place the screen. If you place it at *I*, it will receive with the rays that come to a focus there, rays that have their focus at *F*. And so of other points.

446. It is in view of such experiments, that a contrivance has been adopted in the construction of telescopes and microscopes, for the purpose of remedying the difficulty above described. What is called a *diaphragm*, or *stop*, is put in against every lens. It is a perforated partition which permits the light to pass only through the central portion of the lens. The lines *D*, *D'*, in Fig. 168, cutting off all rays in the neighborhood of *R* and *R'''*, show the operation of the *stop*. In the eye the iris acts as the diaphragm or stop to the crystalline lens which is behind it, as you can see by recurring to Fig. 159. Ordinarily, by means of this stop, the rays pass through only the central part of the lens.


447. Another difficulty attending the operation of a common lens is what is termed *chromatic aberration*. Every ray of white light consists of a mixture of rays of seven different colors. Some of these colors are more easily refracted than others, and therefore on passing through a lens will come to a focus sooner. This of course is apt to make some confusion in the color and the distinctness of objects, when seen through a single lens, or through several if they are alike. The difficulty has been remedied, although Sir Isaac Newton thought that it never would be. And it is said that the hint of the remedy was taken from the arrangement of the eye. At any rate, the defect is avoided

Adjustment of the eye to objects at different distances.

by having lenses made of different materials, just as is the case in the eye. Thus if two lenses be used, one of which is made of flint and the other of common glass, the difficulty disappears. In the eye it is perfectly avoided by the passage of the rays through so many different materials, before it reaches the retina. The *stop* has been found a partial remedy in the case of optical instruments; and the iris, the stop of the eye, of course acts in the same way. But the full remedy was not found, till another step was taken in imitation of the eye, the most perfect of all optical instruments.

448. There is another arrangement in the eye, which the optician can imitate only in a comparatively bungling manner. It is that by which the eye adapts itself to different distances in looking at objects. If we look through a telescope at a near object, and then turn it towards one at a distance, we cannot see it distinctly until we adjust the lenses to suit the distance. But in the eye how quickly the adjustment is made! It is done ordinarily, without any effort on our part of which we are conscious. It is done so easily that we do not think of the change. We look at an object at a few inches distance, and in an instant turn the eye and see an object afar off with almost equal distinctness. There has been much discussion in regard to the means by which this adjustment is effected. One of the means undoubtedly is, a change in the relative position of the crystalline lens, which is effected by the muscular fibres spoken of in § 438. These fibres when they contract, draw the lens towards the front of the eye, and away from the retina. This is done whenever we look at a near object. If it were not, the rays which come from the object, as they diverge considerably, would not be brought to a focus when they reach the retina. The iris also has some agency in adjusting the eye for seeing at different distances. When the eye is turned to a near object the pupil always contracts, thereby shutting out those rays coming from it which are the most divergent.

FIG. 169.




Difficulty in the near-sighted and the far-sighted.

449. In some cases this power of adjustment is counteracted by defect in the arrangement of the eye. Thus, in the *near-sighted*, either the cornea or the crystalline lens, or both, are too convex; or, the crystalline lens is too far from the retina. The result is, that the rays of light coming from a distant object come to a focus before they reach the retina, as represented in Fig. 169. All objects, therefore, are seen indistinctly except those which are brought near to the eye. This defect is remedied by the use of a concave lens, which counteracts the effect of the too highly refractive power of the eye by making the rays divergent, instead of parallel, before entering the eye. By an habitual adjustment of the eye for seeing near objects, near-sightedness may be produced. Hence it is that engravers, watch-makers, students, &c., are so liable to become near sighted.

450. In the far sighted the difficulty is of an opposite character. The refractive power of the eye is too feeble. This is owing either to too little convexity of the cornea, or of the crystalline lens, or of both; or, to too great nearness of the crystalline lens to the retina. In this case the rays coming from a near object do not come to a focus soon enough. The focus of the rays coming from any point of the object is behind the retina, as seen in Fig. 170, in which the rays from two

FIG. 170.



points are represented as prolonged till they meet at their focus behind the retina. This defect is palliated by the use of convex glasses. It is quite common in persons who have passed middle age; while near-sightedness appears mostly in younger persons, the full compliment of the humors of the eye in their case making the front part of the organ prominent.


451. There has been much discussion of the question why we see every thing in its real position, while the images of objects are, as you have seen in § 439, reversed on the retina. It has been supposed by some that we really see every thing reversed, and that our experience with the sense of touch, in connection with that of vision, sets us right in this particular.

Why we see things erect, though their images on the retina are reversed.

And this, it is supposed, is the more readily done from the fact, that our own limbs and bodies are reversed as pictured on the retina, as well as objects that are around us, so that every thing is *relatively* right in position. But if this be the true explanation, those who have their sight restored, after having been blind from birth, should at first see every thing wrong side up, and should be conscious of rectifying the error by looking at their own limbs and bodies. But this is not so. In the case related by the anatomist Cheselden, of the boy who was blind from birth, and who at about the age of thirteen had his sight restored by an operation, there was no complaint that he did not see things erect at the first. If this difficulty had existed, he would have complained of it quite as readily as he did of the difficulty in estimating the size and the distance of objects. The above explanation of erect vision, and other explanations of a similar character, are based upon a wrong idea of the office which the nerve performs in the process of vision. It is not the image formed upon the retina which is transmitted to the brain, but an impression produced by that image. The mind does not look in upon the eye and see the image, but it receives an impression from it through the nerve; and this impression is so managed that the mind gets the right idea of the relative position of objects. Of the way in which this is done we know as little as we know of the nature of the impression itself.

452. It is an interesting and wonderful fact, that as we look at an object with both eyes, although there are two images formed, and therefore two impressions are carried to the brain by the two nerves, yet a single impression is produced in the

FIG. 17L



Correspondence of action between the two eyes.

mind. To produce this single effect at the end of the process of seeing, it is manifest that there must be a very exact correspondence in the two eyes as optical instruments. The two images must be similar, and must be formed on corresponding parts of the retina in both eyes. Thus, if there be a range of objects, as at A, B, C, in Fig. 171, the impression will be a single one in the mind, because the picture of these objects is on the same part of the retina in both eyes, a, b, c , and a', b', c' . But if you press with your finger one of the eyes a little out of its place, all these objects will appear double, because their images occupy different parts of the retina in the two eyes.

453. It is essential, therefore, that the muscles which move the eyes, as we direct them towards different objects, should harmonize in their action. They must move together with great exactness, or there will be disarrangement of vision. If the want of correspondence be slight, the vision will be merely confused. But if it be considerable, so that the images are formed on quite different parts of the retina, in the two eyes, every object will be distinctly double. You can verify this, by pressing one of your eyes with the finger with different degrees of force, while you look at the objects. The intoxicated man often sees indistinctly, and sometimes even double, from this want of correspondence in the action of the muscles moving the eyes. This is one of the causes of double vision, as we see it occurring in disease. I will cite a case which has recently come under my care, in illustration. The patient could see as usual, so long as he looked directly in front, or towards the left. But when he turned his eyes to look towards the right, he saw every thing double, and the farther he looked in that direction, the farther apart were the two images of every object. The reason was obvious. In looking to the right, the left eye turns towards the nose, while the right eye turns from it outward. The failure in this case was in the action of the muscle that turns the right eye from the nose. The consequence was, that as he attempted to turn his eyes to look to the right, the right eye did not correspond in its motion with the left, but remained nearly stationary, presenting therefore a squinting appearance. In common squinting, there is a permanent contraction of one of these straight muscles, similar to that which we see in wry-neck, as stated in § 308. When this difficulty exists, the images of objects are formed in two different parts of the retina in the two eyes, as in the case which I have just related. We should therefore expect that there

The two images of an object in the two eyes not always exactly alike.

would be double vision, but ordinarily there is not. Why is this? It is because the mind acquires the habit of attending to the impression that comes from one eye alone, the sound on. If the squinting occur suddenly there is double vision at first because it takes a little time for the mind to acquire the habit referred to. But it generally comes on gradually, and therefore there is no difficulty in the acquisition of this habit, to meet the exigency of the case.


454. While it is necessary to single vision when both eyes are used, that the image of the object should occupy corresponding portions of the retina in the two eyes, it is not true that these two images are in all cases exactly alike. They are so when the object presents a plane surface, or one, every line of which can be seen equally well by both eyes. But if the object be such that some lines or surfaces of it are seen by one eye alone, while other lines and surfaces of it are seen only by the other eye, two different images are obviously formed in the two eyes. You can verify this by a simple experiment. If you hold a book before your eyes, with its back in a vertical direction, you see the back of the book and its sides at once, as a single object. If now, still holding the book in the same position, you shut one eye, you see but one side of the cover of the book—that one which is on the same side with the open eye. And so with the other eye. The plain inference is, that when you look at the book with both eyes, the image formed in the right eye is composed of the back of the book and the cover of the right side, while the image in the left eye is composed of the back of the book and the cover of the left side. From these two distinct images, of course, two distinct impressions are sent to the brain; and yet but a single impression is recognized there by the mind, for the book is seen as a single object. This single impression must, therefore, result in some way from a mingling of the two impressions transmitted along the two optic nerves. Were it not for this mingling of the two impressions, we should see double, that is, see two things, whenever we look at any solid projecting object, and should see single only when we look at plane surfaces. Indeed, one who has but one eye can not acquire from sight alone any idea of solidity. Every thing would appear to him to be on a plane surface, till he finds it to be otherwise by the use of the sense of touch, in connection with that of sight.

455. The statements in the last paragraph are beautifully illustrated by the instrument contrived by Professor Wheatstone,

Explanation of the stereoscope.

which he calls the stereoscope. In using this instrument, you look at two pictures of the same object with the two eyes, and yet you see but one thing—that is, but one impression is produced in the mind, although two different pictures are made in the two eyes, and of course two different impressions are conveyed to the brain. Suppose the object represented is a book, as described in the experiment alluded to, in § 454. In the right half of the instrument is a representation of the book, as seen by the right eye, and in the left half is a representation of it as seen by the left eye. As you look at them you see but one book, just as you do in holding the book before your eyes. The two different images formed in the two eyes are the same in the two experiments. The same thing is done with other objects. Thus, the two representations of a dog, seen in Fig. 172, are seen in the instrument as a single dog. You observe

FIG. 172.




that they are shaded differently. They are representations of the two pictures, which a dog in this position would make on the retina in both of the eyes of a person looking at him. When you look at them in the instrument, the single dog that you see stands out more than either of the two representations, as seen when they are not in the instrument. The reason is obvious. In the two images formed in the eyes, as you look into the instrument, are all the lines of light and shade, which

Rude imitation of the stereoscope.

you would see in looking at a real dog with both eyes; while either one of these representations contains only a part of these lines. You can imitate in some good degree the effect of the stereoscope, by placing the end of a small book between these figures, and letting the other end rest against the nose and forehead, thus separating the eyes from each other. If now you look intently at the two figures, you will in a few moments find them approximate each other, till at length they mingle together, and you will see but a single dog standing out like a statue. The same thing can be shown by mathematical figures. Thus, if two figures *a a*, represented in Fig. 173, be placed in

FIG. 173.



the two apartments of the instrument, on looking into it you will see a single figure, shaped like *b*. You can imitate the stereoscope here also, by placing the end of a book in such a way as to cover the middle figure, the other end being between the eyes. The two figures will run together, and the union will represent the figure of a truncated, four-sided figure, standing out in bold relief. But such experiments afford only a rude imitation of the stereoscope, for in this instrument the separation between the eyes is entire, so that the effect is produced at once. There is no running together of the two figures, but the moment that you look into the instrument they are blended in one.

456. The harmony which we have seen to exist in the action of the eyes is very wonderful. It must be remembered that the eyes are optical instruments, endowed with self-adjusting powers, to accommodate the different distances of objects, and the varying degrees of light. And thus must both be just alike in all these diversified adjustments, that the images in both may correspond. And besides all this adjusting machinery inside of the eyes, so delicate and so correspondent in its action in both, there is muscular machinery outside, to move the eye-

Correspondence not only between the two eyes, but also between their nerves.

balls in all directions; and in these movements also, as you have seen, there is an exact correspondence. All these motions for adjusting this complicated machinery within and around the eyes, are regulated by the nerves. How astonishing the accuracy with which they do this! How exact are the different impressions transmitted through them, in producing the various degrees, and multiplied combinations of action, in the little muscles of these organs!

457. There is correspondence not only in the machinery of the eyes, as optical instruments, but also in that portion of the process of seeing which is not mechanical. The nerves of vision must be exactly correspondent in the two eyes, that similar impressions may go from the retina to the brain in both. And the correspondence is in this case the more wonderful from the fact, that the impressions transmitted are, as you have seen, not always precisely alike. How the harmony is preserved in connection with this variation is a great mystery. We can readily conceive how a single impression can result in the mind, from two impressions transmitted to the brain from two images which are exactly alike. But we cannot conceive how confusion can be avoided when the images and the consequent impressions are in some measure different. In this connection I will notice a peculiarity in the arrangement of the optic nerves. They are not entirely separate as they go from the eyes to the brain. At one point in their course they unite together, and then separate again. In doing so, some fibres from both the nerves communicate together, and some cross each other, so that a portion of each nerve passes over to the other before they go to the brain. Undoubtedly this arrangement has some reference to the harmony of action of the two nerves, but we know nothing of the way in which it exercises its agency in this respect.

458. The power of perceiving the size, distance, and figure of objects, is wholly an acquired power. The case already referred to, in which Cheselden restored the sight by an operation, shows this to be true. "When he first saw," says Cheselden of his patient, "he was so far from making any judgment about distances, that he thought that all objects whatever touched his eyes (as he expressed it,) as what he felt did his skin, and thought no objects so agreeable as those which were smooth and regular, though he could form no judgment of their shape, or guess what it was in any object that was pleasing to him. He knew not the shape of any thing, nor any one thing from


Power of perceiving the size, distance, and figure of objects acquired.

another, however different in shape or magnitude; but upon being told what things were, whose form he before knew from feeling, he would carefully observe, that he might know them again; but having too many objects to learn at once, he forgot many of them; and (as he said), at first he learned to know, and again forgot a thousand things in a day. At first he could bear but very little light, and the things he saw he thought extremely large; but upon seeing things larger, those first seen he conceived less, never being able to imagine any lines beyond the bounds that he saw; the room he was in, he said, he knew to be but part of the house, yet he could not conceive that the whole house could look bigger." Every infant, if it could express its ideas, could give us a narrative of a similar experience, in its first lessons in seeing. It is obvious that seeing is a process which we learn to do, as really as we learn to talk or walk. The confused vision of the infant bears the same relation to the accurate vision of the adult, that its uncouth noises and awkward motions bear to the adult's harmonious utterances and graceful movements. In order to acquire definite and correct ideas of objects, we are obliged to learn how to use those optical instruments, the eyes. The infant manifestly does not know how to use them to any great advantage. He does not at first know how to use the muscles that direct the eyes towards any object, and there is, therefore, an obvious awkwardness in their movements. As he reaches out his hands towards objects, it is plain that he does not appreciate their distances. He reaches out for the moon, or any other distant object, just as he does for the toy that is held before him. It is by a continued comparison of experiences that he learns the sizes, shapes, and distances of objects. And in doing this, the sense of touch acts as the educator of the vision, very much, as the ear educates the voice. And even the adult, with all the training which he has bestowed upon his eyes, often makes mistakes, especially in relation to magnitude and distance. There are various degrees of skill in seeing; and he is the most skillful seer who makes the fewest of the mistakes referred to.

459. Let us look now at the means by which we gain the experience that is necessary to correct vision. One means is the appreciation of the space occupied by objects in the field of vision. This is measured by what is termed the *visual angle*—that is, the angle which is formed by two lines coming from the extremities of an object, and meeting in the eye, as represented in Fig. 174. In this way we get the idea of mag

Visual angle. Distance of objects estimated by their distinctness.

FIG. 174.



nitude. But it is manifest that it cannot alone give us this idea correctly. It would do so, if all objects were at an equal distance from the eye. But you can see by the figure, that if they are at different distances, you must know something of those distances, to estimate the magnitude of the objects by the visual angle, which they subtend. The arrow at A, B will appear just as large as the larger one at A', B' , because it will occupy the same space a, b on the retina, and subtend the same angle. But if you know that the one is nearer to you than the other, you make allowance for this in the estimation of the size. Your hand, held up to keep the rays of the sun from your eyes, would look to you as large as the sun itself, if you did not know how near it is to you; and the sun and moon appear to us to have about the same magnitude, because we do not keep in mind the fact that the sun is ninety-six millions of miles from us, while the moon is only two hundred and forty thousand.

460. Another means which we use in getting a correct idea of objects by vision, is the degree of distinctness in their lines, and shadows, and colors. The fact is learned very early by the child, that the nearer objects are, the greater is their distinctness; and he makes use of this fact continually in estimating both their distance and their magnitude. He estimates the latter less directly than he does the former by this means. He makes use of his notion of the distance of an object, gained by its degree of distinctness, in forming an idea of its magnitude. Many mistakes are made in the use of this means of judging of objects. Thus, a very bright light will often appear to be nearer than one that is less bright. When the atmosphere is very clear, mountains and other objects appear nearer to us than they do when the atmosphere is thick and hazy.

461. Another means of making a correct estimate of the distance and magnitude of objects is, comparison with other

Size of objects estimated by comparison. Muscular sense in the eye.

objects which are familiar to us. Thus, we get our ideas of the size of animals from objects in their neighborhood. The artist makes use of this means of communicating ideas of size in pictures and engravings. Figures of men are placed near large buildings for this purpose. A notion of the great size of the elephant is given by placing his keeper at his side. I need not multiply instances of this sort. We are not ordinarily aware how dependent we are upon such comparisons, in estimating the magnitude of objects. An occasional mistake reminds us of it however. For example, I once turned my eye suddenly from a giddy height, upon some huts below at a river's side; they appeared to me to be dog kennels, till a man issued from the door of one of them, and thus dispelled the illusion, by affording me a means of comparison. So complete was the illusion, and so sudden was the dissipation of it, that it seemed as if there was an instantaneous swelling of dog kennels into huts. Every one must have noticed how large the full moon appears as he sees it rising, while the higher it rises the smaller it becomes to the eye, although it is really at no greater distance than it was when it first rose. The reason is, that when it first rises you see it in a range with other objects, with which you instinctively compare it. And, therefore, it appears larger when you see it rising in the direction of some distinct object, as a large building, or a high hill, than it does when you see it rising over a level plain.

462. Another means of judging of the magnitude and distance of objects is, the *muscular sense* (§ 323) exercised in adjusting the eyes in seeing them. Thus, consciousness of the amount of muscular action, in passing the eye up and down a tall object, helps to give us an idea of its height. So too, in looking at near objects, consciousness of the amount of effort, in turning the two eyes towards the point looked at, helps us to estimate the distance of the object. Commonly we do not distinctly think of this effort, because it is so easily made; but, if after looking at an object held at some distance from the eyes, we suddenly bring it very near, the effort to make the axes* of the eyes converge enough to see it distinctly is very manifest, producing a straining effect, which, if it be repeated many times successively, wearies the eyes. You can discover how very dependent you are upon this sense of the convergence of the

* The axis (plural axes) of the eye is a line drawn through the centre of the cornea and pupil backward through the eye to the central point of the retina. In Fig. 171 the axes are B b, and B' b'.

Seeing is in part a mental process. Really complicated and difficult.

eyes, in accurately estimating comparative distances in near objects, by attempting to thread a needle, or nib a pen, or snuff a candle with one eye shut. The change in the convergence of the eyes, on looking at objects at different distances, is very manifest to us when we observe the eyes of others. We perceive thus not only the direction, but the distance of the objects at which they are looking. We do this so continually from our infancy, that we very early acquire great accuracy in judging, at what distance the point is towards which the eyes are turned, or in which, in other words, the axes of the eyes meet.

463. From the facts presented in the few last paragraphs, it is obvious that what we include in the word seeing is, to a great extent, a mental process. That is, there are certain mental efforts which are absolutely essential to correctness in vision. Without these mental efforts or processes, we could not see things as they are, as it is expressed very properly, but we should see them as the boy operated upon by Cheselden did, when he first began to see. Seeing is commonly supposed to be a very simple process. The idea is, that one has merely to open his eyes, and he sees. But, as you have seen, the whole process is both a complicated and a difficult one; and in order to be able to do it, the eyes have to go through a course of training in the case of every infant, just as was the case with the boy whose sight Cheselden restored. We should be conscious of this, if we could recollect the experiences of infancy. But not being able to do this, it is only when we make some extraordinary effort in vision, that we are at all sensible that there is any acquired skill in the process. After the training which the eyes have in infancy, ordinary seeing is done with so much facility, that we are not conscious of any effort either bodily or mental. This appears very wonderful, when we consider that the eyes are two optical instruments, which need, as you have seen, a most careful and nice change of adjustment continually, to see in different directions, and at different distances, and that there is also considerable and complex mental effort in getting the right impressions from the objects which are pictured upon the retina.

464. But there is another view in which the mental part of the process of vision appears strikingly prominent. When it is said that images of objects are formed upon the retina, and that impressions are transmitted from them to the brain, this is far from stating all that is true on that point. Many of the images pictured upon the retina do not transmit impressions to

All images on the retina do not produce impressions in the mind.

the mind. The sensation of seeing is, therefore, in relation to them incomplete—the beginning only of the process is effected. This you have seen to be true in the case of strabismus or squinting. The faulty eye in this case is not used—the mind takes no cognizance of the images formed in it (§ 453). But it is true of ordinary vision also, that the mind takes no cognizance of many of the images formed on the retina. This can be verified by a simple experiment. If you hold a finger near the eyes (at some ten or twelve inches from them), and a finger of the other hand at a greater distance, but in the same direction, and then look at the near finger, you will perceive that the other finger appears double. So, on the other hand, if you look at the distant finger, the near one appears double. The reason of this can be made clear to you by Fig. 175. The two eyes, L and R, being directed so that their axes converge on the object A, the middle points of the two images correspond with the middle points of the retina in the two eyes, a and a' . The images thus corresponding in their place on the retina, the impressions carried from them by the two optic nerves to the brain correspond also, and so the vision is single. But the image of the object B is formed in the two eyes, in parts of the retina that do not correspond, b and b' . They are both on the *inside* of the middle points, a and a' , that is towards the nose; whereas the outward part of the retina in one eye corresponds with the inward part in the other eye, and vice versa. This you will see to be

true by recurring to Fig. 171, in which is shown the way in which a row of objects is pictured on the retina in the two eyes. There you see that the image of the object A, for example, is in the left eye, L, on the *inner* side of the middle point, b of the retina; while in the right eye, R, it is at the *outer* side of the middle point, b' . In the case of the object B, then, in Fig. 175, it is clear to you that the images of it in the two eyes are

FIG. 175.



Some of the images on the retina are not attended by the mind.

formed in parts of the retina that do not correspond, and therefore it appears double.

465. The application of all this to the point in hand you can readily see. As the images of all objects in the field of vision of the two eyes are pictured on the retina, it is plain, according to the facts developed above, that whenever the eyes are directed together to any one object, other objects in the same direction, but at a different distance, must make images on the retina in the two eyes that do not correspond. We are therefore continually seeing double, so far as that part of the process of seeing, which consists in the formation of the images, is concerned. But we are not ordinarily conscious of seeing double. How is this? How is the difficulty (for it is a real difficulty in the eyes, as a pair of optical instruments, arising from the non-corresponding images) remedied? It is done obviously in the other part of the process of seeing, the mental part. The mind regulates vision by the varying degrees of attention it bestows on objects. Ordinarily it does not attend to non-corresponding impressions that come from the non-corresponding images, but it attends only to those which are correspondent. As in squinting, it disregards, as you have seen, the impressions that come from the faulty eye, so in ordinary vision it disregards many of the impressions that come from both of the eyes. By an effort of the will it can attend to the impressions which it ordinarily disregards. When this effort is not made, it disregards them, as we may say, instinctively. To make this obvious, I will recur to the experiment with the two fingers, held at different distances. When you first attempt the experiment, you do not for the moment perceive that you see one finger double, because you change the direction of your eyes from one finger to the other, so easily and so unconsciously, that you seem to see them both singly at once. But by a little mental effort you fix your eyes on one, at the same time attending to the images and consequent impressions produced by the other, and then the experiment succeeds. From all this it is obvious that the reason that you do not see very near objects double, when looking beyond them to distant ones, or see distant ones double when looking at near ones in the same direction, is simply that the mind ordinarily attends only to those images and impressions which are correspondent, while it with an habitual instinct disregards those which are not so.

466. In connection with this subject of the influence of mental attention on vision, it is proper to notice the fact, that vision is most


distinct at the central part of the retina—that part where the axis of the eye strikes, as seen in Fig. 171, *b*, *b'*. This is commonly called the *point of distinct vision*. The mental attention makes use of this point continually. Thus, if we are looking intently at a minute object, the eyes are so directed, that their converging axes meet on the object. So when we are reading, although the whole page may be pictured on the retina of each eye, only the letter on which the axes of the eyes meet is seen with perfect distinctness. And the point of union of the axes moves from one letter to another along the lines, so that each letter is successively pictured on the central part of the retina. The process is so rapid that we are not conscious of it, until we take pains to observe what the process is. So, in looking at a prospect, the eyes at each moment see some one point more distinctly than any other part of all that fills the field of vision. We are unconscious of this, just as in the case of reading, because the axes of the eyes are so continually moved by a slight but exceedingly quick motion from one point to another. We in this way take into the central part of the retina so many points with such rapidity, that, by a mingling of the impressions upon the mind, we seem to see the whole prospect at the same moment, with nearly equal distinctness. The successive impressions from the images on the retina, occupy so little time, that they appear to be simultaneous, unless we watch the process.

467. But although some one letter on a page, or some one point in a prospect, is at each moment seen with much more distinctness than what is all about it, yet there is some vision of the page and of the prospect as a whole, of course being less distinct the farther it is from the central point. It is pictured as a whole on the retina, and the impression from it as a whole goes by the nerve to the brain. The picture is a very minute one, as it occupies a small space, and yet it is very distinct in all its lines, and shades, and colorings. On this point Dr. Paley remarks that “in considering vision as achieved by the means of an image formed at the bottom of the eye, we can never reflect without wonder upon the smallness, yet correctness of the picture, the subtlety of the touch, the fineness of the lines. A landscape of five or six square leagues is brought into a space of half an inch diameter; yet the multitude of objects which it contains are all preserved; are all discriminated in their magnitudes, positions, figures, colors. The prospect from Hampstead Hill is compressed into the compass of a sixpence, yet is circumstantially represented.”

468. We form a judgment of the motion of bodies, in part by the movement of the images of them upon the retina. The perception of this movement must be exceedingly delicate, for even when a body passes over a considerable space, its image moves over a very small space on the retina. "A stage-coach," says Dr. Paley, "traveling at its ordinary speed for half an hour, passes in the eye only over one-twelfth of an inch, yet is this change of place in the image distinctly perceived throughout the whole progress; for it is only by means of that perception that the motion of the coach itself is made sensible to the eye. If any thing can abate our admiration of the smallness of this visual tablet, compared with the extent of vision, it is the reflection which the view of nature leads us every hour to make, viz: that in the hands of the Creator, great and little are nothing."

469. Many of our impressions in regard to motion, as we look at objects, are erroneous. When we are moving ourselves, for example, stationary objects appear to move. As we ride rapidly, the objects that we see seem to fly by us. This is especially the case, if the motion to which we are subjected be an even one, as when we ride in a rail-road car. And if we look at distant and near objects at the same time, while the near objects seem to fly back, the distant seem to go along with us. This is owing to their relative change of position, as can be made clear by Fig. 176. Suppose that when at *a* you see

FIG. 176.



two objects, *c* and *d*, in the same direction. If you pass rapidly to *b*, the object *c* appears to have moved backward in relation to the object, *d*, while the object, *d*, appears to have moved forward in relation to *c*; and the line, *d, c*, represents the relative change of positions in the images of the two objects upon the retina.

470. As every object that we see is daguerreotyped, as we may say, upon the retina, the rapidity with which these pictures change, and the distinctness with which the nerves transmit impressions from them to the brain, are very wonderful. The time required for each transmission is very small—only the fraction of a second. The length of time has been estimated by experiment. Thus, if it is found that a burning coal, whirling around at the rate of six times in a second, produces a continuous circle of light, but that the circle is broken when it whirls round only five times in a second, we know that the length of time required for a distinct and separate impression is the one-fifth of a second. The same experiment can be tried with a wheel. In this case we observe what is the largest number of revolutions in a second, that can be made without blending the visual impressions of the spokes into one continuous impression. By such experiments, it has been found that the time required for a distinct visual impression varies in different individuals, and in the same individual at different times, from one-fourth to one-tenth of a second. This difference in the rapidity of succession of the impressions is of course not owing to any difference in the rapidity of the formation of the images; for they are formed by the light, and light always moves with the same velocity. It must be owing manifestly to a difference of facility on the part of the *mind*, in receiving impressions from the images. In other words, the mental activity in the use of the optical instruments, the eyes, differs in different individuals, and in the same individual at different times. If one sees more quickly than another, it is a mental quickness. It is a difference analogous to that which we see in relation to the use of other instruments of the mind, the muscles for example. Some use these instruments much more readily and rapidly than others. We see this in the motions of the eyes themselves, and the eyelids also. Some wink more quickly than others, and there was wisdom in the decision of the blacksmith who dismissed a workman, because he did not wink quick enough, and was therefore always getting sparks in his eyes.

Thaumatrope. Defenses of the eye. Bones. Cushion of fat.

471. The blending of impressions in vision, produced by rapid motion, has been made use of in the contrivance of an amusing optical toy, called the Thaumatrope. In making this, you cut a circular card, and make two different figures on its two sides. If you attach two silken strings to opposite points in its diameter, and then twist the strings, so that when the card is left to go free, it will revolve with considerable rapidity, the two figures will be mingled together as seen by the eye. In Figs. 177 and 178, are represented the two sides of a card,

FIG. 177.



FIG. 178.



prepared in this way. In this case, the figures as they mingle together appear to the eye as a cross. If a bird be drawn on one side of the card, and a cage on the other, the mingling of the two figures, as the card revolves, will show you the bird in the cage.

There are many other points in regard to the phenomena of vision, which it would be interesting to notice. But it would make this chapter too long.

472. The means by which so delicate an organ as the eye is protected from injury, are worthy of notice. Observe first its situation. Parapets of bone surround it, and receive the force of most of the blows that come upon that part of the face. Above is the strong arch of bone, forming the lower part of the forehead. Then there are the cheek bones, and the bones of the nose. Thus, walled in, in all directions by these prominences, the eye is seldom hurt, except by a direct thrust. And besides being thus protected by surrounding bones, it reposes upon a soft cushion of fat, which yields, if the eye be pushed backward by violence. Indeed it is thus pushed backward effectually by the muscle that closes the eyelids, whenever an impending blow is seen, and it is thus sunk farther back in its cushioned recess, amid the projecting parapets, and of course receives less of the force of the blow than it otherwise would. This muscle, also, by its instantaneous action, prevents many

Eye defended by the eyebrows, eyelashes, and lids. The tears wash it.

light articles from flying into the eye. Such articles are also often prevented from entering the eye, by being intercepted by the eyelashes. The *eyebrow*, beside being an ornament, protects the eye from harm, by preventing the salt perspiration from running down into the eye, and irritating it. It acts as a thatched roof, projecting from the arch over the eye, and letting the perspiration from the forehead evaporate from it, when it is small in amount, or drop from it down upon the cheek, when it is abundant. The *eyelashes* also serve to keep the perspiration of the eyelids from entering the eye. The structure of the *eyelids* is such, that the freest motion is allowed, while they afford by their firmness considerable protection to the organ. They derive their firmness from a fibrous cartilage, which makes the body of each lid. You can readily see that this cartilage, making an even pressure on the surface of the eye, must often prove an effectual defense against direct thrusts. If the weapon hit this cartilage, it acts as a firm shield, to ward off the blow from the eye behind it. And even that part of the lid which is intended by its laxness to allow free motion to the lid, the skin, is often an effectual defense. If an impending blow be seen, and the eye be instantaneously and forcibly shut, the wrinkled skin forms a soft cushion over the eye, and thus not only covers it up, but serves materially to deaden the force of the blow.

473. The tear apparatus affords the eye material protection. The bland tears keep the organ properly lubricated, so that its constant motions occasion no irritation. And if any thing gets into the eye, the tears are manufactured abundantly, for the purpose of washing out the intruding substance, which is generally effected. Fishes have no need of a tear apparatus, as their eyes are washed constantly by the water in which they live. In Fig. 179 is represented the tear-apparatus. The tears are

FIG. 179.



TEAR APPARATUS.

secreted by a small gland, called the *lachrymal gland*, situated at *a*, in the orbit under the arch of the forehead, and near the outer angle of the eye. At *b* are the ducts which empty the tears in upon the surface of the eye on the inside of the upper lid. By the constant motions of the organ the tears are diffused over its whole surface, and thus continually wash the eye. The arrangement for carrying off the fluid is this. It flows through a tube, *d, e*, into the nose. This tube has at its beginning in the eye two branches, *c, c*, which open on the edges of the two lids at the inner corner of the eye. These open mouths, that drink up the tears as they flow to them, you can very readily see. The drain of the eye, which thus conveys the lachryma. fluid to the nose, is ordinarily capable of taking care of all the tears that the gland makes. But when an uncommon amount is made, as in weeping, it cannot receive all the tears, and they therefore overflow their banks, the edges of the eyelids. And sometimes there is a constant overflow from obstruction of the drain by disease. The continual weeping of the eye, when this obstruction exists, will give you some idea of the amount of fluid which the lachrymal glands make.

474. Along on the edge of each eyelid are some very small glands which secrete an oily substance. This serves two purposes. It oils the eyelashes. It also prevents the tears, when they are only in ordinary quantity, from being diffused over the edges of the eyelids in the constant motions of the eye. This exceedingly small quantity of oily substance suffices to keep the tears in the eye where they are needed. There is also a curious provision for directing the tears to the mouths of the ducts when the lids are closed. When brought together their edges unite in such a manner as to form with the surface of the eye a triangular channel for the tears to run in. This is made clear by the diagram in Fig. 180, in which the line *b* represents the surface of the eye, and *a* the edges of the lids, showing a section of the canal between them.

FIG. 180.



475. I had intended to notice some of the peculiarities of the eyes of different classes of animals, but this chapter is already so long that I will notice but one—the *nictitating membrane* in the eyes of birds. When not in use it is gathered up in the inner corner of the eye. When it is stretched over the organ it is a thin translu-

Nictitating membrane in the eyes of birds.

cent membrane. It is very elastic, so that as soon as the muscles that sweep it so quickly over the eye are relaxed, it flies back at once to the corner where it is so snugly folded. In Fig. 181 it is represented as half way over the front of the eye. In Fig. 182 are seen the curiously arranged muscles that move it. One of the muscles, *g*, arises from the ball of the eye at its upper part, and running back forms by the trunk of the optic nerve a tendon with a loop, through which the tendon of the other muscle, *p*, works. This muscle arises from the lower part of the ball of the eye, opposite to the origin of the first muscle. Its tendon, *t*, is fastened into the edge of the nictitating membrane. It acts through the loop as a pulley, and you can see that the muscle, *g*, assists it materially in effecting the very quick motions of the membrane.

FIG. 181.



FIG. 182.



CHAPTER XVII.

CONNECTION OF THE MIND AND THE BODY.

476. In the Chapter on the Nervous System I gave you a general view of its functions and its arrangements. You saw that it is to the mind the grand means of communication with the world of material and immaterial things around it. In the Chapters on the Senses and the Organs of Locomotion, we have considered the modes in which this communication is maintained, through organs subordinate to the nervous system. And you have seen that through the senses all knowledge of external things is communicated to the mind, where it is used as the material of thought and reflection and feeling; while, on the other hand, through the muscles the mind produces all its impressions upon the things and beings on which it acts. You

The brain the organ of the mind. Facts which prove this.

are now therefore prepared to look more thoroughly into the connection which the nervous system establishes between the mind and the body, and to observe some of the higher and more intricate phenomena which result from it. It is to views upon these points that I shall devote this and the following chapter.

477. The brain is the organ of the mind. In this life there can be no mental manifestations except through the agency of this organ. The mind and the brain always act together as one thing. This is manifest in regard to motion and sensation. It is equally true of thought. The mind can think and excite motion in the muscles only through the brain. The proofs of this are various and abundant. If a man by a blow upon his head have a portion of the skull driven in upon the brain, so as to press upon it considerably, all sensation and power of motion are suspended. His mental connection with the world around him is completely cut off. And not only so, but all mental action is arrested. The mind, thus shut in from the world around by the suspension of sensation, does not go on to act independently of the compressed brain. The man does not think; for if thinking did occur in such cases, there would occasionally be, as after dreaming, some recollection of what passed through the mind, after the pressure is taken off from the brain by the trephine and elevator of the surgeon. He lives, because the involuntary muscles, connected by their nerves with the top of the spinal marrow, (§ 229,) which is uninjured, carry on the breathing and the circulation. But though he lives, he is not now a moving, or a sentient, or a thinking being. His mind is as dormant as life is in a state of hibernation.

478. The same state of things occurs in apoplexy, and in the senseless state which accompanies most convulsions. And it may be remarked, that the degree of the suspension of the mental functions depends upon the degree of effect produced upon the brain. If, for example, in the case of injury, the pressure of the bone driven in upon the brain be not very great, the suspension will be partial; but if the pressure be considerable the suspension will be complete.

479. The dependence of the mind upon the brain is manifested in a great variety of diseases. The delirium of fever and of inflammation of the brain, and insanity resulting from chronic disease in this organ, show this absolute and inseparable connection of the mind with the material organization in our present state of being. We sometimes see the mind gradually blotted out by the progress of disease in the brain, so that a man of

Insanity a disease of the organization. Situation of the brain.

even high mental powers becomes a drivelling idiot. So, too, a bad formation of the brain, or early disease of this organ often prevents mental development. Insanity is always the result of disease in the organization. This is so even when it is produced by moral causes acting directly upon the mind. The insanity in such a case is an *indirect* effect—the organization affected by the mind is thrown into a diseased state and reacts upon the mind, influencing its manifestations. “If the mind thus acted upon were a spirit, separated from the body, the result would be merely the feelings, which the motives applied would *naturally* produce, and not the unnatural feelings of insanity. It is not strictly proper then to speak of a ‘mind diseased.’ Let me not be understood to mean that mental derangement in every case is to be attributed to disease that leaves such palpable traces, that the dissecting knife would reveal it if death were to take place. There are diseased operations of the body, that are hidden from our view—so hidden, that they not only leave no traces, but often develop no characteristic bodily symptoms.”* I shall recur to this subject of the dependence of the mind upon the brain in another part of this chapter, and shall endeavor to point out definitely what are the teachings of physiology, of our consciousness, and of revelation respectively in regard to it.

480. Observe for a moment the situation and the immediate connections of the brain, the organ of the mind. Its situation in the human structure is appropriately a commanding one. It is fitly placed at the summit of the structure, inclosed by that noble dome which I described to you in the Chapter on the Bones. And then observe that in its immediate neighborhood are the organs of four of the senses, sending their messages continually to the mind. Especially you notice that under the jutting arches of the front of the dome are the ever-moving eyes, looking out from their elevated place of observation; and at the sides of the base of the dome are the halls of audience, ever open and ready to transmit the messages that come to the soul through the vibrations of the air. And there, too, in the very front of this habitation of the mind is the face, indicating by the delicate, quickly changing play of its muscles the thoughts that are at work within. And lastly, there is the mouth, the outlet for the voice, the chief agent of the outward manifestations of the mind. Here then are clustered together in this

* “Physician and Patient,” page 292.

small space, in the immediate neighborhood of the mind's habitation, its principal instruments of communication with the world around. When we are listening to eloquence, whether it be in the public assembly, or in the social circle, or in the more private intercourse of friendship, and observe, as the rich tones proceed from the mouth, the elevated and changeful expressions of the countenance, we are impressed with the idea, that, if it be the mind which constitutes the image of God in man, the face of man thus situated in the front of the mind's habitation, is the fitting outward emblem of that image.

481. It is interesting to observe how exceedingly rapid are the communications of the mind with the different parts of the body. Notice what the process is, or rather what the processes are, when you withdraw your hand from any thing that hurts it, as heat for example. An impression is produced upon the expanded nerve in the part—this impression is sent along the nervous tubuli to the brain—the mind there receives the impression—the mind in return communicates an impression to the brain—this impression goes by another set of nervous tubuli to the muscles—they act, and the hand is withdrawn. If it took as long to do all this as it has for me to describe it, the hand would be very thoroughly burned before it is drawn away. The same set of processes is gone through with, when in executing music, either with the voice or an instrument, a mistake is immediately heard and corrected. And so of other cases.

482. In the Chapter on the Muscles I spoke of the great variety in the motions of the body. In executing these motions the individual commonly knows nothing of the muscles with which he does it. Even the anatomist, who is familiar with the situation and arrangement of the muscles, seldom thinks of them while he works them in the production of different motions; and if he does think of them it affords him no assistance in their use. Great skill can be acquired in the use of the muscles, without any knowledge in the individual of the fact that he has such organs. In muscular action men commonly move a machinery of which they know nothing. They have only to will any particular motion, and the nerves are so arranged at one end with the muscular fibres that will do it, and with the brain at the other, that the message from the mind goes to exactly the right fibres, and the result is produced. For the infinite variations of motion in the body what complicated and intricate arrangements are needed! These variations, it is to

Skill in the use of the muscles. Variety in their action.

be remembered, do not result merely from combinations of movements, but are rendered vastly more extensive from the varying degrees of contraction in the muscles. If each muscle always acted just so much and no more, there would be even in that case great variety of motion, from its combination in various ways with other muscles. But the variety is made to be endless from the endless variation in the *degree* of their contraction. And for each one of these variations, both in degree and combination of action, there must be a different message sent from the mind along the nerves. In every motion the muscles that produce it must, so to speak, be told to act, and not only so, but they must be told just how far to act. In motions that are very compound, and at the same time exceedingly delicate in their variation, the accuracy and variety of the messages thus sent from the brain along the nerves are not only wonderful, but are beyond our conception. We realize this fully, when with the views above expressed in the mind, we watch a skillful balancer, as he executes his endlessly varied but exact movements. So, too, when we hear from Ole Bull's one violin such a mingling of sounds, that we feel that there must be a half a dozen violins played upon at once, how inconceivably rapid and numerous and complicated must be the messages that fly from his brain along the nerves to the muscles, and yet there is not a failure in one of them—not a fibre that does not contract at the right moment, and in the right degree!

483. The use which the mind makes of all the machinery of the senses and of the organs of locomotion does not come to it at the outset. It comes by training, and in some cases by very long training. The child at first uses its muscles bunglingly. It does not see or hear skillfully. It knows nothing at the first of the colors, or shapes, or distances of objects. It knows nothing of the direction or distance of sounds. It has all these things to learn. And for this purpose the organs of sense and the muscles are put into exercise at once, and the child begins its long process of learning on the day of its birth. Few have any conception of the amount of knowledge which is acquired in the first of the child's life. He is born not only with absolutely no knowledge of the world of things around him, but he has no skill in the use of the instruments, the muscles and the senses, by which he is to obtain his knowledge. These give him at first no very definite information; but by the constant exercise of them, and by comparisons between the reports of the different senses he soon adds rapidly to his stock of knowl-

Learning to use the muscles. Their action at first aimless and awkward.

edge, and becomes skillful in the use of his means of gathering it. But let us see a little more particularly how this is done.

484. I will speak first of the progress of the child in learning how to use his muscles. When he first puts them into action you see that he has no skill in using them. The action is aimless and awkward. You see in his movements none of that native grace of which so much is said. This is to be acquired, and all that is native about it is the power of acquiring it. He learns to execute very many motions before he comes to that complicated movement of so many muscles, creeping, and then the no less complicated but more difficult one of walking succeeds. How awkwardly he does this in his first attempts to preserve his balance, and how many failures must he encounter before he can perform this motion even decently well! The same thing can be said of learning to talk or to sing, for this is but a training of the muscles. It is thus gradually that all the voluntary muscles become educated. It is true even of the muscles of the face. At the first how expressionless ordinarily is the face of a child. You see nothing of those delicate movements of the muscles which in after years express every varying shade of thought and feeling. When he cries there is an awkward over action of the muscles, as represented in Fig. 183.

FIG. 183.



He learns to use these muscles partly at least, by imitation. His first lesson ordinarily is in smiling, which he soon learns by imitating the smile of his mother. But even this, simple

Skill in the use of the senses and the muscles. Comes later in man than in animals.

as it is, he does awkwardly at first, and he must go through a long process before he can master all the capabilities of expression in these little muscles.

485. Skill in the use of the muscles varies quite as much as any other acquirement in different individuals. It is wonderful in the juggler, the rope dancer, the skillful player on a musical instrument, and the accomplished singer. You will have some conception of what education can do for the muscles, if you contrast the awkward balancing of the child in walking with the agile and delicate balancings of the rope dancer, or the aimless and uncouth movements of the infant's hands with the rapid and varied execution of the player on an instrument, or the monotonous and coarse sounds uttered in a child's first attempts at singing with the varied melody of a skillful singer.

486. The senses are educated as well as the muscles. As you see an infant reaching out his little hands awkwardly with his unskilled muscles towards an object, it is manifest that he knows not at what distance the object is from him, and that he does not readily adjust his eyes to its distance, so as to see it clearly. He after a while by practice acquires the power of doing this. The same may be said of hearing. The little muscles which I described to you as so nicely adjusting the eye for seeing at different distances, and the ear for hearing various notes of sound, require training, just as the muscles do with which we walk or talk.

487. It is a singular fact that most other animals are born with so much more skill in the use of the muscles and the senses than man. While man is "in the nurse's arms," the chicken, for example, walks about as soon as it is hatched. He does it at first awkwardly, it is true, but he soon learns all that is to be learned about it. He is assisted materially, it is to be remarked, by the fact that his feet spread out over so large a space, that he has no hard lessons to learn in balancing as the child has. But this is evidently not all the difference. If it were, the child should be able to creep at the first, or even walk on its hands and feet, for in performing these motions there is no difficulty in supporting the centre of gravity. The same difference exists also in regard to the senses, for the chicken seems to understand distances at once. As it runs about to pick up its food it makes no mistakes on this score. But while man is thus at the first the most helpless of animals, in regard to both his muscles and his senses, by his process of learning he ultimately acquires vastly greater range and va-

riety of motion than other animals. And the same thing can be said of his acquirements through the senses.

488. The senses and the muscles are mutual teachers in this education which I have described. Thus, in singing, the accuracy of the sense of hearing in estimating sounds is acquired through the action of the muscles of the voice while the ear is listening. And on the other hand, skill in executing sounds is acquired by these muscles under the tuition of the ear. The dependence of the senses upon the muscles is not as absolute, however, as that of the muscles upon the senses. The ear can be trained in the accurate appreciation of sounds without any corresponding exercise of the muscles of the voice, though the two processes are ordinarily to a greater or less extent connected, and are corrective of each other. But even when the ear is trained without any aid from the muscles of the voice, the training is in some measure a training of muscles. For, as you saw in the Chapter on the Ear, § 415, there are certain little muscles that regulate the tension of the drum of the ear, which undoubtedly go through a process of training when we are learning to distinguish accurately between different notes of sound. While the dependence of the senses upon the muscles is thus a partial one, the dependence of the muscles upon the senses is, on the other hand, complete. Although the muscles have a sense of their own, a muscular sense, as Bell calls it, this is not adequate to be their sole guide in action, but it serves as a mere auxiliary in this respect. This absolute dependence of the muscles upon the senses is very strikingly shown in the fact, that the deaf and dumb are dumb simply because they are deaf. The voice in them has no teacher. The muscles which regulate the tension of the vocal ligaments, and those which articulate the voice do not act, because, as stated in the Chapter on the Voice, § 400, they have no guide in their action.

489. Although I have spoken of the education of the muscles and the senses, this language is not strictly correct. For the education is an education of the mind that operates through these muscles and senses. It is the training of the mind in the use of these instruments. This is very clearly shown in cases of idiocy. In these cases the defect in talking is proportioned to the mental deficiency. It arises from an incapacity on the part of the mind in using its instruments, the muscles and the apparatus of the senses, and not from any defect in the construction of these instruments. The larynx

The involuntary muscles not educated. Why.

and the articulating organs of the voice are perfectly well formed in the idiot, as I have stated that they are in the deaf mute. While, in the case of the deaf mute they are not used at all as vocal organs, because the mind, through the absence of hearing, has no power of regulating them; in the case of the idiot they are used to a limited extent, and in a very bungling manner, because the capability of regulating them is limited by the deficiency of the directing intellect. And what I have said of the muscles of the voice in the idiot is equally true of the muscles of the face. There is no defect of conformation, nor is there any lack of lustre in the eye, as is commonly supposed. The limited range of expression and its awkwardness arise from an incapability on the part of the mind of using the muscles of expression with facility and skill. The muscles have an incompetent teacher, and so learn to do but little, and do that little bunglingly; or, to speak more correctly, the deficient mind is not capable of learning to use them properly.

490. The education of the muscles does not extend to those which are involuntary. Though respiration, for example, is a very complicated act of many muscles, these muscles require no education to do their part skillfully. We have no need to superintend them, for their constant action is secured by an arrangement for nervous influence which is independent of the mind, as stated in the Chapter on the Nervous System. So, while the mind sleeps, or when it is locked up in the stupor of disease, these muscles continue to perform their duty, as well as when we are awake. The same substantially can be said of the muscles which perform the act of swallowing. Although this is a very compound, and, mechanically considered, a very difficult act, as shown in the Chapter on Digestion, § 78, it is performed as well in the first hour of the child's life as it is at any future period. The muscles that execute it need no training. And yet it is only after long and diligent training that the purely voluntary muscles, as for example those of the hand, execute movements which are no more complicated and difficult. The reason for this difference is obvious. The movements which are performed by the involuntary muscles, such as breathing and swallowing, are immediately essential to the preservation of life, and it is therefore necessary that they should be well executed from the first. Their perfect action is therefore secured by a nervous arrangement, which is independent of the mind. The voluntary muscles, on the other hand,

instead of being devoted, like the involuntary, to the maintenance of life, act as the instruments of the mind, and therefore the mind acquires the power of using them skillfully by dint of long-continued training.

491. In the education of the muscles, it is to be observed, that although during the process of learning the mind takes distinct cognizance at first of every movement, it after a while, as the education becomes complete, takes little or no notice of many of the movements, except when some error occurs, or some obstacle arises. Thus, when one is learning to sing or play a tune, the mind at first through the ear takes a definite and distinct notice of every sound, and makes a palpable exertion in every movement. But after the tune is learned, this ceases to be the case, and the movements seem to be associated together, in some measure independently of mental action. So in learning to walk the child notices each of his movements very distinctly. But when he has fully learned, but little thought seems to be expended upon the motions, except when some obstacle appears which interrupts their regular succession. When one walks in a reverie, the mind is most of the time wholly abstracted from the associated movements which make up the compound act of walking. In learning to read the child makes a distinct mental effort in regard to each letter, resorting to every aid which will help to make the effort a successful one, even to the putting the finger on each letter as he looks along the line. But as he becomes more and more skilled, the association of action of which I have spoken comes more and more into play. I will refer you to a partial explanation of the facts above alluded to, given in § 262, in the Chapter on the Nervous System.

492. It has been stated in § 325 and § 476 that the mind receives impressions only through the senses, and imparts them only through the muscles. These act as the instruments of the nervous system, the senses being the *inlets* and the muscles the *outlets* of communication. And it has been generally considered as a settled point, that these are the sole channels through which the interchange of thought and feeling is effected in our present state of being. But it has been pretended that other mysterious modes of communication have in these latter days of progress been discovered. The phenomena presented by *animal magnetism*, as it is called, are claimed by some to demonstrate, that there is in some cases a peculiar means of communication, distinct from those which are usually

employed. It has been fancied that something analogous to magnetism is the medium of connection in such cases, and hence the name of animal magnetism. Through this medium, it is asserted, that thoughts and sensations pass from one person to another, independent for the most part at least, of the ordinary conditions on which communication depends. The phenomena have been presented at different times under different phases, and the theory framed to account for them varies somewhat from time to time, according to the varying character of the phenomena, and the tastes and imaginations of the believers in this so called science. Amid all the various forms which it has thus assumed, with its corresponding diversity of names, one thing has always been true of it, viz., that whenever any efficient tests have been applied, it is shown to be a large superstructure of falsities built upon a very few facts. And in view of the uniform results of these tests, we may confidently say, that as yet there has been no satisfactory proof, that there are any other channels of mental communication, than the ordinary ones furnished by the senses and the muscles. Most minds are bewildered by the strange, and sometimes inexplicable things, which appear in the exhibitions which they witness, and are ready to adopt any plausible explanation which may be offered. But some simple yet searching tests have thus far, whenever applied, always sufficed to expose the delusion.

493. In illustration of the manner in which these tests demolish the lofty pretensions of this so called science, I will give a single example. The exhibitor asserted that whatever was in his mind, realized distinctly and vividly, had its image in the mind of the subject whom he magnetized, by means of the peculiar connection thus established between them. Any decided sensation, therefore, which he felt, the subject felt also; and if he fixed his thoughts upon any thing, the subject thought of the same thing. I observed that whatever was said by the subject, in relation to any sensations or thoughts in the operator, was generally in reply to questions on the part of the operator himself. And as these questions were sometimes repeated in various forms before correct answers could be obtained, I suspected that the information requisite for the answers was communicated to the subject in this way. I, therefore, proposed to the exhibitor to try some experiments *without questions*, as these, according to his theory, were clearly not necessary; for, if there were such a channel of communication

between his mind and that of his subject as he asserted, the aid of the voice was not required. The proposition was manifestly so fair an one that he could not refuse to comply with it. But his experiments performed in this way failed altogether, and the audience, caring less for a strict search for truth than for the continuance of their amusement, showed little relish for the interruption, and the pseudo-scientific exhibition went on. I applied other tests as I had opportunity, which developed the evidence of imposture here and there in the exhibition, and though many sober and intelligent citizens were deluded with the belief that they had enjoyed a rational and truly scientific amusement, I had no doubt that the whole was a piece of jugglery. There was one feature in the exhibition, which of itself was enough to condemn it as a ridiculous imposture. The operator claimed to have a sort of absolute control over the subject, so that at will he could hold him in a connection with himself so insulated that no impressions could be imparted to him by any other person, and yet could dissolve this connection and put him into connection with some one else, with as much facility as a locomotive can be switched off from one track on to another. And ridiculous as this shifting of mental connections is, this was quite as successful with the audience as any part of the exhibition.

494. Some of the phenomena presented in the exhibitions of animal magnetism afford interesting illustrations of the influence exerted upon the body through the mind. The mental influence, exerted by the operator upon his subject, often causes a condition of the nervous system, which is analogous to somnambulism, or to some of the forms of hysteria. The manipulations practiced, the looking the subject intently in the eye, the holding of a piece of metal in the hand with the eye fixed upon it, and other expedients, help to produce the impression in the mind of the subject, that a mysterious and resistless influence is coming from the operator upon him, and is stealing over his system. It is not strange that this should occasion such physical results as we often see, when the mind and the nerves are very susceptible. This is the simple explanation of all that is positive in what such exhibitions present to us. There is no such thing as a magnetic influence, and animal magnetism is a misnomer.

495. The state of nervous system often produced is not inconsistent with imposture any more than hysteria is. As in the nervous states exhibited by this disease there is often a strange

perversion of the moral mingled with that of the physical, so there is also in the state produced by the mental influence of the magnetizer. Accordingly his most available subjects are women found here and there in every community, who, through this mingled moral and physical perversion, have acquired a permanently morbid state of mind, that makes them like to be thus petted, and to be the wonder of a gaping multitude. There is often in the exhibitions of animal magnetism self-imposition at the same time that there is imposition upon others. In the case of travelling exhibitors there has always been collusion enough to stamp the character of jugglery upon the exhibition. And in other cases, where both the operator and the subject are honest, there is delusion in both, and they impose not only upon themselves, but upon each other, as well as upon those that witness the performance.

496. One of the peculiarities of the state of somnambulism which is induced by the magnetizer, is the ready obedience of the mind of the subject to *suggestive* influences. It is alive to any suggestions which come from the mind to which it supposes itself bound by a magnetic spell, and is often in fact shut up to influences from that source alone, so as to be insensible to influences from any other quarter. The somnambule is possessed with one idea, and that an all-absorbing one, because invested with such mystery. His insensibility to all that is not in accordance with this idea is to be accounted for in the same way that we account for the fact, that a wound received in battle is often unfelt till the excitement of the battle is over, and other similar facts, as alluded to in § 226. This state is often quite successfully imitated by impostors; and sometimes there is a mixture of a partial real somnambulism with imposture, similar to that which occurs in the case of the hysterical condition. Of course when this mental connection is so easily shifted from the operator to bystanders as was described in § 493, there must be sheer imposture. Whether there be full somnambulism alone, or this in a partial degree and mingled with deception, the influence of the principle of suggestion is very apparent. Nothing can be done without questions. Leading questions suggest ideas to the mind of the subject, and an audience led on by love of the marvellous and the exciting, are readily satisfied by the coincidences that occur in the exhibition, while the failures are disregarded and forgotten.

497. In the state of somnambulism induced artificially by the so-called magnetizer, as well as in that which occurs from

Clairvoyance a false pretension. Little that is true in so called animal magnetism.

other causes, there is often an exaltation of the powers of the senses. Thus, sometimes a somnambule can read through envelopes of even many thicknesses, from an exaltation of the sense of vision.* But all pretensions to reading through bodies that have no pores or interstices, as metallic substances, or to reading from other parts of the body, as the pit of the stomach, or the back of the head, are impostures. So too are all the pretensions to seeing what is going on in other places, or inside of the body. This clairvoyance, as it is called, has precisely the same claim upon our confidence that fortune telling has, and no more. Real searching tests have always sufficed to expose its imposture.

498. I have introduced the above views of what is generally called animal magnetism, in order that you may be prepared to apply the proper tests, whenever such popular delusions claim your confidence. I have introduced them, also, because, whatever real phenomena do appear in the exhibitions presented to us under this name, afford some interesting illustrations of the influence of the mind upon the body. They add another chapter to our view of the mysterious connection of the physical with the spiritual, secured by means of that wonderful apparatus, the nervous system. It is from this consideration merely that they claim the attention of the physiologist. The so-called animal magnetism, when thoroughly sifted is dissipated, and there are left as a residuum only a few phenomena, which offer nothing particularly new, but are chiefly interesting from their analogy to phenomena with which we were already familiar. And its boast of the discovery of a new medium of mental communication is, as you have seen, entirely groundless.

499. In the Chapter on the Nervous System I spoke of the different offices of the different central organs of this system. The brain, as you have seen, is more especially connected with the mind, and is the great instrument through which mental

* Many of the statements, however, of such cases, could have been found to be false if the proper tests had been applied. The failure in testing, so common in these cases, I will exemplify by a single case, which made some noise in its time. It is a case reported by Col. Stowe in his famous pamphlet. He gave the clairvoyant a sealed packet with a very odd sentence in it, which she read, as the Colonel supposed, without opening it. But how did he know that she did not open the packet? Simply because she returned it to him a day or two after apparently in the same state as he gave it to her, accompanied with a copy of the sentence contained in it. This he considered good proof, but it is defective in its most essential point. If she could read the packet without opening it, why did she not do it in his presence? There is not a particle of evidence that any one saw her do it. The true test was an easy one, but it was not applied. There is such a thing as skill in opening seals and replacing them so as to avoid detection, and until we have proof that this was not done we are not called upon to believe that the clairvoyant read through the envelopes.

manifestations are made. But it is only a certain part of the brain, the *cerebrum*, *a*, Fig. 72, that has this special connection with the mind. The *cerebellum*, *b*, Fig. 72, it is supposed, is especially devoted to the motions of the body, for it is found in animals that it is developed in proportion to the range and variety of motion. From extended observations on this point in comparative anatomy there seems to be good reason to conclude, that the cerebellum is the great central apparatus for combining the various compound motions of the body. It is uniformly found to be larger in those animals that have great complication in their muscular movements, than in those in which these movements are of a simple character. Thus, in animals whose most complicated motion is walking, as the hoofed quadrupeds, the cerebellum is much smaller, than in those animals that climb and that take hold of things with their paws. In man it is much larger than in any other animal, for he walks erect, and thus brings into action a very large number of muscles in this delicate balancing movement (for such it is), and then, in the individual parts of the body, especially the hand, he executes a great range of very complicated movements. It is more developed in monkeys and apes than in any other of the inferior animals, because, with their capability of extensive variety of posture, and their power of seizing objects with their extremities, they obviously come nearer to man than any other animal in the varied combination of their muscular action.

500. The conclusions, thus arrived at by comparative observations in animals have been confirmed by experiments. It has been found by physiologists, that if the cerebellum be removed in an animal, with as little disturbance as possible to other parts, although the sensibilities remain, and motions are performed, the power of combining muscular actions in definite compound movements, such as flying, walking, &c., is lost.

501. These conclusions have also been to some extent confirmed by observation of the phenomena of disease. The testimony from this source, however, has not as yet been very decided for two reasons. First, because disease in the brain is not apt to be confined to one portion of the organ. And secondly and chiefly, because we have not had a sufficient number of observations of cases on this point. It has been observed, however, in some interesting cases of chronic disease in the cerebellum, that deficiency in the performance of the compound movements of the body was a prominent symptom. An *unsteadiness of gait* was remarked in these cases. The *negative* testimony which

disease gives us in regard to the office of the cerebellum is very conclusive. The mental phenomena of disease, when it is fastened upon this particular portion of the brain, show that this is not that part of the organ where the thinking is done.


502. It is chiefly, as you see, by observing the different developments of the nervous system in various animals, in connection with the different functions performed by this system, that we can discover the uses of its different parts. In pursuing observations of the animal kingdom in this way, we find a more and more complicated nervous apparatus, as we proceed from the lower animals up to man. We find part after part added, and with every addition of a part we find new functions. And as we study any particular part in relation to the functions which appear as connected with it, we see that these functions are prominent in proportion to the amount of the development of the part. Thus, as before stated, we find the size of the cerebellum is in proportion to the variety and complication of motion in the animal, while that of the cerebrum is in proportion to the amount of intelligence. And in relation to the cerebrum itself we find that the amount of intelligence depends on the amount of its gray portion, the vesicular substance. In man, therefore, this part of the cerebrum is very much greater than it is in any other animal. It is the difference in the amount of the gray substance which constitutes the grand distinction between the brain of man, and that of any of the higher orders of animals, for in all other respects his brain differs very little from theirs.

503. In looking at representations of the brain, as in Fig. 74, it would seem at first view that the gray substance, the working part of the cerebrum, is much less in amount than the white portion, which serves only for transmission. But this is not so. The eye is deceived, because the white substance is all together in one central mass, while the gray substance is spread out in an external layer. This is very plainly illustrated by Fig. 184. Here the area, *a*, contained in the inner circle, strikes the eye as being larger than the area, *b*, included between the two circles, and yet these areas are precisely equal.

504. Observe for a moment in this connection the concurrent evidence, by which we determine what the function of the gray substance of the brain is. It comes from two sources. The first is that which is furnished to us by the structure of the cerebrum. As stated in § 206 and § 232, the gray portion is made up of cells, while the white portion is composed of tubuli.

Quantity of the gray substance. Phrenology considered.

FIG. 184.



These tubuli are such as we find in the nerves, and in fact are continuous with them. We very properly infer, therefore, that as the nerves serve only for transmission, the white part of the brain does the same. It has, therefore, nothing to do with the thinking, and yet this we know from other facts, (§ 477 and 499,) is done in some part of the cerebrum. So we infer necessarily that it must be done in the gray substance. And here, to confirm the truth of this inference, comes in one other source of evidence, viz., the comparison between different animals in regard to the correspondence between the amount of the gray substance and the amount of intelligence. This I remarked upon in § 502, and need not dwell upon it farther.

505. This dependence of the mental faculties upon the gray substance, the outer part of the brain, seems to give some countenance to the doctrine of phrenology. But there is no evidence from an examination of this substance that it is arranged at all in separate organs, as instruments or seats of different faculties. And all the facts which have been collected in regard to the external conformation, as indicating the comparative prominence of different organs with their faculties, go to show, when properly examined, that the mapping out of the brain which phrenology does so definitely is altogether a fiction. The question in regard to this is wholly a question of evidence. For although we can see no division of the cortical substance into organs, yet

if the pretensions of phrenology in regard to the results of the external examination of heads are well founded, we must acknowledge such divisions to exist, though even the microscope cannot reveal to us their boundaries.

506. It would lead me into too long a discussion to examine fully the evidence in regard to these pretensions of phrenology. Besides stating the general fact, that the failures in describing mental and moral character from external examinations of the head are such, when the examination is conducted fairly, as to exhibit the falsity of these pretensions, I will only allude to one or two particular facts, and dismiss the subject. In the phrenological map of the cranium there are located some half a dozen organs along in the region of the eyebrows. Now, you will remember that the frontal sinus extends along in this locality. This sinus varies very much in size in different individuals. It is obvious, therefore, that an external examination can give us no accurate idea of the quantity of brain in that locality. Take another point. Phrenologists have always insisted that there was the most positive evidence, from examinations of the head in man and in animals, that certain faculties or propensities have their organs in the locality where the cerebellum lies. But all this mass of vaunted evidence is swept away by the discovery stated in § 499, that the cerebellum is chiefly concerned in effecting the compound motions of the body. I might go on to examine in this way the rest of the evidence adduced in favor of the truth of phrenology, and show that there is no satisfactory evidence of the correct localization of any one of the organs paraded with such definiteness on the cranial map of this so called science. But it would occupy too much space.

507. The only fact which seems to give any countenance to phrenology is that general fact, which is matter of common observation, that the front and upper portion of the brain—that which occupies the forehead—is commonly developed in proportion to the development of the intellect. This would seem to show that the intellectual faculties have their seat in this part of the brain. But it is far from *proving* this to be so. For it may be, that a general enlargement of the cerebrum is for some reason accommodated by having the forehead enlarged, in preference to other portions of the cranium. For it is evident that a brain which is larger alike in all its parts than usual, can, as it is a soft yielding organ, be equally well accommodated, whether the cranium be made of unusual size in only one direc-

Size of the front part of the brain. Facial angle.

tion, or in all directions. The fact that in the child the forehead is more prominent than in the adult, is inconsistent with the supposition that the intellect has its seat especially in the front part of the brain, for the child has more of the instinctive and less of the intellectual than the adult. I may remark in this connection, that the phenomena presented by injuries and by disease in this part of the cerebrum, have not, as thus far observed, seemed to show that it is the peculiar seat of the intellectual faculties.

508. The size of the anterior portion of the brain, above referred to, may be estimated by the measurement of the *facial angle*, so termed, proposed by Camper, a Dutch naturalist. This angle is formed by drawing two lines as represented in Figures 185 and 186. The line, *a, b*, is drawn from the most

FIG. 185.





FIG. 186.



prominent part of the forehead to the front of the upper jaw. The line, *c, d*, is intended to represent the line of the base of the brain, and runs from the orifice of the ear along on the floor of the cavity of the nose. It is manifest that the less prominent is the forehead, that is, the less brain there is in the front part of the head, the more acute will the angle be that is formed by these lines. In Fig 186, which represents the skull of a negro, this angle is more acute than in the skull of the European, Fig. 185. In animals this facial angle is much more acute than in man. In the monkey tribe it varies from 65° to 30°, while in man its average is about 75°. The ancient Greeks, wishing to give the aspect of great intellectual superiority to their statues of deities and heroes, made it in them as high as 90°.

509. It is proper to remark here, that while it is clear that, as a general rule, the amount of intelligence is to some extent proportioned to the amount of the cerebrum, both in man and in animals, the rule is not an invariable one. Size is far from

Mental difference between man and animals. Little difference in the brain.

being the only measure of power in this case. What differences there may be in intimate structure, to compare with the mental differences, we know not. Even where the rule stated above holds good, the difference in mere bulk is far from being proportionate to the mental difference. The mind of a Newton or a Shakspeare is gigantic compared with any common mind, but the brain in such cases is not very much larger than ordinary brains.

510. In relation to the evidence drawn from a comparison between different animals, in regard to the functions of the nervous system, there is one significant fact which must not pass unnoticed. Though, as we rise in the scale of animal life in our observations, we find every new addition of functions coupled with some new additions of structure, until we come to the higher animals, *we do not find this to be so when we pass from them to man.* The brain, it is true, is larger in man than it is in them, and has much more of the gray substance; but there are no *essential* differences of structure in his brain, to correspond with the added mental qualities which so decidedly distinguish him from the brutes. These qualities constitute something more than a difference of *degree*. It is a difference of *kind*. And, therefore, it is a great and a significant fact, that there is no corresponding difference of kind in the organization of the brain.

511. The qualities to which I refer I have alluded to in the first part of this book (§ 40). They are possessed by every human being to some extent, however debased he may be; and, on the other hand, they are never possessed by any of the inferior animals, however high their mental manifestations may be, and however much they may be improved by training. Though there be so wide a distance between such minds as Newton, and Milton, and Shakspeare, and the lowest representative of our race, yet in him are contained the elements of the excellence to which they arrived. But no one dare assert this to be true of the very wisest of the inferior animals.

512. The distinction between man and animals is a definite one. It is as definite as it would be if it were based upon difference of organization. The barrier is fixed; and not a step over it has any animal advanced, with all the training which may have been expended upon him. No animal, however intimate has his intercourse been with man, has ever acquired man's habit of abstract reasoning, or manifested any real knowledge of the difference between right and wrong. Prof. Guyot does

not speak too strongly when he says, "I will even go farther than is ordinarily done, and I will say, that there is an impassable chasm between the mineral and the plant, between the plant and the animal; *an impassable chasm between the animal and man.*" Surely if the impassable chasm between minerals and vegetables, and that between vegetables and animals, are worthy of note when we take a comprehensive view of the material world, so also is that which is much more manifest as existing between animals and man. When, therefore, the comparative physiologist, in his examination of mental manifestations in connection with physical developments finds, as he comes to man, that in him are peculiar and distinctive mental manifestations with no corresponding physical developments, he should deem it to be an important fact in science, which should not be slurred over, or passed unnoticed, as is often the case. I shall allude to certain bearings of this fact in another part of this chapter.

513. In looking at the facts presented in this chapter and in that upon the Nervous System, you must have been continually struck with the intimacy of the union between the mind and the body. On this subject I thus remark in another work. "There are various figures used to illustrate this connection. The most common one is that in which the mind is spoken of as dwelling in the body as a habitation. In a certain sense this is true. This tabernacle of flesh, as the Bible aptly terms it, is in its present state a habitation, which the mind is to leave in a short time, to return to it, however, at length, rebuilt and refitted in a more glorious, an incorruptible form, to dwell in it then forever. But this illustration of the mysterious connection of the mind with the body is but a *partial* one—it does not express the extent nor the intimacy of that connection. The mind is not a mere dweller put into this habitation. Its union with it is not thus loose and easily severed. It is bound to its every nerve and fibre, so that the least touch of the body at any point affects the mind. Instead of being put into the body, it has, being thus interlaced, as we may say, fibre with fibre, grown with its growth and strengthened with its strength. In the feebleness of infancy the mind is just as feeble as the body, and they both grow together up to the vigor and firmness of manhood, and both decline together in old age. So close is their union through all the stages of life, and so equally is each affected by the joys and sufferings of the other, that we might justly conclude that at death, when the tabernacle crumbles into dust, the mind falls with it never to rise again, had not a

divine revelation told us that, indissoluble as this connection appears during life, Almighty power will dis sever it, and release the soul from the thousand ties that bind it to its habitation, at the very moment of its destruction. Were it not for this assurance of our immortality, we could look forward in the uncertain future to nothing but blank, drear annihilation, as awaiting our minds, just as it does the minds of the brutes that perish.

514. In our carefulness to avoid materialism, we are too apt to look upon the mind and the body as two separate and independent things. At death they do indeed become so, but who of us knows that they would, were it not for the fiat of the Almighty? Who knows that there is not a necessity for the putting forth of his power in each individual case at the time of death, to prevent the mind of man from dying with his body, just as the mind of the brute does with his? The very prevalent notion that the mind is *essentially* indestructible, and that it is put into the body as a separate thing, having the power of *itself* to leave the body whenever it dies, rests on no substantial proof. That it is *destined* thus to leave the body is quite another thing.”*

515. The nature of the connection of the mind and the body is a great mystery. Still, there are many things which we can know in relation to it. The sources of our knowledge on this subject are three, viz., the investigations of *Physiology*, the testimony of *Consciousness*, and that of *Revelation*. Each of these kinds of evidence throws light upon the others. If, therefore, we use all of them, giving to each its due limits and force, we shall come to some certain and valuable conclusions. But if we take any one of them alone, we shall be liable to be led into gross error.

516. There is in some physiologists a disposition to rely upon physiology alone, to the exclusion of the other sources of evidence, in the investigation of this subject. In doing this they are driven to this alternative. Either they must be content with a very limited knowledge of the subject, or they must rely upon mere presumptive evidence for many of their conclusions. And commonly the latter is the course which they pursue. They are not content with the very limited conclusions to which they are shut up by the absolute proof furnished by physiology. They boldly reason, therefore, upon what they deem to be

* “Physician and Patient,” from the Chapter entitled “The Mutual Influence of the Mind and Body in Disease.”

probable. And they are invariably led into error. This I propose now to show.

517. In order to get definite ideas of the manner in which the erroneous conclusions are arrived at, let us view matter in its various states and connections. Unorganized dead matter you see to be entirely different in some important respects from living organized matter. The distinction is a definite one. It is easily recognized, and none but dreamers in science have failed to see it. Though Robinet and others of his class have sought to obliterate it, in carrying out their fanciful notions, (§ 48,) and though some have supposed that there was a *latent* life in all unorganized matter, ready to be called into action on the application of the appropriate excitants, it is considered by all rational observers as a settled point, that there is an essential distinction between common dead matter and living matter. The latter is endowed with certain properties that the former has not. They are termed vital properties. They control to a certain extent the mechanical and chemical properties which both forms of matter have in common. Some suppose that what we call life is a single principle; but others suppose the endowment to be compound, made up of different principles or properties. But this question we need not discuss. All that concerns the view I am presenting is the mere fact of the endowment.

518. Let us go a step farther. Some living beings have more endowments than others. All have those of *organic life* in common (§ 32). But there is an *animal life* also, which by means of the nervous system is superadded to the organic. And, as we trace the animal kingdom from the lowest animal up to man, we find the endowments connected with this system multiplied as we advance, till in him they are more complicated and extensive than in any other animal. This is especially true of intellectual endowments, those which are merely instinctive being more developed in many, perhaps we may say most, of the inferior animals. And in man we find special mental endowments, of which other animals present not the faintest trace.

519. Now the question arises, whether intelligence is like life, a mere endowment of matter, or whether it is in some measure independent of it. In other words, whether it is a principle or set of principles with which matter is endowed, or an immaterial something which acts through matter as its instrument. How much does bare physiology teach us on this

Reliance on evidence from physiology alone leads to materialism.

question? It has often been claimed that it can teach us much, and the most bold conclusions have sometimes been ventured from this quarter. But mere speculation has in all such cases been deemed to be proof. Physiology does show us, as I have before said, that the spiritual is in this world always connected with the material, and that mind never acts independently of the matter with which it is connected in the brain. But it gives us no light upon the *nature* of this connection. It is well for us to know how deficient are its teachings on this point. For all that it can teach us, we know not but that the mind may be a mere result of action in matter. It neither tells us that it is so, or that it is not. It leaves us entirely in the dark on this point. Indeed so far as it affords presumptive evidence, it appears to teach, that mental phenomena are results of matter, acting in consequence of certain endowments or tendencies imparted to it, just as secretion is in living substances, or chemical action in those which are not living. Accordingly those who have relied upon physiology alone on this subject, have adopted various forms of materialism. Some have supposed that thought is a mere product of matter, and that the brain secretes it as the liver secretes bile. Others have taught that the mind is "a bundle of instincts," each residing in some particular part of the brain as its organ. This has been the doctrine of some prominent phrenologists.

520. Let us look at living matter in another point of view, and see to what physiology alone, if at all venturesome in drawing conclusions, will lead us. Let us look at the origin and growth of the thinking animal. Take, for example, an animal the formation of which we traced in the Chapter on Cell-Life, § 210. The beginning of the bird as it forms in the egg is a simple cell filled with a fluid. This produces other cells, and soon the organs and the limbs of the animal are formed. At length the animal bursts the shell, and comes out not only a living and sentient being, but a thinking being. It has a mind which feels desires and emotions, and prompts the muscles to action to effect its purposes. Organization here precedes the development of mind so far as we can see, and therefore it would seem that mind is a result of organization. Especially does this appear to be so, when we find that the amount of mind in different animals is proportioned to the amount of a certain part of the organization, the brain. All this is as true of man as it is of other animals. And besides, we see in man that as the organization becomes perfected, the intelligence is proportiona-

bly increased. In infancy, when the organization of the brain is imperfect, the intelligence is small in amount, and grows with the growth, and strengthens with the strength of the brain. And as the mind thus grows with the body, it appears to perish with the dissolution of the organization, and in the case of the inferior animals undoubtedly does so.

521. But it may be said, that the physiologist observes that the mind designs, and devises means to carry out its designs, and this shows that there is an immaterial principle that moves the machinery of the material organization. This is a plausible view of the subject, but it is only plausible. Physiology alone cannot prove it to be a correct view. For, if we limit ourselves to her teachings alone, it can be made to appear by the same line of argument, that mind is at work in all the phenomena that we see in living beings. In the formation of any part, as you saw in § 163, in the Chapter on Formation and Repair, the formative vessels work after a fixed plan, and coöperate together to accomplish the object. They seem to act intelligently, as if they had a mind by which they designed, and devised means for carrying out their designs. And the formative and other vessels thus act together, proportioning means accurately to ends, not only under fixed and regular circumstances, but they do so under varying circumstances, to meet exigencies. Thus, when an artery supplying a limb is tied, § 169, the formative vessels enlarge the arteries in the neighborhood, in order that the blood may be supplied to the limb in suitable quantity. That is, they construct after a larger pattern to meet the new want, just as if they were informed of it and acted accordingly. Take another example afforded by the formation and discharge of an abscess, as described in § 170. In this case, as the abscess forms, various operations are going on, with different sets of vessels coöperating together to effect a common purpose. And when the abscess has made its way to the surface, and discharged itself at an outlet, a change comes over the operations, in order to restore the part to its usual state. The different vessels accommodate themselves to this change, as if they were intelligent workmen, acting in conformity to a design or plan of their own, upon which they had agreed. Other examples might be cited, both from vegetable and animal life, all showing design and coöperation in effecting purposes.

522. In such phenomena we see a striking analogy to those of instinct, and even to those of intelligence also. It is this analogy which has led some in their speculations to adopt the

idea that life and soul are the same thing. Hence, too, many phenomena in vegetable life are in common language often called instinctive. Thus, it is said, that when a seed sprouts, the roots instinctively seek the ground, and the stalk and branches instinctively seek the air and the light. This is even the case sometimes when the seed is placed at some little distance from the ground. So, too, if a plant that naturally grows in wet ground is put into dry soil, but in the neighborhood of a wet spot, it shoots forth roots abundantly towards this spot, rather than on the other side.

523. But the evidence from physiology does not all tend to materialism. There is some negative evidence which has a different bearing. I refer to the fact stated in § 510, viz., that, while man differs in his spiritual nature so widely and so specifically from the inferior animals, his brain exhibits no corresponding specific difference in structure, but only a difference in amount. The difference in degrees of intelligence in the animals below man is marked by a corresponding difference in the amounts of the gray substance. And if it were true that man, as some think, differed from them only in having a higher degree of intelligence, we should expect to find in him a mere increase of this substance. But as his mind differs from theirs not merely in degree, but in kind also, we should have reason to expect, if mind were wholly dependent on organization, that the anatomist would find not only an increase in the quantity of the gray substance, but also a difference in its structure.

524. But strong as this evidence is, it appears to be strongly rebutted, perhaps almost overborne, by the other evidence which I have cited from physiology. And the physiologist might perhaps say that, although as yet no difference of structure has been found that corresponds with the mental difference, future investigations with the microscope may discover some subtle difference of structure which now escapes our notice. But this it must be allowed is not at all probable. On the whole it may be remarked, that the fact of which I have been speaking, although significant and valuable as being coincident with evidence drawn from the other sources, yet considered simply in connection with the physiological evidence, the evidence from the other sources being wholly shut out, it is doubtful how much weight it ought to have. The physiological evidence, taken by itself is conflicting, and looking at the whole scope of it, the preponderance must be acknowledged to be towards materialism.

525. It is quite clear then, that the physiologist cannot well

Physiologist needs other evidence. Consciousness.

avoid materialism, if, in examining the connection between the mind and the body, he rejects all evidence beside that which physiology furnishes. He can be saved from this result only by being content with the narrow limits, to which he is shut up, if he confine himself to *absolute* proof. As we have already seen, the positive knowledge that physiology gives us on this subject is exceedingly narrow. We soon come to the line that divides between the known and the supposed. And if we attempt to go beyond that, our conclusions as to what is probable will quite certainly lead us to the result which I have pointed out. The need, therefore, of the evidence drawn from the other sources that I have mentioned is most palpable. The physiologist must confess himself to be under the necessity of going out of his physiology, in order to learn all that can be learned upon this subject. At the best, there is much mystery in relation to it which we cannot penetrate, with all the light that we can bring to bear upon it. And the mystery is deep indeed, when we call to our aid only the dim light of physiology. It needs some other light to deliver us from the confusion of ideas, into which we are introduced by the analogy existing between the phenomena of life and instinct and intelligence, in relation to their connection with the organization of matter. Let us look then at the evidence which comes from the other two sources, viz., our consciousness, and revelation.

526. Every individual is conscious that, as he feels and thinks and acts, he, that is his mind or spirit, acts upon the structure of his body, and is acted upon by it. It is not a consciousness that he as a *material body* does all this. He feels that it is a power within that does it, and he instinctively separates in his ideas the power from the different parts of the body, and from the body as a whole. He is conscious too of a responsibility in relation to the thoughts and acts of the spirit within. He has a knowledge of right and wrong, and has self-reproach on doing wrong, and self-approbation on doing right. It is this consciousness of a self-acting immaterial spirit in this material body, that constitutes the basis of all character, and of all the moral relations of man to his fellow man, and to his Maker. Every body acts upon the testimony of this consciousness as being valid and certain testimony. And, however the physiologist may reason about matter and mind, as if the latter were a mere product or endowment of the former, yet as a man, as a member of society, as a subject of government and law, he cannot avoid acting upon the ground, that mind in a certain sense controls matter,

and is responsible for its acts independently of the matter with which it is connected.

527. Now the evidence which this consciousness affords us should suffice to keep us from the materialism, into which physiology taken alone would be apt to lead us. It shows us that, although the mind is developed with the material organization, and can act only with it, it is not its mere product, nor one of its endowments. It shows us, on the other hand, that it is in some measure independent of matter, and that its dependence upon it is only a dependence of connection, matter being the instrument of mind, through which it acts on external things, and is acted upon by them. The evidence from this source is of a positive character. We are driven by it to the alternative, of believing that the mind is an immaterial, self-acting agent, in some measure independent of matter, or of harboring the impious and monstrous belief, that the Creator has implanted in the bosom of man a lie, and that he is living a horrible farce, acting in view of moral relations and responsibilities that have no existence.

528. This positive testimony of our consciousness is confirmed by the testimony of revelation. This is not done by any formal array of proof. The existence of the spiritual part of man as a self-acting responsible agent is assumed as a fact that needs no proof. All the statements, and teachings, and appeals of the Bible recognize it as a fact known to the consciousness of every man. The Bible, therefore, may be considered as simply affirming that the testimony of our consciousness on this point is valid testimony. But the Bible goes farther than this. It gives us one great fact of which neither physiology nor our consciousness could assure us. I refer to the mind's immortality. Our consciousness could, it is true, give us presumptive evidence to show that the soul with its high powers and aspirations is to live after the death of the body. But it could furnish us no absolute proof of the fact. And its presumptive evidence would be effectually rebutted by the presumptive evidence from physiology, which, as you have seen, points in another direction. We are so familiar with the mind's immortality as a known fact, and we so uniformly think of it in connection with the death of the body, that we are not aware how absolutely dependent we are upon revelation for all that we know in relation to it. If there were no revelation, and death were to us an unknown event, and we were now for the first time called upon to witness the death of a friend, how little should we know, and how con-

Immortality revealed only by revelation.

fused would be our thoughts in relation to the great mystery before us! "What is it?" we should ask. "Is it sleep?" No. We never saw any one sleep thus. What is it? Who can tell us?" And we should wonderingly watch to see some signs of awakening, not giving up all hope till decay begins its ravages on the loved form before us. Then, as we should from the dictate of nature, consign to the earth the friend who was so recently among us a breathing, moving, speaking man, now a mere mass of decaying matter, we should feel that we bury there not the body only, but all that belonged to that body during life—the whole man. Thought and feeling, as well as life and motion, would appear to us, untaught of God, to be extinguished in the grave. Even if some one should utter all tremblingly the hope, that there might be a subtle spiritual part of our friend, that would some time in some form return again to our society, that hope would at once be crushed by the reflection that whatever it was in our friend that thought and felt, it came into existence with the body, was infantile when the body was, grew with the growth of the body, and strengthened with its strength, and therefore now, so far as we can see, has perished with it. Nature utters no voice to tell us otherwise. She emits no light to illumine the grave. Darkness and silence rest there, till the light of revelation shines upon it, and God proclaims man's immortality.

529. I have thus spoken of the three sources of evidence in regard to the connection of the mind and the body, and have indicated the character of the evidence furnished by each. I have shown particularly that if the attention be confined to that which is furnished by physiology, the mind is apt to be led into materialism. But the attention should not thus be confined. All the three kinds of evidence should be employed and should be brought to bear upon each other. If this be done, the discrepancies in the evidence from physiology are cleared up by the evidence afforded by consciousness and revelation, and we see the true value and bearing of the fact, that the specific mental difference between man and animals is not attended with a corresponding structural difference. Though this fact operates merely as conflicting evidence, when taken simply in connection with the rest of the facts developed by physiology; when, we come on the other hand, to take the whole range of evidence from the three sources spoken of, it is exceedingly satisfactory as concurring with the testimony of consciousness and revelation. At the same time, those physiological phenomena, which take

Evidence from consciousness and Revelation positive.

by themselves seem to show so strongly that the mind is wholly dependent upon organization, are so interpreted by the evidence from the other sources, that the dependence is seen to be for the most part a dependence of connection only, the brain being the instrument of the mind.

530. The evidence from consciousness and revelation is of the most positive character, and cannot be set aside by evidence from any other source. Other evidence may serve to interpret it, but cannot nullify it. The attempt is sometimes made to set it aside by urging the presumptive evidence of physiology, as if it were absolute proof. But most physiologists engage in no such futile and unchristian efforts, but give due weight to the testimony of consciousness and revelation in all their investigations of the mysterious connection of the mind and the body. The influence of Carpenter, an English physiologist, whose works are more extensively used by students than those of any other physiologist, is especially to be commended in this respect. And although skepticism occasionally utters its plausible falsities, deceiving the superficial and the speculative, we have no fears from present indications that the votaries of physiological science will, as a body, be arrayed in opposition to Christianity.

CHAPTER XVIII.

DIFFERENCES BETWEEN MAN AND THE INFERIOR ANIMALS.

531. I HAVE already treated somewhat of the differences between man and the inferior animals in different parts of this book, and especially in the preceding chapter. But it has been done only incidentally, and the subject demands at our hands a more thorough and systematic investigation. This I propose to do in the present chapter.

532. Lord Monboddo maintained that man is only an improvement on the monkey, occurring as a result from the general tendency to advancement claimed to exist in nature. He seemed to think that man bore a relation to the monkey somewhat like

Lord Monboddo. Nature of instinct a mystery.

that which the frog bears to the tadpole, as described in § 167, and that as the tadpole becomes the frog, so the race of man was produced by a change at some remote period of the creation, of the monkey into a man. This ridiculous notion of the erudite but fanciful Scotch philosopher is really but another phase of the more recent theory of gradation, or development, as it is sometimes called, which in different forms is now advocated by so many European philosophers. And, although few, comparatively, adopt this theory definitely and fully, there is quite a disposition among many to obliterate the distinctions by which the Creator has in so marked a manner separated man from the inferior animals. It is well, therefore, that we should have a clear idea of these distinctions.

533. It is often very loosely said that while man is governed by reason, instinct rules in the animal.* If it be meant by this that, as a general rule, reason predominates in man, while instinct does so in animals, the statement is a correct one. But if it be meant that animals are wholly governed by instinct, and that man is distinguished from them as a reasoning animal, it is not correct. For some animals do reason, that is, if making inferences be considered as reasoning. In tracing out the differences between man and animals I shall not attempt to show what the nature of instinct is. This is a great mystery, and all attempts to solve it have utterly failed. I shall content myself, therefore, with pointing out some of the differences between instinct and reason. In doing this it is not always easy to say just where the one begins and the other ends, so intimately are their phenomena often mingled together.

534. The actions of instinct are more unaccountable than those of reason. In the operations of reason we see something of the processes by which results are reached. But it is not so with instinct. For example, as a man travels over an unexplored country, we can understand by what means he obtains a knowledge of the country, in order to guide him on his journey. The processes of his reasoning in regard to this we can comprehend. But when an insect travels with unerring certainty to its place of destination without any guide marks that we can

* Some explanation may be well here in relation to the different uses made of the word animal in different connections. Here it is used in contra distinction to man. So it is used in the expression, man and animals. But as man is in certain senses an animal, whenever we wish to recognize this fact we speak of other animals as the *inferior* animals. And thus in regard to animals, we speak of their higher and lower order, the higher of course being those that approximate nearest to man.

Instinct governed by invariable rules. Mysterious in its operations.

see,* or when a swarm of bees or a flock of birds wing their flight to distant places, or when bees construct their honey-comb with the exactness of mathematics in obedience to the best principles for such a structure, we cannot understand the processes which lead to the result. It seems to be produced by an impulse from a cause extraneous to the animal, guiding it as if it were a mere machine. The little intelligence of the animal seems to have only an incidental connection with this impulse. It, therefore, merely controls somewhat the circumstances under which the instinct acts.

535. So little has the intelligence to do with the instinct, and so nearly mechanical therefore are the actions of the latter, that they are governed by an invariable rule. It is as invariable almost as are the movements of a machine. For this reason there are no improvements or alterations in the acts of instinct. The bird and the bee, for instance, have no change of fashion in their architecture from age to age. The honey that fed John the Baptist, or that which was found by Samson in the carcase of the lion, was deposited in the same hexagonal cells

* I will introduce here as an illustration, a little incident recorded in my note book many years ago. The account of it runs thus: I was much entertained to-day in watching the movements of a very small winged insect—about one-third of the size of a common fly. He was dragging a dead spider across the road. Every now and then he would drop his load, and run forward a little, springing about here and there, and then would go back and take up his load again. His movements in this way were so quick and apparently so irregular, that they seemed to be without an object. But I observed, that although he thus ran about here and there, his course in its general bearing was a very straight one. Soon a waggon passed along directly over where the insect was, separating him from his load, and disturbing the whole surface of the ground. He, however, soon found his load, and then with a good deal of apparent reconnoitring he went on again in the same general course. In the latter part of his journey he travelled over and amidst a heap of stones. Here he would occasionally leave the spider and disappear, and then return again to take his load. Again a little farther on I would see him emerge from his concealed pathway, and so on to the end of his journey. His place of destination was a hole in the sand beneath a flat stone. Now, how did this insect in his journey to his home, (which to him was a long one, though only three rods,) manage to keep so straight a course? Was it in the same way that men manage in their journeys, guided by way-marks, and by information obtained from others? Following out this idea, suppose then a man to be at the same distance from his home in proportion to his size that the insect was from his home. According to this supposition he must be over three thousand miles from home. Suppose the direct line to his home lay across an uninhabited country, so that he can get no information from others. This makes his case parallel with the insect's, for we saw him meet no other insects on the road. Now, if he knew the exact direction in which his home lay, he could not, without his compass, move with any precision towards it. And if he had wandered away from it without a compass, as the insect did from his home, how would he know in what direction it lay? And yet the insect travelled towards his home as if he preserved exactly amid all his wanderings the points of the compass. The surface over which he went was very irregular. He had to cross or wind around eminences, which were to him as large as hills and mountains are to man, and yet he was not embarrassed; and when he went among the stones he had more and greater difficulties to encounter than man meets with in passing through the wildest countries. Again, suppose that the travelling man should meet with some whirlwind or some convulsion of nature, which should separate him from his burden, and disarrange in some measure the face of the country about him, just as the travelling insect was served by the commotion of the horse's feet and the wheels of the waggon. Would he find his load as easily as the insect did, and go on his way with as little hesitation?

which are constructed by the bees of the present day. And each bird builds its nest precisely in the same way that its an-

FIG. 187.



NEST OF THE BAYA.

cestral birds have ever done. Most birds' nests are constructed after the same general pattern. But sometimes we observe striking peculiarities to subserve some special purpose. Fig. 187 represents the nest of the Baya, a little bird of Hindoostan. It is in the shape of a bottle, and is made of long grass. It is suspended from a slender branch of a tree, so that monkeys, serpents, &c., cannot reach it. The entrance to the nest is made on the under side, so that these animals cannot enter, while the bird itself can readily fly in. It is divided into apartments, in one of which the female sits upon the eggs, while in the other the male bird "solaces his companion with his song whilst she is occupied in maternal cares." In Fig. 188 is seen the nest of another little eastern bird, which with filaments of cotton taken from the cotton plant, sews leaves together with its beak and feet, so as to conceal the inclosed nest from its enemies.

FIG. 188.

NEST
of the Tailor Bird.

Contrivances in the honey-comb. Mathematical principles exactly applied.

536. While there is no change in the acts of instinct they are marked by perfection. That is, they are perfectly adapted to the purposes to be effected and to the circumstances under which they are performed. The Creator, who directs the impulse that governs the animal, in this case as well as in all others, accurately fits the means to the ends to be accomplished. There is nothing in which this perfection of instinct is better shown than in the construction of the honey-comb. The cells are made hexagonal, because in this way all the space is occupied—there is no waste of room. If the cells were made circular, there would not only be a waste of room, but a large quantity of material would be needed to fill up the spaces between the cells. The difference can be seen in the two Figures 189 and 190. Each comb, it is to be observed farther, has two

FIG. 189.




FIG. 190



sets of cells, the ends of one set being arranged against the ends of the other in a peculiar manner. These ends are not flat, but each one has three plane surfaces, forming with each other a particular angle soon to be noticed, and uniting together at the centre in a point. In the arrangement of these cells, therefore, a cell of one set does not lie end to end with a cell of another set. Its three surfaces form a part of the bottom or end of three cells of the other set. This is made clear by Fig. 191, in which a cell of one set is represented as it abuts against a cell of the other set by one of its surfaces, its other two surfaces forming a third part of the ends of two other cells. Now it has been found that the angle formed at the edge of these surfaces between the two sets of cells is such as to secure the greatest strength with the least amount of material. It was at one time thought that

FIG. 191.



Wonderful operations of instinct in communities among animals.

this was proved to be not exactly true. The variation from the correct angle, made out by the calculations of the mathematicians, was indeed a slight one, but still it was variation enough to show, if the calculations were correct, that the workings of instinct were not perfect in this case. But the investigations of Lord Brougham have satisfactorily shown that the mathematicians were wrong in their calculations, and that the bees are right.


537. The perfection of the operations of instinct is shown in the most wonderful manner in the regulation of *communities* of animals. Here we see coöperation to produce results effected through an irrational, and therefore in some measure a blind instinct. This social instinct is most extensively exemplified among the insect tribes, as for instance the bee and the wasp. The structures, resulting from the coöperation of multitudes of little laborers guided by this instinct, are very interesting. I shall allude to but a single familiar example, the construction of the nests of wasps. These insects make their building material from the fibres of old wood. These they convert by mastication into a pulp, which made into a thin layer, becomes firm like paper. It is indeed a process very much like the common process of paper-making invented by man, and the first rude inventor may have got his idea from the insect. With this substance the wasps build several ranges of cells, which are hexagonal, like the cells in the comb of the bee. These ranges of cells are placed parallel to each other, at regular distances, with little supporting columns between them, as seen in Fig. 192.

The number and variety of instincts of the ordinary hive bees are very wonderful, but it would occupy too much space to describe them.

538. The wonderful coöperation of animals in obedience to social instinct, in the building of habitations and other structures is seen in several of the mammalia. But it is most wonderful in the beaver, the following description of whose habits in this respect I take from Carpenter. "During the summer it lives solitarily in burrows, which it excavates for itself on the borders of lakes and streams; but as the cold season approaches it quits its retreat and unites itself with its fellows, to construct, in common with them, a winter residence. It is only in the most solitary places that their architectural instinct fully develops itself. Having associated in troops of from two to three hundred each, they choose a lake or river, which is deep enough

 Exemplified in the beaver community.

FIG. 192.



NEST OF WASPS.

to prevent its being frozen to the bottom; and they generally prefer running streams, for the sake of the convenience which these afford in the transportation of the materials of their erection. In order that the water may be kept up to a uniform height, they begin by constructing a sloping dam; which they form of branches interlaced one with another, the intervals between them being filled up with stones and mud, with which materials they give a coat of rough-cast to the exterior also. When the dam passes across a running stream, they make it convex towards the current; by which it is caused to possess much greater strength than if it were straight. This dam is usually eleven or twelve feet across at its base, and is enlarged every year; and it frequently becomes covered with vegetation so as to form a kind of hedge.

539. When the dam is completed, the community separates

into a certain number of families; and the beavers then employ themselves in constructing huts, or in repairing those of a preceding year. These cabins are built on the margin of the water; they have usually an oval form, and an internal diameter of six or seven feet. Their walls are constructed, like the dam, of branches of trees; and they are covered, on two of their sides, with a coating of mud. Each has two chambers, one above the other, separated by a floor; the upper one serves as the habitation of the beavers, and the lower one as the magazine for the store of bark, which they lay up for their provision. These chambers have no other opening, than one by which they pass out into the water. It has been said that the flat oval tail of the beavers serves them as a trowel, and is used by them in laying on the mud of which their erections are partly composed; but it does not appear that they use any other implements than their incisor teeth and fore-feet. With their strong incisors they cut down the branches, and even the trunks of trees which may be suitable; and by the aid of their mouths and fore-feet, they drag these from one place to another. When they establish themselves on the bank of a running stream, they cut down trees *above* the point where they intend to construct their dwellings, set them afloat, and, profiting by the current, direct them to the required spot. It is also with their feet that they dig up the earth they require for mortar, from the banks or from the bottom of the water. These operations are executed with extraordinary rapidity, although they are only carried on during the night. When the neighborhood of man prevents the beavers from multiplying to the degree necessary to form such associations, and from possessing the tranquillity which they require for the construction of the works just described, they no longer build huts, but live in excavations in the banks of the water."

540. Instinct moves straight on to its result, and it does so blindly. It exercises no intelligence in regard to the purpose for which the result is intended, or the circumstances which tend to defeat this purpose. It evidently in some cases never knows any thing of the purpose aimed at by its acts, as, for example, when an animal makes provisions for a progeny which it is never to see. "It is scarcely possible," says Carpenter, "to point to any actions better fitted to give an idea of the nature of instinct, than those which are performed by various insects, when they deposit their eggs. These animals will never behold their progeny; and cannot acquire any notion from ex-

perience, therefore, of that which their eggs will produce; nevertheless they have the remarkable habit of placing, in the neighborhood of each of these bodies, a supply of aliment fitted for the nourishment of the larva that is to proceed from it; and this they do, even when they are themselves living on food of an entirely different nature, such as would not be adapted for the larva. They cannot be guided in such actions by any thing like *reason*; for the data on which alone they could reason correctly, are wanting to them; so that they would be led to conclusions altogether erroneous if they were not prompted by an unerring *instinct*, to adopt the means best adapted for the attainment of the required end."

541. The results of reason are often mingled with those of instinct in such a way that it is difficult to distinguish them from each other. But instinct is of itself wholly *irrational*. If it were not so, it would avoid acting whenever action would evidently be useless. But instinct has not the eyes of reason to see when this is the case. It leads the animal blindly on; so that, although under all *ordinary* circumstances the object is accomplished definitely and in the best manner, yet there is no capability of making provision for *extraordinary* circumstances. Therefore, actions are occasionally performed, which do not at all answer the purpose which the instinct is designed to effect. Instinct, though perfect in its action under the fixed uniform circumstances under which it is destined to act, is a kind of blunderer when irregular circumstances arise. Instinct is a strict routinist, while reason readily accommodates itself to endlessly varying circumstances. In illustration of the above characteristic of instinct, I will cite a few examples. The hen will sit on pieces of chalk shaped like eggs, as readily as she will on the eggs themselves. Her instinct is so blind as to be deceived by this general resemblance. The flesh-fly often lays its eggs in the carrion-flower, the odor of which is so much like that of tainted meat as to deceive the insect. An amusing illustration of the blind disregard of circumstances in following out the promptings of instinct is given by a gentleman, Mr. Broderip, in an account of a beaver which he caught when very young. As soon as it was let out of its cage, and materials were placed in its way, it began to build after the fashion followed by these animals when they construct their dam in a stream of water and build their habitations in its banks. "Even when it was only half grown," says Mr. B., "it would drag along a large sweeping-brush, or a warming-pan,

Blindness of instinct illustrated in the beaver.

grasping the handle with its teeth, so that the load came over its shoulder; and would endeavor to lay this with other materials, in the mode employed by the beaver when in a state of nature. The long and large materials were taken first; and two of the largest were generally laid cross-wise, with one of the ends of each touching the wall, and the other ends projecting out into the room. The area formed by the cross-brushes and the wall, he would fill up with hand-brushes, rush-baskets, books, boots, sticks, cloths, dried turf, or any thing portable. As the work grew high, he supported himself on his tail, which propped him up admirably; and he would often, after laying on one of his building materials, sit up over against it, appearing to consider his work, or as the country people say, 'judge it.' This pause was sometimes followed by changing the position of the material judged; and sometimes it was left in its place. After he had piled up his materials in one part of the room, (for he generally chose the same place,) he proceeded to wall up the space between the feet of a chest of drawers which stood at a little distance from it, high enough on its legs to make the bottom a roof for him; using for this purpose dried turf and sticks, which he laid very even, and filling up the interstices with bits of coal, hay, cloth, or any thing he could pick up. This last place he seemed to appropriate for his dwelling; the former work seemed to be intended for a dam. When he had walled up the space between the feet of the chest of drawers, he proceeded to carry in sticks, cloths, hay, cotton, &c., and to make a nest; and when he had done, he would sit up under the drawers, and comb himself with the nails of his hind feet." I simply remark in relation to this amusing narration, that you can see at once that if the instinct of this animal had been at all rational, it would not have impelled him to construct a dam and a dwelling in a common room, where they would be of no use to him. Reason would have dictated the building of a nest and nothing more.

542. The care which animals exercise in relation to their progeny seems to be governed to a great extent, perhaps wholly, by a blind instinct. All care is given up when care is no longer needed, and with it what appears to be affection is given up also. In animals there is no such lasting affection of the parent for the progeny as there is in man; for in them it is merely instinctive, and not rational and moral in its character, and it, therefore, lasts only so long as it is needed to carry out the purposes for which this particular instinct is designed.

Indeed, in some cases there can be no affection in all the care which is instinctively exercised by the parent, for it is put forth for progeny which, as stated in § 540, the animal is destined never to see. And in those cases among animals in which the family state exists, it is a mere temporary affair, and as soon as the offspring is able to take care of itself it is no more to the parent than any other animal of the same tribe is.

543. But some animals have intelligence as well as instinct. When this intelligence is shown in the mere power of imitation it is of a low order. The parrot that learns to imitate man in speech is nothing like as intelligent as some animals that have no such power. Some animals have really a *reasoning* intelligence—that is, they make rational inferences. Their reasoning is sometimes, as before remarked, so mingled with the operations of instinct, that it is difficult to distinguish them accurately. In the case of the beaver related in § 541, who labored so faithfully in obedience to a blind instinct, there was some exercise of reason, as, for example, when he “judged” his work. But it is difficult to point out definitely the line between instinct and reason in such a case. There are some animals, however, in whom the workings of a reasoning intelligence are to be seen with perfect distinctness. But their reasoning differs from that of man. The inferences which the reasoning animal makes are individual; while man goes beyond this, and makes general inferences, and therefore discovers general truths. Newton’s dog, Diamond, saw apples fall to the ground, as well as his master. And he was capable of making some inferences in regard to them; but they were individual inferences. For example, if an apple-tree were shaken, and the dog were hit by a falling apple, whenever he saw other apples falling he would infer that he might be hit again, and would infer also that it was best for him to get out of harm’s way. This would be the extent of his reasonings. But his master inquired into the cause of the fall of the apple, and by considering this and other similar phenomena, he deduced general principles, which govern the movements both of the atoms, and the worlds of the universe.

544. The inferences which are formed by animals are mere results of the association of ideas, and the process, therefore, really hardly merits the appellation of reasoning. Thus, in the case of Newton’s dog, supposed above, the idea of the falling apples was associated in his mind with the hurt experienced when he was hit, and prompted the getting out of harm’s way.

Reasoning in animals mere mental association. Exemplified.

When such associations are extended and complicated, it appears at first thought as if the animal acted in view of general truths, arrived at by the same process of reasoning that man employs. But it is a mere extension of mental associations. Thus, Newton's dog probably associated the idea of being hit and hurt with other falling bodies beside apples. And so, too various circumstances might come to be associated with the falling of bodies, and thus complicate the mental process which occurred when he saw any object falling near him.

545. To show somewhat the extent to which this mental association operates in the brute mind, I will allude to some examples. A wren built its nest in a slate quarry, where it was liable to great disturbance from the blastings. It soon, however, learned to quit its nest, and fly off to a little distance, whenever the bell rang to warn the workmen previous to a blast. As this was noticed, the bell was sometimes rung when there was to be no blast, for the sake of the amusement in seeing the poor bird fly away when there was no need of alarm. At length, however, it ceased to be deceived in this way, and when it heard the bell ring it looked out to see if the workmen started, and if they did then it would leave its nest. In this case the bird merely learned to connect in its mental associations two circumstances with the blasting, instead of the one from which it at first took the warning. The operation of this mental association is shown in a little different manner in the following case. Some horses in a field were supplied with water in a trough which was occasionally filled from a pump. As the supply was not always sufficient, one of the horses, more sagacious than the rest, whenever he, on going to drink, found the trough empty, pumped the water into it by taking hold of the pump-handle with his teeth, and moving his head up and down. The other horses seeing this, would, whenever they came to the trough and found it empty, tease the one that knew how to pump, by biting and kicking him, till he would fill the trough for them. In this case the horse that did the pumping *associated* in his mind the motion of the pump-handle, as he had seen it done by his master, with the supply of water. And while they *associated* this supply with his pumping, he knew what their teasing him meant, because he *associated* it with their motions about the trough, indicating so plainly that what they wanted was water. But I will give a still stronger case. A dog belonging to a Frenchman was observed to go every Saturday, precisely at two o'clock, from his residence at

Relation between cause and effect learned from association.

Locoyarne to Hennebon, a distance of about three quarters of a league. It was found that he went to a butcher's, and for the purpose of getting a feast of tripe which he could always have at that hour on Saturday, their day of killing. It is also related of this dog, that at family prayers he was always very quiet, till the last *paternoster* was commenced, and then he would uniformly get up and take his station near the door, in order to make his exit immediately on its being opened. The narrator of these facts thinks that the first fact shows, that the dog could measure time and count the days of the week. But this cannot be so. The dog undoubtedly associated in his mind the time at which he could get the tripe, with something that occurred on Saturday at that hour at his master's house, just as he associated the concluding of family prayers with something that occurred as the last *paternoster* was read, perhaps with some peculiarity in the manner of his master when he came to that part of the service.

546. Animals learn the relation between cause and effect by this mental association, and act upon the experience thus gained. This is manifest in the examples I have cited. And it may be observed in many acts that we witness occasionally in the higher animals. Thus, for example, as my horse was cropping some grass, he took hold of some that was so stout, and yet so loosely set in the ground, that he pulled it up by the roots, and, as the dirt which was on it troubled him, he very deliberately knocked it across the bar of a fence till he got all the dirt out, and then went on to eat it. Here was a knowledge of cause and effect which was derived from previous experience through mental association. You see the same thing when you see a cat jump up and open the latch of a door, or a horse unbolt the stable door to get out to his pasture. But in all such cases the knowledge of cause and effect differs from the same knowledge in man in one important particular. In the animal it is always an individual knowledge, that is, a knowledge of individual facts; while in man it is often a knowledge which has relation to general truths or principles.

547. From the facts stated in the last few paragraphs it is clear, that Carpenter is not correct in saying, that "the mind of man differs from that of the lower animals, rather as to the degree in which the reasoning faculties are developed in him, than by any thing peculiar in their *kind*." While there is much in common between them in their modes of mental action, especially if man be compared with other animals in the period

Abstract reasoning source of language and of a belief in a Creator.

of his infancy and childhood, there is, as you have seen, one attribute of the human mind which is wholly peculiar to it, and never exists in any degree in any other animal. And this attribute, the power of abstract reasoning, or in other words, the power of deducing general truths or laws from collections of individual facts, constitutes the great superiority of the human mind, in distinction from the mind of the brute.

548. It is this attribute which is the source of language in man. This can be readily seen by observing what is the nature of language. It is a collection of corresponding vocal and written signs of an arbitrary character, arranged according to certain general rules or principles. Other animals do have a kind of language of a very limited character. It is the language of natural signs. It is composed of cries and motions, which vary in different tribes of animals, so that each tribe may be said to have its own natural language. But animals never invent and agree upon any arbitrary signs, as is done continually by mankind in the construction and extension of language. This they cannot do, because abstract reasoning is required for such an invention. General principles are observed in the construction and arrangement of arbitrary signs, and, as I have shown, brutes know nothing of principles.

549. This attribute also is the source of man's belief in a Creator. If he had not the power of deducing general truths from individual facts, he could neither discover the truth that there is a first great Cause, nor appreciate or even receive it, if it were communicated to him. Not the faintest shade of such an idea can be communicated to any of the inferior animals, however high their mental manifestations may be, and simply because the structure of their mind is such that they know nothing of general principles. Carpenter speaks of the disposition to believe in the existence of an unseen but powerful Being, which is found to be universal even among the most degraded races of mankind, as a natural tendency, which he seems to think is implanted in the human breast by the Creator. But it appears clear, that it is a mere natural result of the exercise of the power that I have just spoken of.

550. Man differs from other animals also in having a conscience, or, a knowledge between right and wrong, and a sense of obligation in relation to it. This moral sense is supposed by some to be a mere result of the exercise of the power of abstract reasoning. But others suppose that the sense is implanted as a distinct quality or power, and that the office of the

reasoning power in relation to it is to bring the evidence before it for its decision. I shall not discuss this point, but will merely remark in regard to this subject, that there is no doubt as to the existence of such a sense in man. Some attempt to throw doubt over it by pointing to its perversions, maintaining that it is a mere creature of circumstances, varying almost endlessly in different parts of the world. But it would be just as rational to attempt to show, that there is no such thing as a sense of the beautiful in man, by appealing to the evidences of perversions of taste, which ignorance, bad education, and foolish and novelty-loving fashion have induced.

551. In those cases in animals in which this moral sense has been supposed to exist, it is nothing but slavish fear. It has been said by some one that man is the god of the dog; but it is sacred trifling to compare the attachment of an animal to its master and its fear of his displeasure, with the intelligent regard of man for his Creator as a holy and benevolent being. We ordinarily recognize the distinction between man and animals, as to the existence of a conscience, in the language we use. We never attach the idea of moral character to the acts of an animal except by the force of association, and then only slightly and loosely. We are not apt to speak of *punishing* a dog, for this word implies a moral fault as the occasion of the infliction. We *whip* him, sometimes, simply to associate in his mind the smart with the act done, so as to prevent him from doing it again, and sometimes to vent our ill feeling for the harm done us on the poor dog that has so innocently done it. It is related of Sir Isaac Newton that he had a favorite little dog called Diamond, who being left in his study, overset a candle among his papers, and thus burnt up the almost finished labors of many years, and yet the philosopher only said, "O Diamond! Diamond! thou little knowest the mischief thou hast done." Newton was both a wise and a good man, and while he saw that whipping the dog would do no good in preventing any similar accident in future, he had no ill feeling to vent on poor Diamond, who certainly had a better and more rational master than most dogs have.

552. The mental distinction between man and animals may be thus summed up. The animal is governed by instinct, and in the higher orders by a kind of reasoning which is based upon mental association. Man has, in addition to instinct and this lower order of reasoning, the power of abstract reasoning. In the lower orders of animals probably instinct rules alone. In

Experience gathered by animals, but not transmitted.

them there is none even of the limited reasoning which we see in the higher animals. They have a nervous system with certain central organs, but have really no one great central organ that we can call the brain. As we trace the animal kingdom upward, we soon find that a brain appears, that is, such an organ as may be considered the chief centre of the nervous system. And then, as we continue to trace upward in the scale, we find that the more intelligence or reasoning there is, the more prominent is the brain in proportion to other parts of this system. When we come to man the brain is much larger than in any other animal, and his intelligence is not only greater, but it is of a different character. Not only is the amount of his reasoning by association greater than in other animals, but there is also superadded, as his grand distinguishing mark, the power of abstract reasoning.

553. Instinct, you have seen, cannot be improved by education. It always acts in the same way throughout the life of an animal, and through the succeeding generations of the tribe. It has no accumulated experience, either individual or traditional. But it is otherwise with the two kinds of reasoning power. These can be educated, and they have an experience. But here there is a marked difference between the two kinds of reasoning. The lower kind of reasoning, that of mere association, which is the only kind possessed by animals, is altogether individual, and is not at all traditional. However wise an animal may become, there is no transmission of his wisdom to his posterity. No animal can start from a point of knowledge gained by his ancestor, as a vantage ground, and thus make greater advances than his predecessors. Each animal, in acquiring experience as to the relations of cause and effect, has to begin at the beginning, and learn every thing for himself. The higher form of reasoning, that which man alone possesses, is absolutely essential to the transmission of experience from one generation to another. It is necessary to the transmission even of that experience which is gathered by the other power of reasoning, as well as that which is gathered by itself. The amount of improvement which can be effected where there is only the lower kind of reasoning to act upon, is very wonderful in the case of some of the docile animals. The dog, the elephant, the monkey, &c., are familiar examples. By the skillful and persevering use of mental association in the training of animals, results can be obtained, that resemble very closely those which come from man's power of abstract reasoning.

The power of generalization the basis of improvement in man.

And in some cases the animal accumulates quite a large individual experience. But his race is none the wiser for it. It is none of it transmitted to another generation.

554. We see then the basis of improvement in man. It is not his power of making inferences merely. The brutes do this. It is his power of making general inferences, or, in other words, deducing general laws or principles from individual facts. And as this power distinguishes man from the inferior animals, so a superior degree of it ordinarily constitutes the intellectual superiority of one man to another. This is seen very readily in inventions and discoveries. In the case of almost every invention or discovery, the individual facts upon which it is based were known to many others, perhaps even a long time before the invention or discovery was made. The merit of the inventor or discoverer consists in having seen the available general truth indicated by the facts, and traced out its application to certain objects to be attained. Thus, to take a single example, dairymen and dairywomen in great numbers knew the fact, that a certain disease, derived from the cow accidentally by individuals, prevented them from taking the small pox; but Jenner was the first to see, that here was developed a great general fact, capable of universal application. And thus seeing the wide scope of the fact, he collected the proofs of it, and devised the means by which it could be made available to prevent the ravages of one of the great scourges of the race. It was by the generalizing power of his reasoning that he went beyond dairymen and dairywomen, and became the discoverer.

555. It is interesting to observe that while the capabilities of instinct are developed rapidly, sometimes almost instantaneously, the capabilities of the reasoning power are developed gradually. Especially is this the case with the higher reasoning power, that distinguishes man from the brutes. The child is governed at the first wholly by instinct; and then as he gathers knowledge of the world around him through his senses, mental association comes into play. By the exercise of the lower kind of reasoning, which he has in common with animals, he accumulates experience of the relation of cause and effect. Thus far he is on common ground with animals, that is, those of the higher orders, except that he adds more largely to his experience from mental association than they do. Meanwhile the power of abstract reasoning is gradually developed, raising him up from the level of the brutes, and introducing him into companionship with the whole intelligent creation, even with God him-

The wonderful power of abstract reasoning. Slowness of development in man.

self, whose image he bears in possessing this attribute. This power of generalizing facts is developed earlier than is generally supposed. It is of course feeble at first, and has a narrow range; but it very early shows itself sufficiently to indicate to us clearly, that the child's mind differs essentially from that of the brute. And when disease or original physical defect prevents its development, we see the mental deficiency, and the consequent resemblance of the child in mental character to the inferior animals.

556. When this characteristic power of the mind of man is fully developed, its achievements are often so wonderful, that they give us some realization of the great truth, that man is created in the image of God. As we witness the demonstration of such facts as Newton discovered, or the unerring calculations of an eclipse, or listen to a perfect argument as it develops grand truths, and leads us with a majesty of thought almost divine, straight on to mighty conclusions, we take in the full meaning of the assertion, that "the soul is that side of our nature which is in relation with the Infinite," and we see the folly of those dreamers in science, that look upon man as making merely the highest order in the animal kingdom. We see that the chasm between him and other animals is truly "impassable." We see that we are in a mental region of which the most intelligent of them know nothing—that though they live like us, having the same senses, seeing the same beautiful things, and hearing the same voices of nature, and like us have thoughts and emotions and desires, they are shut out from an upper region of thought and feeling in which we freely roam, and from which we look with aspirations unknown to them to another world beyond.

557. As the mental capabilities peculiar to man are slowly developed, so it is with his physical frame, and the powers that belong to it. Though man at length so excels all other animals, that they are subject to his power as their master, he is at the first the most helpless of all animals. He is a long time "in the nurse's arms," and for years he is unable to obtain his own food. He does not reach the full strength of his body and mind till he is more than twenty years of age. He is in strong contrast with other animals in regard to this slowness of development, they generally reaching their full capabilities in a short time. But even among them, it is to be observed, that there is a difference in this respect, in obedience to a general law, that the higher the capabilities are, the slower they are in their development.

558. The differences between the physical endowments of man, and those of the higher orders of animals, are often very minutely described. But though strongly marked, too much prominence is ordinarily given to them. They should be considered as subordinate altogether to the mental differences. Thus, much is often said of the superiority of man in regard to the possession of a hand, on which I have remarked in various parts of this book. But why should he have such an instrument given to him? Simply because he has a mind which is not only capable of directing it, but which needs such an instrument to produce suitable results in its action on the world around. If other animals had a hand they could not use it properly. They have instruments of a different character, of less various capabilities, but such as are suited to their wants and powers. The same thing can be said of other bodily endowments. They are always suited in range and power to the wants and mental capabilities of the animal. As we trace out this general idea, we find that some animals have some bodily endowments which far excel the same in man. Thus, some have greater powers of vision and hearing than he has, because they need them. So, too, some have endowments of which we find no trace in man, as, for example, the power of flying. For the same reason most animals have special natural means of defense against the attacks of other animals; but man has not, because he has no need of them, as by his ingenuity he can contrive such means as he may require.

559. The physical endowments of man in comparison with animals are indeed wonderful, and correspond with his spiritual endowments, so far as gross matter can compare with subtle immaterial mind. We have looked at these endowments in detail in various parts of this book. Let us glance at the principal of them collectively. As the muscles are the organs by which all communication between man and man, and indeed all action upon the external world is effected, it is in the endless combinations of muscular action that man is most signally superior to animals in physical endowment. This is shown, as you have seen, in the human hand, whether it be looked at as an instrument for work or for expression. The same thing we see exhibited almost as strikingly in the muscles of the voice—both those which by their delicate and accurate action regulate the vocal ligaments, and those which by their complicated action give the voice all its variety of articulation, especially the latter. But let us look at the body as a whole. Man walks erect, a

Beauty of the human form. Best shown when it is in action.

significant characteristic of him as differing from animals. And though there be grace of movement in many animals, it is not in any case to be compared with that which we see exhibited by the erect human form. The extreme variety of combination in the action of the muscles in man is one cause of this superiority. But another and the chief cause is the impress of beauty given to graceful action by the mind. Almost all muscular action speaks to us a language that comes from the thought and feeling at work within, even when it is unintended; and this is the source of a large portion of the enjoyment that we receive, for the most part unconsciously, from the graceful movements that we witness in our fellow men. And when in a beautiful and graceful form we come to add to the ordinary movements of the body, which are commonly, though improperly, considered as meaningless, those movements which are distinctively expressive of thought and emotion, we are filled with admiration of the wonderful capabilities of the human frame in graceful action.

560. The human form in repose, when in its greatest perfection, far transcends, as a combination of varied beauty, any thing that we see in the inferior animals. But its superiority in this respect is best seen when the intelligent and feeling mind puts it into action. And this is especially true of those parts which are most engaged in expression—the hand with its endlessly varied movements, but most of all the face. It is in this noblest part of the human frame that the soul of man, through the subtle agency of the nerves, most strikingly imprints its immaterial qualities upon a material form, and exhibits the highest graces of motion in the delicate and ever varying play of the muscles. And when in the impassioned speaker, while the muscles of the voice and articulation are executing their exceedingly rapid and complicated movements, we see the whole frame in its motions and attitudes brought into consonance with the burning words and the beaming countenance, we take in the full idea of the adaptation of the human body to the mind that tenants it. Though the hand is commonly spoken of as affording the best illustration of man's superiority to other animals in muscular action, it is far from being as impressive an exhibition of it as this action of the whole frame. It is when the mind, through the numberless nerves that connect it with every part of the body, brings them all into its service in expression, that we get the most exalted conception of the excellence of the human organization.

CHAPTER XIX.

VARIETIES OF THE HUMAN RACE.

561. ALTHOUGH, as we look at men of different nations, we find that there is a general agreement in form and organization, there are many points in which they strikingly differ from each other. "With those forms, proportions, and colors," says Mr. Lawrence, "which we consider so beautiful in the fine figures of Greece, contrast the woolly hair, flat nose, thick lips, the retreating forehead, advancing jaws, and black skin of the negro; or the broad square face, narrow oblique eyes, beardless chin, coarse straight hair, and olive color of the Calmuck. Compare the ruddy and sanguine European with the jet black African, the red man of America, the yellow Mongolian, or the brown South Sea Islander; the gigantic Patagonian to the dwarfish Laplander; the highly civilized nations of Europe, so conspicuous in arts, science, literature, in all that can strengthen and adorn society, or exalt and dignify human nature, to a troop of naked, shivering, and starved New Hollanders, a horde of filthy Hottentots, or the whole of the more or less barbarous tribes, that cover nearly the entire continent of Africa;—and although we must refer them all to the same species, they differ so remarkably from each other as to admit of being classed into a certain number of great varieties; but with regard to the precise number, naturalists have differed materially." Cuvier admitted but three varieties, the *Caucasian*, *Negro*, and *Mongolian*. The more commonly received classification, however, is that of Blumenbach, who makes five varieties, viz., the *Caucasian*, *Ethiopian*, *Mongolian*, *American*, and *Malay*.

562. The chief characteristic of the *Caucasian* variety is the fine form of the head, it being nearly oval, as you view it from the front. It is also characterized by a great range of variations of the color both of the skin and the hair. There has been more of civilization and improvement of every kind in this race than in any of the others. It is mentally superior to the other races. It is called Caucasian from Mount Caucasus, from the vicinity of which, it is supposed, it originated. Even at the present day it is said that the characteristics of this race are

Blumenbach's classification—most commonly received.

most perfectly developed in the Georgians and Circassians, who live in the neighborhood of this range of mountains, and who are considered the handsomest people in the world.

563. The *Ethiopian* variety is quite in contrast with the Caucasian. The organization has not the perfection and elegance which the Caucasian presents, and it shows an approximation to the higher orders of the inferior animals. The skull is small. The forehead is retreating, while the face below is projecting, the cheek bones being prominent, and the nose broad. The apparatus of the senses is thus fully developed, while the brain is less than in the Caucasian. The hair is black, oily, and frizzled. It is commonly said to be woolly, but it is really not so. Dr. Carpenter says that "microscopic examination clearly demonstrates that the hair of the negro has exactly the same structure with that of the European, and that it does not bear any resemblance to wool save in its crispiness and its tendency to curl." The skin is generally black; but not so in all the race, for the Caffirs and the Hottentots are yellow.

564. The *Mongolian* variety, of which the Chinese race forms the largest family, is characterized by prominent broad cheek bones, flat square face, small oblique eyes, straight black hair, scanty beard, and olive skin.

565. The *American* variety is characterized by high cheek bones, a narrow low forehead, features large and bold, except the eyes, which are deeply sunken in large sockets, hair generally black, stiff and straight, and complexion varying from a crimson brown to a deep copper.

566. The *Malay* variety, which occupies the Islands south of Asia, in the Indian and Pacific oceans, has not so well marked characteristics as the other varieties. The complexion is brown, varying from a light tawny to almost black, the hair is black and thick, the forehead is low and round, the nose is full and broad, the nostrils wide, and the mouth large.

567. Other classifications have been made, in some of which the human race is divided into many more varieties. Any classification must be in a great measure arbitrary, and must be regarded rather as a convenience, than as having the definite and invariable character which belongs to truly scientific distinctions. In each of the five divisions of Blumenbach there is great diversity. Thus, in the Caucasian variety, the English, the French, the German, the Irish, &c., are quite distinct from each other. And we sometimes see very striking characteristic marks separating single families from others. The

Differences in individuals, families and nations—produced by similar causes.

varieties of the race are thus almost endless, the lesser differing only in degree from the larger.

568. The *national* differences are evidently produced by causes of very much the same character with those which produce differences in individuals and families. And the question arises whether such differences as those which Blumenbach describes as marking the races, are not produced in a similar manner. This question has been much discussed, and there is great difference of opinion in regard to it. The great majority of naturalists believe in the unity of the origin of the human race, and hold that its varieties are the results of the various circumstances by which man has been surrounded. But some suppose that the different varieties come from separate pairs created by God in different localities, and hold that the history in Genesis is a history of the origin of only one of the varieties of the race. Those who advocate this doctrine are few in number; but it has acquired greater currency of late, because one of the most eminent naturalists of the present day, Professor Agassiz, has espoused it. His doctrine on this subject I will give as briefly as possible.

569. All animals, he asserts, like plants, have particular localities, for which they are fitted, and to which they belong. These zoological provinces, as he terms them, are of unequal extent, some animals having a wider range than others. From this general law of distribution, which he illustrates with many facts, he infers that the various animals on the face of the earth were not created in one part of the earth and distributed from this to other parts, but were created in the provinces to which they belong. This view of the subject forces itself upon the mind of the naturalist, as he observes the arrangement of the various tribes of animals on the earth's surface. And besides, there are apparently insurmountable difficulties in the way of a diffusion of animals over the globe by means of migration. For example, we cannot conceive how the polar animals could have migrated over the warmer tracts of land, which they would have to cross according to this supposition, for it is impossible now to keep them alive under such circumstances with the greatest precautions. And farther, some animals of the same species, sometimes presenting varieties and sometimes not, are found in different localities which are so cut off from all communication with each other, that it is impossible that these animals could migrate from some one locality to all the rest. "To assume," he remarks, "that the geographical distribution of

 Doctrine of the multiple origin of the human race.

such animals, inhabiting zoological districts entirely disconnected with each other, is to be ascribed to physical causes, that these animals have been transported, and, especially, that the fishes which live in fresh water basins have been transported from place to place—to suppose that perches, pickerels, trouts, and so many other species found in almost every brook and every river in the temperate zone, have been transported from one basin into another by freshets or by water birds—is to assume very inadequate and accidental causes for general phenomena.” Not only then were different species of animals created originally in different localities, but it is also true to a considerable extent, that animals of the same species occupying different localities were created in those localities.

570. All this he claims to be consistent with scripture, and with very good reason. The account of the preservation of animals in the ark, interpreted according to the common license of language, indicates really only such a preservation, as would be necessary for the stocking of that part of the world where Noah and his family were, after the waters should subside. The number and the variety of the animals preserved for this purpose would of course be very great, and would, according to the common usage of language in narration, be spoken of in the terms used in the Bible. This interpretation holds equally, whether the deluge be considered as having been partial or universal.

571. The case being thus quite clearly made out in relation to animals generally, he proceeds to trace an analogy between them and the races of man in this respect. He supposes that there are certain zoological provinces for the different human races, as there are for the different species and varieties of animals; and that these races were separately created in these provinces with organizations suited to their peculiar localities. While he allows that climate and other influences affect the varieties of the human race, he claims that they are not competent to produce them alone; and he infers, therefore, that there must have been, as in the case of animals, different original creations in the different zoological districts. He accordingly claims that the history given in Genesis is a history of the origin of only one branch of the human family. He does not suppose that the different branches constitute different species, but are made varieties of one species.* He characterizes mankind

* The difference between *species* and *varieties* is this. The distinction of *species* rests upon *specific* characteristics, that cannot be changed by those influences which tend to

Most naturalists believe that the race came from one pair.

as being every where essentially the same in mental character, and alike the accountable subjects of God's kingdom, notwithstanding their multiple origin. It is in this respect that he considers them as being of one brotherhood, and he looks upon the expression in the Bible, "made of one blood," as being entirely figurative, and as referring to "the higher unity of mankind, and not to their supposed connection by natural descent."

I do not propose to go into a thorough discussion of this question. This would not be possible in the narrow limits of a chapter. I shall only present a general view of the chief facts and arguments that bear upon the point at issue. And let us look at this subject first in the light of physiology and natural history.

572. The great majority of physiologists and naturalists, as I have before remarked, have thus far been of the opinion that the human race came from one origin, and that the varieties of it have been produced by the various influences to which man has been subjected. These are commonly included in the general expression, *climatic and other influences*. To be more particular, they are—climate, situation, food, clothing, customs, habits, way of life, state of civilization. Too great prominence has been undoubtedly given to the influence of climate. Lawrence very justly remarks in his general conclusions in regard to the production of the varieties in man and animals, "that of the circumstances which favor this disposition to the production of the varieties in the animal kingdom, the most powerful is the state of *domestication*." This word, as he uses it, includes all those social influences, which as manifestly affect the animals which man domesticates as they do man himself. The analogy between man and animals in relation to the results of the influences referred to I shall soon speak of more particularly.

573. That climatic and other influences do have a very great agency in producing the varieties both individual and general, that we see on looking over the human family, no one doubts. The only question is, whether they have produced *all* these differences—whether, for example, they have occasioned that

produce the differences that make *varieties*. The characteristics of a species are *original*, while those of a variety are *acquired*. "The term species," says Prichard, "includes only the following conditions, namely, separate origin and distinctness of race, evinced by the constant transmission of some characteristic peculiarity of organization. A race of animals or of plants marked by any peculiarity which it has ever constantly displayed, is termed a species; and two races are considered specifically different, if they are distinguished from each other by some characteristic which the one cannot be supposed to have acquired, or the other to have lost, through any known operation of physical causes."

very wide difference that we see between the Caucasian and the Ethiopian. My limits will not allow me to go into a full examination of the influence of these causes, and I can only touch upon a few points in a very general way.

574. That climate has a great influence upon the color of the race is proved by many clearly observed facts. Tropical heat always has a tendency to produce a black skin. This is shown very decidedly in the case of the Jews, who have preserved their characteristic features amid varieties of climate, and yet have their color altered. Thus, while the Jew of the interior of Europe has a fair complexion and light hair, under the scorching sun of India his hair is crisped, and his skin is black. The evidence of the influence of climate is the stronger in this case, because the change from the original color has been two-fold. For the original Jew in Palestine had undoubtedly a dusky skin and dark hair, upon which the temperate climate of the interior of Europe, and the tropical climate of India have produced two opposite effects.

575. But in the varieties of the human race there are differences of form as well as of color. That the various influences to which man is subjected have a marked effect upon his physical form is universally acknowledged. We see this alike in individuals, families, and nations. Intellectual and moral influences manifestly have some agency in moulding the shape of the head in the individual. The differences, which we so commonly see in the shape of the head between the intellectual and the ignorant, are not owing altogether to original difference of capacity, but in part to education. The brain, like all other organs in the body, is influenced in its development by the degree of activity to which it is stimulated. It is not made an exception to this general law of development. Accordingly we find that depressing influences tend to make the top of the head, the cerebral part, small, and the forehead retreating, while the face, from the predominance of the sensual over the intellectual, is rendered relatively too prominent. The tendency of elevating influences is of an opposite character. And such influences, thus operating in the individual, when repeated and accumulated from generation to generation, produce great and lasting results. It is thus that a race becomes either degraded or elevated. By a continuance and accumulation of influences it acquires either a good or a bad fixed character.

576. I have thus spoken of one class of causes effecting changes in the physical form, the influence of which is manifest

Marked tendencies to three different forms of the head.

But there are changes seen, the causes of which we cannot clearly make out; and yet we know that they are occasioned by the varying circumstances in which man is placed. By the compound influence of many causes combined we continually see differences in the shapes of various parts of the body introduced. Family and national peculiarities are thus occasioned. The influences to which I have thus referred, some of which are little understood, are all those which Mr. Lawrence includes in the term *domestication*, which, as I have before said, he applies to man as well as to animals.

577. Dr. Prichard has pointed out three different types of form in the head, occasioned by three distinct classes of influences. One he terms the *prognathous*, (a word derived from two Greek words meaning *before* and *the jaw*,) in which the jaws project very prominently forward. This formation is characterized by the predominance of the sensual over the intellectual, the apparatus of the senses being largely developed, while the cerebrum is small, making the forehead retreating. The tendency to assume this type is always in proportion to the action of the degrading influences. "Want, squalor, and ignorance," says Carpenter, "have a special tendency to induce the diminution of the cranial portion of the skull, and that increase of the facial, which characterize the prognathous type." It is seen most strongly marked in the negroes of the Gold Coast. In the *pyramidal* type, as it is termed, the cheek bones are very broad, and the bones above are so shaped as to give the top of the head a sort of pyramidal form. This type we see in those tribes that lead a wandering life—the *nomadic races*, as they are called. The *oval* or elliptical form, which is seen so well marked in the Caucasian variety, is manifestly the result of elevating influences. These types are convertible into each other. Thus, the oval may be degraded into the prognathous, or the prognathous may be elevated into the oval. The latter change is seen in the Ethiopian, when in successive generations he is subjected to elevating influences, in his intercourse with the Caucasian. And it is interesting to observe that the form of the head is more readily changed than the color. "Thus," says Carpenter, "in some of the older West Indian colonies, it is not uncommon to meet with negroes, the descendants of those first introduced there, who exhibit a very European physiognomy; and it has even been asserted that a negro belonging to the Dutch portion of Guinea may be distinguished from another belonging to the British settlements, by the similarity of the

features and expression in each, to those which peculiarly characterized his master's. The effect could not have been produced by the mixture of bloods, since this would be made apparent by alteration of color." In the same way is the pyramidal type convertible with the others. The pyramidal and the prognathous are often mingled together, by the influence of vagabond habits and degrading causes.

578. The view thus given of the operation of influences in producing the varieties of mankind is strengthened by the fact that, as Humboldt says in his *Cosmos*, there are "many *intermediate gradations* in the color of the skin and in the form of the skull." If we look alone at the *extremes* in varieties of color and form, we are of course disposed to regard such great differences as marking a distinction of species. But when we see these varieties passing into each other by such insensible gradations, and at the same time observe the manifest influence of causes upon these gradations, as in the cases referred to in the last paragraph, the evidence is clear to us that the varied influences brought to bear upon man are competent to produce the varieties of the race.

579. But it is objected that although climatic and other influences have a great effect, yet, so far as we can see, they only produce changes that approximate to those differences that mark the grand divisions of the race. They cannot, for example, be shown, from actual observation, to have effected the entire change in any length of time of any portion of the Caucasian race into the Ethiopian, nor, on the other hand, of the Ethiopian into the Caucasian. It is objected, farther, that the peculiarities of the principal varieties of man existed in the early history of the race. This appears in relation to the Ethiopian variety in the figures found on Egyptian monuments. These show that the peculiarities of the negro race were as strongly marked nearly 5,000 years ago as they are now. This fixedness of character under such a variety of influences continued so long, it is claimed, indicates that the peculiarities were original, and not acquired.

580. In reply to both of these objections, I will call your attention to a general fact, which I deem to be very significant in its bearing upon the great point at issue. It is the fact that *when a variety is formed by any influences, either among plants or animals, it is apt to remain in spite of opposing influences.* It seems to be easier by far to produce a variety, than to bring it back to the character of the original from which it came

Domestication has been continually producing varieties in the animals that man has so largely appropriated to his service, and the varieties once produced, commonly remain. And the same thing is seen in the varieties resulting from the same class of influences so continually in the human race. It is matter of common observation that family and national peculiarities are apt to be perpetuated. And it is not merely from a continuance of the causes from which they result, for they are apt to remain even when strong counteracting influences are brought to bear upon them. Now the causes which tend to produce varieties in the human race acted of course at the first, and were competent to produce the most prominent varieties during the first ages of the race. And the tendency to fixedness, which we see exemplified in so many ways in the varieties of both plants and animals, is sufficient to account for the perpetuation of such marked characteristics as those of the Ethiopian and the Caucasian.

581. The analogy then which is thus observed between man and the domesticated animals is a much clearer and stronger one, than that which Professor Agassiz has attempted to make out between man and animals generally in regard to zoological districts. And the inference is a legitimate one, that the same influences, that we see produce varieties in domesticated animals, are competent to produce the varieties in the human race, which are even less marked than some of those which we see in animals. Varieties are produced more readily and in greater numbers in animals than in man, probably because they have less power of resisting influences that act upon them. The varieties of some of the domesticated animals are very numerous.

582. The analogy drawn between man and animals in regard to zoological districts is weakened by the consideration, that there was no necessity for man's being created in different localities, because he can migrate so easily from one country to another. The necessity existed in regard to plants and animals, but not to the same extent in all. Migration is easier in the case of some than in the case of others. And this difference seems to have been acted upon by the Creator. Accordingly, the evidence is quite conclusive, that those animals which have been so universally appropriated by man to his service, have been diffused from central points and have gone with man, instead of being created in many localities. This being the case, it is hardly to be supposed that man, who is capable, through his ingenuity, and skill, and daring, of going every

New causes occasionally introduced by the Creator. Facts showing this.

where, would be unnecessarily created in different pairs at different points on the earth's surface.

583. But suppose that in view of all the evidence we should come to the conclusion, that the climatic and other influences are not the sole causes of the differences in the races, are we of course driven to the admission that, as Agassiz and others teach, there must have been created at the first, several, we know not how many different pairs in different localities? By no means. We are not to forget that the Creator, besides using influences of which we have no knowledge, (which he is continually doing,) can effect new combinations of the causes already existing, or introduce into operation entirely new causes. That he is from time to time evolving new results in one or the other of these ways, or both of them, is manifest. The very common notion, that at the creation all the causes which have produced all the phenomena that have been observed to the present time, were then set in operation, and have been left to work out their results, seems to be contradicted by many facts. Most of the causes then set in operation, it is true, have been at work ever since. Unless this were so, nature would not exhibit the regularity which it now does, and calculations could not be made with such definiteness as to its processes from knowledge gained by experience. But changes and irregularities sometimes occur which must have been the result of new causes. I shall allude to but a few examples.

584. The age of man before the flood was much greater than it has been since. A change was effected at that period. It was not a mere arbitrary change, but such a change in the very character of the human system, that its capability of resisting the tendency to decline was greatly reduced in the period of its continuance. It was not a change resulting from the influence of deteriorating causes, for in that case it would have been less suddenly induced. To effect this change some new causes must clearly have been brought to bear upon the system, making it in the post-diluvian a different system in some important respects from what it was in the ante-diluvian. Take a fact of a different kind, indicating a similar change of agency. New diseases from time to time appear. This could not occur without either entirely new causes, or new combinations of elements heretofore existing. That very definitely marked disease, the small pox, we have the best of evidence, was not known to the ancients, and is comparatively a modern disease. It is impossible to conceive of its being introduced without some new cause of a

Supposition of new causes more probable than Agassiz' supposition.

very definite character. Take now another fact of a widely different kind from either of those to which I have alluded. The earth is marked all over with signs of great convulsions that have occurred since its first creation. It has been supposed till recently that these signs all refer to that great event described in the Bible, the Deluge of Noah; but geological researches have demonstrated pretty clearly that they point in part at least to other previous convulsions. Now these convulsions are not to be reckoned as a part of the regular order of nature. They could not have resulted from the ordinary causes that act continuously. New causes must have been introduced at the time, to produce these unwonted results.

585. It matters not to the argument above indicated, whether the new results that are occasionally developed, come from a direct agency at the time, or come from a chain of causes set in operation a long time before. The results are new results, and come from causes or combinations of causes, which differ from those that have produced the ordinary and regular results which we witness from day to day or from year to year.

586. Now in like manner can we suppose, if it be necessary, that the Creator produced the varieties of the human race, by adding other and new causes to the ordinary influences to which man is subjected. This is a much more probable supposition than that of the advocates of the multiple origin of the race. For besides accounting satisfactorily for the facts, and at the same time being consistent with the record in Genesis, it is more clearly supported by analogical facts than the supposition, (for it is a mere supposition,) that the human race was created in different localities. And farther, this supposition avoids difficulties which attend the other. For, if we suppose that the race came from different pairs, it would be difficult to decide how many pairs there were. Such are the variations of the race in different localities that there would be much disagreement as to the number of the representative pairs, and their distinguishing characteristics.

587. But it may perhaps be said in objection, that I am supposing a miraculous interposition. Whether it may rightly be termed such I will not stop to consider, but will merely remark, that it is just such an interposition, or rather, direct agency, as is affirmed by the advocates of a multiple creation, *differing from it only in the time of its occurrence*. They suppose the direct agency of God to be put forth in creation at different points, whether at different times they do not say, and this is

The testimony of the Bible to be received as evidence.

really quite immaterial; and I suppose the same direct agency to be put forth, but in a less marked manner, to produce a change in what has been already created. In supposing the direct agency of the Deity at all, we go beyond mere physics; and he surely has the power to put forth this agency at such times as he pleases.*

588. But the supposition made above is not in my view needed. I believe that the regular, continuous, natural causes, which have ever operated upon man, have been competent to produce all the varieties of the race. And I only suggest this supposition, as a consideration for those who fail to see that these causes have been thus competent; and I claim that it is a more probable supposition than the one offered by Agassiz and others to meet the difficulty in the minds of such persons.

589. Thus far I have treated this subject chiefly as one of natural history and physiology. But is the testimony of the Bible not to be received as a part of the evidence? Is the question to be decided wholly on considerations and facts drawn from natural history and physiology? This seems to be the view of some naturalists, though the great majority of them are disposed to admit the statements of Scripture as evidence. It is true that the Bible does not purport to be a philosophical book. Its language is based upon the principles of common and not scientific usage, and is so to be interpreted. And it should be thus interpreted in relation to the subject before us. Its statements on this subject are of the most explicit character. It purports to give an account of the origin of the race, and portions of its history. It ascribes the corrupt character of the race to a fallen parentage. This connection of the general corruption of the race with the fall of its original pair, however divines and philosophers may differ in accounting for it, is recognized as a fact throughout the whole book of revelation. The testimony is definite, and is not to be mistaken. The question is, whether it be valid testimony. And if the Scriptural record be established, as it is abundantly, by both

* There seems to be in the minds of some naturalists a great reluctance to admit at all the direct agency of the Creator, whether it be exerted in consonance with the order of nature which he has established, or miraculously in opposition to it. And they would smile skeptically at what they would deem the simplicity or superstitiousness of Hugh Miller, in referring some narrow escapes which he has had, in pursuing his geological researches, to a particular Providence. The relation of the agency of the great First Cause to second causes, it is true, is a mysterious subject; but it implies no disposition to fathom what is unfathomable if we assert that the facts are far from warranting us in the belief, that this agency has not been exerted since the period of the creation, but confined itself to that time.

The unity of the race recognized by the whole scope of the Bible.

internal and coincident evidence, its testimony in regard to the origin of the race is to be received by scientific men. It can not be set aside by any mere presumptive and aualogical evidence drawn from physiology and natural history. If actual facts be proved inconsistent with the Mosaic history, as properly interpreted, they will of course bring discredit upon that history. No immunity against a strict investigation is to be claimed for the Bible. But there is no fear of such an issue and it is to be remembered that mere analogies are not facts, and are not to be deemed as having much force, especially when there is a question in regard to their value in comparison with other analogies that point to an opposite conclusion.

586. If the account given in Genesis be a correct account, as is generally allowed by the advocates of the multiple origin of man, and if, as they claim, it is the account of the origin of only one branch of the race, while other pairs were created in other parts of the world, they are driven by the facts in the case to this alternative. Either other pairs were created with an original corrupt nature, or they were created innocent as Adam and Eve were, and then were tempted in a similar manner and with a similar result. To claim that the other pairs were made so like Adam and Eve as to constitute with them one species, alike physically, intellectually and morally, without taking either of the suppositions just given, is to admit the truth of only a small portion of the Mosaic account, and is also inconsistent with the existence of the great acknowledged fact of the general corruption of the race. So that it is evident that the unity of the race, and the truth of the Mosaic history, must stand or fall together. And it is not the truth of this history merely that is involved in this question, but the truth of the Bible as a whole. For the corruption of the race, which the Bible seeks to remove, as before remarked, is throughout this book distinctly referred to the fall of man as recorded in the Mosaic history as its origin. The *main facts* of that record are recognized as true by the whole scope of the Bible, whatever may be thought of the minute particulars of the narration. It matters not then, you will observe, to the argument, whether the Mosaic account be received as true in all its minutiae, or whether it be considered, as it is by some, as a mere myth. For the argument is based upon the recognition by the rest of the Bible of the main facts contained in the history. And if it be a myth or fable, it must be based upon these facts, or, in other words, it is these facts that it is the object of this myth to convey.

Distinction between man and the higher animals very definite.

587. I have thus presented a summary (for it necessarily is a mere summary) of what I deem to be the proper view of this subject. In doing so, I have left out many facts and considerations which are important, if we intend to go into a full and thorough investigation. I have selected for your consideration those points which are most prominent and important. I have attempted to indicate as clearly as I can the value of the different prominent arguments, that have been advanced on both sides of the question. And from the views and facts presented I think it very evident, that the true interpretation of the presumptive evidence, drawn from natural history and physiology, is entirely in accordance with the teaching of the Bible, viz., that God "made of one blood all the nations of men for to dwell on the face of the earth." We are all one brotherhood. And, therefore, however debased our fellow man may be—to whatever degree of degradation the unrestrained corruption of his nature may have brought him—we are to look upon him as containing the elements of that moral and intellectual elevation which is attained by the most gifted of men. It is this view of the subject that imparts dignity, and interest, and hope, to all philanthropic efforts to raise man from the moral, intellectual, and physical degradation, to which sin has reduced him.

588. Although there are perhaps none at the present time who distinctly advocate the doctrine, that the lower races of men, as they are termed, are half way between man and such animals as the monkey and ourang-outang, yet there is in some minds an indefinite partial admission of this idea. There is a disposition in some naturalists to make the most of any resemblances found between these races and animals. The attempt has been sometimes made to show, that there is a decided resemblance between the form of the Ethiopian and that of the monkey tribe. But it has always failed. It has been said that the arm of the negro is longer than that of the Caucasian, and that in this respect he approaches to animals of this class. But the difference is so slight that the analogy fails entirely. And besides, the hand of the negro, the most important part of the upper extremity, bears no manner of resemblance to the imperfect hand of the monkey, but is essentially like that of the European. It has been said, too, that the brain of the negro is like that of the monkey. The brain in any race or family of men that are debased and ignorant is smaller than in the elevated, and in this respect alone does it approach to that of the monkey and other higher orders of animals. And, as I have

Life, though various in its manifestations, in some senses always the same.

before said, there are certain mental characteristics in the most debased which link them to the most exalted of our race, creating an "impassable chasm" between them and the most intelligent of animals.

CHAPTER XX.

LIFE AND DEATH.

589. LIFE is very commonly spoken of as being one thing, although its manifestations are exceedingly various in their character. In the simplest growths that we see, both in the vegetable and the animal kingdoms, the operations of life are in some respects very different from the complicated processes, that we witness in the human structure, which has been the subject of your study in this book. And yet, as you have seen in the Chapter on Cell-Life, life in these apparently opposite cases is essentially the same. It is the same in its origin. It begins always in a single cell, whether the living being is to be minute or monstrous, simple or complex, a plant or an animal, a creature of a day, or a being destined to immortality. Why it is that from a simple cell the vital force, as it is termed, can evolve such a range of diversified results as we see in all animated nature, is one of the great mysteries of the Creator. As we see in the spring time a bud upon a tree unfold itself gradually, and develop to us successively leaves and flowers and fruit, it fills us with wonder, when we reflect how much has come from that little bud; but when we go farther, and think of the whole tree as having come from a single cell, so small that it can be seen only by the microscope, the mystery appears passing wonderful. And it is a still greater mystery, when a complicated animal organization is looked at as having been developed by the vital force, alike with all other living things, through a single cell as its origin.

590. Life is not only always the same in its origin, but it continues essentially the same in its processes. All the various forms which it produces, both in the vegetable and animal world, are built and kept in repair by cells. All the functions, too, are carried on through the same agency. The secretions

•

Difference between the vital force, and heat, light, and electricity.

and excretions, as you saw in § 201, are effected by constant successive creations of numberless cells. Even the intellectual operations in the mind of man are dependent upon cells so long as the mind is connected with the body. In thinking, as well as in muscular motion, cells are worn out, and must be replaced by other cells, which are continually supplied by the vital force.

591. Life being thus wonderful in its operations, the inquiry arises, what can this mysterious agent be. With curious eyes we watch its workings, but although we can learn some of its laws, its nature eludes our search. Then pressing the microscope into our service, we trace it back to its hiding place in a minute round cell containing a fluid; but simple as this prison is in which it is confined, it is more of a mystery than ever. The vital force, which begins here, and, enlarging more and more the sphere of its operations, develops gradually the simple or the complicated living form, as the case may be, has been classed by some with other forces, the nature of which we do not understand, as heat, light, and electricity. But it differs from them entirely in some important points. While they act in connection with matter generally, both organized and unorganized, vital force is only seen acting in organized substances. While they diffuse themselves through all kinds of matter with more or less rapidity, the vital force has no power of diffusion, but is confined within certain limits. These limits differ in the different living substances. The vital force has the power of appropriating matter to itself within these limits. It does this by assimilation, as described in § 10. It has then the power of extension to a limited degree; while the other forces mentioned have the power of diffusion, in some respects limitless.

592. Another difference is this. While these forces, light, heat, and electricity, are lessened in power by being diffused, vital force is not lessened by extension. Heat, for example, if diffused is lessened at the point of its diffusion; but life is as energetic at its starting point after its extension as before, and even more so. It is, so to speak, self-generating, while the other forces are mere products. The vital force stands peculiarly alone in this respect. The effects too, which this force produces, as it lays common matter under contribution, and fashions it in such diversified forms, have an infinitely wider range of variety than the effects of the other forces.

593. We can thus trace the differences between the vital force or principle and other forces, but we cannot, as I have before said, discern its nature. We know not whether it be one thing

Life in the blood. Vital laws control the chemical and mechanical.

It is convenient to speak of it as being so. But we know not but that it may be a compound of endowments, or tendencies imparted to matter, and varying with the various forms of living substances. Some have supposed that the vital principle resides chiefly in the blood, and that this is the meaning of the passage in the Bible, "the life of the flesh is the blood." That the blood has some vital properties is certainly true. These properties are communicated to it as it is made from the food, and fit it to be the material for the construction and repair of the organization. And it is simply the fact, that the blood is the common material out of which all the diversified parts of the living structure are made, that is recognized in the language of Scripture on this subject. The same fact is embodied in another form in the remark of the French physiologist, that the blood is *chair coulante*, or running flesh.

594. When the vital force appropriates to itself common matter in assimilation, it takes it away in part from the operation of certain forces which have had entire control over it. As long as it is common dead matter, it is wholly subject to the laws of mechanics, and of chemical action. But when it becomes organized living matter, the laws of life take possession of it. The laws of chemistry and mechanics are not, it is true, annulled in relation to it. They still exert their influence, but under the control of vital laws. The force of gravity acts continually upon the body; but the living muscles are much of the time acting in direct opposition to it. The blood circulates on hydraulic principles; but the vital force furnishes the motive power, and keeps the blood from becoming solid and stopping up its channels. Chemical changes are going on in the stomach, the lungs, and at every point in the capillary circulation; but they are modified, controlled, by the vital principle, and are properly termed chemico-vital processes.

595. The human body is made of materials that are exceedingly prone to chemical decomposition, and the degree of heat which is maintained is such as to favor this result; but the vital force not only holds the chemistry of the system in abeyance, but even presses it into its service. When life is destroyed, the laws of chemistry assume their full sway, and the process of decay begins. The very agencies which served, while under the control of the vital principle, to maintain the living organization, now acting alone run riot, and work its destruction. Thus, that powerful agent, heat, existing in the body at the point of 98° , is necessary to the carrying on of the processes of

Change always attends life in action. Life sometimes dormant.

life; but let life be destroyed, and the maintenance of this degree of heat would ensure a very rapid putrefaction. So too, a degree of heat which would rapidly putrefy a dead egg by quickening the chemical changes, would actively stimulate in a living egg those curious vital processes that produce at length the bird. During incubation the egg of the hen is kept for three weeks at a heat of 105° , and yet when the chicken is hatched all of the yolk that is left is unchanged. A dead egg would soon putrefy under such a temperature.

596. The vital force exhibits its controlling power in an extraordinary manner in connection with that great force of nature to which I have just referred. Heat is very diffusive, and is exceedingly liable to change from varying circumstances. And yet the vital force maintains the heat of the body quite uniformly at one point, although the agencies which tend to vary it are very numerous and effective. The production of heat in the system is a chemical operation, but the vital principle regulates the quantity in the body very accurately, by providing for its escape in various ways, and perhaps by curtailing in some measure its production.

597. Continual changes are effected by the vital force in every part of the body. In one sense death may be said to be taking place constantly, while life is as constantly generated, as the useless particles are separated and taken away, and the new ones are deposited in their place. While these changes are going on the vital force so operates as to maintain the peculiar shape and plan of every part, even during its growth. And as we look abroad over all the diversified forms of animated nature, the accuracy with which this force works in the prescribed mould of each is very wonderful. This point I have commented upon in the first chapter, page 18, and will not dwell upon it here.

598. While the vital force is in action there is constant change; but sometimes it is dormant. A seed in its quiescent state has life in it, ready to be waked into action by the proper excitants, air, warmth, and moisture. Seeds that were found in the excavations of Pompeii have shown that they retained their life during all this time, by shooting forth their germs as soon as they were exposed to these natural excitants of their growth. One of the most interesting cases of this kind is related by Dr. Lindley. "I have now before me," he says, "three plants of Raspberries, which have been raised in the gardens of the Horticultural Society, from seeds taken from the stomach of a man

whose skeleton was found thirty feet below the surface of the earth, at the bottom of a burrow which was opened near Dorchester. He had been buried with some coin of the Emperor Hadrian, and it is probable, therefore, that the seeds were sixteen or seventeen hundred years old."

599. A similar dormant condition of the vital force exists in a greater or less degree, as you saw in § 158, in the state of hibernation. So also, in cold climates, life is throughout almost the whole vegetable world dormant during the period of winter, to wake to greater energy from the stimulating warmth of spring. In the human body, with the exception of some few very rare cases, life is always in an active state. Some portions, however, of the system are a part of the time dormant for the purpose of rest and repair. The brain and the muscles sleep; but during their sleep life is busy in the formative vessels, repairing their energies, and we may say, their textures also, which have been wasted by their labor. I will not dwell longer upon this interesting subject, but in leaving it I remark, that it is a very wonderful attribute of the vital force that it can, as in the case of the hibernating warm blooded animals, stop all its active operations, without damage to the machinery of life, and with such facility resign itself into a state of temporary inactivity.

600. The most mysterious of all the circumstances in regard to the vital force is its connection in man with the immortal soul. The life and the soul are so intimately connected that some have considered them to be the same. But they are two distinct forces. They are in some measure indeed antagonistic to each other. For the soul, in using the machinery of the nerves and muscles occasions a wear and tear of the structure, which it is the office of life with its numberless cell-laboratories to repair. The soul and the vital principle are both present in all parts of the system, but not in the same sense. The vital principle is seen equally at work every where. It has no great central organ from which it sends forth its influence. But the soul is especially connected with the brain, and by means of the complicated nervous connections of this organ, it affects and is affected by all parts of the system. Its influence is thus an all pervading one. Every point of the living organization has thus a sort of telegraphic communication with the immaterial soul.

601. But there is another view of this connection of the soul and the vital principle. The soul is developed in and with the

living structure. It is not created by itself and put into the body as a tenant. Its powers are developed while the vital force develops the powers of the physical organization. The two processes go on together. Nay more, the development of the soul is in a measure dependent upon the development of the body. The vital force exerts a manifest influence upon the soul's growth. As it prepares the organs for the use of the soul—those organs by which it acquires knowledge from without, and thus procures the stimulus and even the material for its growth—whenever the vital force fails to construct these organs properly, the powers of the soul are not well developed. This we see exemplified in the idiot. In this intimate connection of the soul with life we find a great mystery. Life, a force belonging to mere matter, an endowment of it, or a compound of its endowments—life, that builds up all organized substances, the humblest and simplest vegetable growth, as well as that most complex of all living structures, man—life, that so soon perishes in the noblest of its works that it is likened to the dissolving vapor—is made by the Creator an agent in developing an immaterial principle or being, that is to survive the dissolution of the structure in which it is generated, and is to live forever. Strange that the immortal should be thus produced in the mortal—that the unchangeable and imperishable soul should be thus developed in such intimate connection with the changeable and perishable body. It is a mystery which we cannot fathom.

602. The vital force, that is so busy in building and repairing so long as it lasts, has in all cases its natural limit; and in the case of the human system it seldom fully reaches this limit. The diversified, and complicated, and beautiful structures which it evolves, if saved from accident till the natural period of decline comes, lose their vigor and beauty, and at length die and are given up to the action of the common laws of chemistry, which the vital force has so long resisted and controlled. The structures then decay, and the particles are dissipated, perhaps to be united again to other structures.

603. The death of the body is not ordinarily complete at the moment when what we term death occurs. Though as a whole, as a system of organs, the operations of life are at an end, yet there is some degree of life in some parts, and there may be in all parts of the body. The beard and nails even, may grow. Some of the organs may secrete their fluids—the liver its bile, and the stomach its gastric juice. Some of the

Systemic and molecular death. Death beginning in the heart, and in the lungs

properties of life, too, manifestly still remain. The irritability of the muscles, which is strictly a vital property, as it never belongs to common dead matter, still appears on the application of excitants. It was the contraction of the muscles in the leg of a dead frog on the accidental application of a stimulus, that led Galvani to his grand discovery. And it is through this vital property that the culprit who has been hung can be galvanized into apparent life. Death then may be said to be of two kinds—*systemic*, that is, the death of the body as a whole, a system of organs—and *molecular*, that is, the death of the individual molecules or particles which compose the body. Death can be said to be complete only when the laws of life have resigned their power over these molecules, and the laws of purely chemical action have taken their place. When this change occurs, the process of decay, which is strictly a chemical process, begins.

604. It will be interesting to notice here the modes in which systemic death occurs. There are three great systems in the body, each of which is immediately essential to the continuance of life—the system of the circulation, the respiratory system, and the nervous system. And we may speak of death as beginning in any one of these systems when the cause of death acts primarily upon it. I will notice some examples under each head.

605. If a large quantity of blood be lost, so large as to result fatally, death in this case obviously begins in the *circulation*. The heart not being supplied with the quantity of blood that usually flows through it, becomes more and more feeble in its action, till it at length ceases to beat. When a large aneurism bursts, it is the sudden drain from the circulation that destroys life.

606. Any thing which to any great extent prevents the air from entering the lungs may cause death to begin in the *respiratory* system. This may be done by three classes of causes. 1st. Causes that act upon the large air passages. Examples of this class of causes are strangling, smothering, drowning, &c. In croup the principal cause of death is the prevention of the free passage of air through the windpipe into the lungs. 2d. Causes which act upon the walls of the chest. If a bank of earth fall upon a man, though it leave his head clear, so that the air passages are unobstructed, he cannot breathe, because his chest is held as if in a vice. A man came near dying from this cause, who was having a cast taken of the upper part of

his body. If the muscles of respiration were to be paralyzed, death would ensue, just as it does when they are prevented from acting by other causes. 3rd. Causes acting upon the lungs. Disease may occasion an amount of obstruction in the very substance of the lungs sufficient to cause death. It does so by preventing the introduction of the air into the minute air vessels, where the air revivifies the blood. The obstruction is just as effectual in this case as it is where it occurs in the large air passages.

607. When death occurs from a blow upon the head as the immediate result of the shock, we have an example of death beginning in the *nervous* system. But the cause may act upon this system in some other quarter. A blow at the pit of the stomach, for example, may so shock the whole nervous system as to stop at once the operations of life. Some poisons, too, as opium, destroy life by their influence upon this system. Very extensive burns give a shock to the nerves from which they do not rally. The same can be said of other injuries when there is no recovery from the first shock. Powerful medicines, improperly given in cases of disease disposed to prostration, may depress the nervous system to a point from which it may never revive. Cold destroys life mostly by the benumbing, paralyzing influence which it exerts upon the nerves.

608. Though we thus classify the modes of death, in the great majority of cases death is a complex event, resulting from a concurrence of causes. It is so even when the disease is not of a complicated character. Take, for example, a case of pure uncomplicated consumption, in which all the organs but the lungs are in a healthy state to the end. The whole system becomes at length exhausted by the disease. If this exhaustion alone be the cause of death, then we may say that it is an example of death beginning in the nervous system. But if the obstruction in the lungs to the admission of air in the air-cells be the cause, it is a case of death beginning in the respiratory system. Generally in such cases death results from the two causes combined, and it is often difficult to determine which is the more prominent cause.

609. The signs of death are so clear that there is, with very few exceptions, no mistake in regard to the occurrence of the event. The stories that are related about burying alive are most of them unfounded. The apprehensions created by them in the minds of some persons have led them to insist, that no body ought to be committed to the grave, till the most infalli-

The signs of death Death as viewed by the Physiologist, and the Christian.

ble sign of death, putrefaction, has appeared. That we should wait for the appearance of this sign in all cases in which there is a shadow of doubt, I will allow. But the cases are exceedingly rare in which we cannot determine the reality of death long before this sign shows itself. Our decision is not made up, it must be observed, merely from the signs of death. All the circumstances of the case are taken into view—the disease, its progress, its symptoms, and the events of the last hours of the patient. With this evidence before us, we absolutely know, in all ordinary cases, that death has occurred when the respiration and the circulation have ceased. And in the exceedingly few cases in which there is any reason to doubt on that point, there is always something which will attract the attention and excite the curiosity of some one, unless there be stolid indifference and the most absolute lack of intelligence. In such cases there is always something strange—the circumstances attending the cessation of the respiration and circulation are singular, and the signs of death are not complete and in their proper order of succession. Whenever there is for these reasons any doubt as to the reality of the apparent death, the strictest watch should be maintained till the signs of commencing putrefaction appear. With this simple rule of prevention burying alive need never to occur.

610. The investigations of physiology, as you have seen, end with the death of the body. It can give us no light on the question as to what may be beyond this life. Although the physiologist studies the human structure not merely as an organization instinct with life, but also as the wonderful machinery through which a reasoning soul acts and is acted upon in this state of being, yet, as a physiologist, he knows not that the soul survives the death of the body. He knows not but that it is a mere endowment of matter, as life probably is, and so perishes in the hour of dissolution. He may indeed conjecture that such exalted faculties which are in this world susceptible of such high cultivation, instead of being destroyed with the body, are destined to still farther development in another state of existence. But what is mere conjecture to him as a Physiologist, is made fact to him as a Christian. The eye of his faith sees an immortal spirit rise from the dying body, and he realizes the truth of the sublime declaration, that "death is swallowed up of victory."

CHAPTER XXI.

HYGIENE

611. It seems appropriate that the concluding chapter of this book should be on Hygiene. After having considered the construction of the machinery of the human system and the uses which the mind makes of it, one naturally inquires what are the conditions on which the full development of this complicated machinery and its daily repair depend.

612. The principles and rules of Hygiene are to be learned from two sources. 1. They are to be learned from Physiology. As we observe the functions of the different organs, we can learn what those circumstances are which favor their due performance, and what those are which interfere with it. 2. They are to be learned, also, by observing the effects of those agencies which are known to interfere with the functions and to produce disease. An exemplification of these two modes of learning the principles of Hygiene in relation to a single point will suffice. The study of the physiology of the chest shows us that nature has, in the construction of its framework, especially provided for giving ample room to the lungs; and so we deduce a law of Hygiene, that the chest should not in any way suffer compression. This is the first mode. But the same law can be deduced by the second mode, that is, by observing the results of compression of the chest.

613. Rules of hygiene generally have but little practical influence, unless the physiological facts upon which they are based are understood. Although the evil effects of their violation may be vividly portrayed, and even illustrated, as in the case of the chest, by engravings, the impression upon the mind is by no means as thorough and practical, as when the same lesson is enforced by a clear knowledge of the functions and arrangements of the organs and the conditions necessary to their healthy action. Physiology, therefore, should be studied as preparatory to a proper appreciation of Hygiene.

614. Not only is a knowledge of Physiology essential to a proper appreciation of the rules of Hygiene, but in many

Hygiene of digestion. Quantity of food to be eaten.

cases they cannot be fully understood in their *varied* application without such a knowledge. With the very partial and superficial knowledge of Physiology that is usually communicated with Hygiene, these rules are for the most part mere arbitrary rules. And just so far as the principles on which they are based are not understood, is there a liability to mistake their application under various circumstances.

615. In considering the subject of hygiene, the natural division of Physiology, stated in § 57, should be kept in mind. There is a hygiene relating to the *construction* of the machinery of the body, and there is also a hygiene relating to the *uses* of this machinery. Besides, each organ has to a certain extent its own hygiene. And yet, as all the organs are connected more or less together in sympathetic action, there is a general hygiene of the system. I shall observe for the most part the same natural order that I followed in developing the subject of Physiology. I shall first treat of the hygiene of the construction and repair of the system—that is, the hygiene of digestion, circulation, respiration, and formation and repair. You can recur to a summary of these functions given in § 69. I shall then pass to the consideration of the hygiene of the *uses* of the machinery thus constructed and kept in repair.

616. Many of the points in the hygiene of the *digestive* organs have been already noticed in the physiology of digestion. I need say nothing more in addition to what is said there of the importance of the thorough mastication of food, and of its having a due amount of saliva mingled with it; of the evils resulting from eating too fast, from eating between meals, and from eating a great variety of food; and of the influence of exercise upon the process of digestion. There are some other points, however, that remain to be noticed.

617. No very precise rules can be given as to the quantity of food that is proper to be eaten. But a consideration of the physiological principles of digestion suggests rules that are sufficiently definite for practical purposes. There must be such an amount of food as will furnish sufficient chyle to keep the blood, the building material of the body, in proper quantity. The question arises, how we shall know what amount of food is requisite for this purpose. Fortunately, the want of the system and its supply are com

Mistakes as to quantity of food. Length of intervals between meals.

monly quite accurately indicated by the sensations as stated in § 87. The proper hygienic rule then on this point is, that we should cease to eat when the sensations created by the want of the system are removed—that is, when the hunger is appeased, and the accompanying feeling of discomfort is succeeded by a feeling of agreeable ease.

618. But there are mistakes often made in regard to these sensations. They may be prevented from making a true report. Thus, when eating is done too rapidly, more food than is needed may be introduced into the stomach before the sensation of ease and satisfaction is experienced. It is only when suitable time is given to mastication, and the food is rather gradually introduced, that this sensation forms the proper limit of eating. Again, there is a very common mistake in substituting the feeling of fullness for the sensation alluded to, as indicating the time for ceasing to eat. Those who adopt this false rule generally make the stomach to bear as much as it can without absolute discomfort, and many daily overreach this point. The result is, that this organ soon gives out under this daily overworking; or, if the stomach be a strong one, an injurious repletion is produced in the system. Even in the latter case, the stomach at length gives out, and becomes the seat of disease. But it is astonishing how much labor, in the work of digestion, this organ will perform in some cases.

619. Too little food is sometimes taken. Poverty is commonly the cause. But sometimes it arises from false notions; as, for example, the notion that the quantity of food should be regulated by weight, or the more common notion, that we should rise from a meal with some amount of appetite remaining. The result is, that there is not a sufficient supply of chyle to meet the wants of the system. The wear and tear create a demand which is greater than the supply, and the body therefore loses its fullness and its vigor.

620. In determining the length of the intervals between the meals, we should have regard to the time required for the completion of the process of digestion, and to the wants of the system. Some articles are digested more rapidly than others, but it commonly requires from three to four hours to complete the digestion of a meal. When the system is in a state of action, its want of food, as indicated by its sensations, shows itself a little time after the completion of

the process of digestion. The interval, then, between the meals should not vary much from four hours. If it be made longer than five hours, some degree of exhaustion results; and if it be less than three hours, disturbance of the digestive process may occur, from having the digestion of one meal begin before that of the previous one is fairly finished.

621. It is important that the meals should be eaten at regular periods from day to day. For the stomach, with its times of work and of rest, naturally contracts regular habits, a disturbance of which is injurious. This obedience to habit in this organ is manifest whenever any change is made in the time of eating.

622. The question is often asked, whether such and such an article "is healthy," as if there were essentially different degrees of suitableness in different articles of diet. So far as digestion is concerned, any article is healthy to any individual whose stomach can digest it without difficulty. An article may be perfectly healthy to one, and unhealthy to another. There are sometimes wide differences in this respect, owing to unaccountable peculiarities. But even in regard to ordinary differences, the question as to the propriety of any article of food is wholly an individual question.

623. Our food should be varied in the different seasons of the year to a greater extent than is commonly done. In the warmer seasons it needs to be less stimulating, less heat-producing than in the colder seasons. The fruits, each in its season, should form regularly quite a large proportion of our food in the warmer months. If used thus, and not irregularly, as is commonly the case, they will tend to prevent, rather than induce, the complaints peculiar to that portion of the year.

624. The state of the mind has much influence on the digestive organs. This is sometimes strikingly exhibited in the loss of appetite on the sudden reception of bad news. It is also seen in the influence of continued sorrow upon the appetite and the digestion. It is not strange, then, that one of the prominent causes of dyspepsia is mental disturbance or depression. And a cheerful mind is very properly deemed to be essential to easy and thorough digestion.

625. In order to understand fully the hygiene of *respiration*, it must be borne in mind, that the great object of this function, as stated in § 131, is to bring the air into all the minute air-cells of the lungs, that it may change the blood

 Compression of the chest. Importance of a good supply of pure air.

which is sent there for this purpose. Anything, then, which interferes with the free introduction of the air into these cells is a palpable violation of the laws of health. And yet this interference is so commonly practised, that it is one of the prominent causes of disease.

626. This interference is effected in two ways. It is done, *first*, by mechanical compression of the chest. Although, as I have shown in the chapter on the Respiration, there are special pains taken by the framer of our bodies to provide, in the construction of the chest, for the free introduction of air into the lungs under all circumstances, this is often prevented by certain prevalent modes of dress. It must be observed that in the arrangement of the chest, a free motion of its walls in the expansion of the lungs is contemplated. *The dress, therefore, should always be so loose as to admit of this free motion.* If it is not, the air is not freely admitted to all the air-cells, and therefore the blood is not as fully changed, as nature requires; and the health is impaired just in proportion to the degree in which the due expansion of the chest is prevented. I have said so much on the results of this compression of the chest in the chapter on respiration, both in this book and in my "First Book on Physiology," that I will only say here, that in this country it is one of the most prominent causes of disease among females. It not only produces disease in the lungs, but, by preventing these organs from effecting fully the requisite change in the blood, it impairs the quality and lessens the quantity of this building material, and thus diminishes the nutrition and the vigor of the system, and therefore renders it liable to a great variety of diseases, especially those of which debility is a prominent characteristic.

627. The free introduction of pure air into the lungs is interfered with, *secondly*, by cutting off its supply. As you learned in the chapter on respiration, the oxygen of the air is used up in large quantities by the lungs, and the carbonic acid gas thrown off takes its place. If, therefore, there be not sufficient provision for the supply of fresh relays of pure air, a mixture of air and carbonic acid gas will be introduced into the lungs at every breath, so that there will not be sufficient oxygen to effect thoroughly the change in the blood. In this respect, therefore, the result is the same as when too little air is admitted by reason of compression of the chest. A portion of the requisite quantity of pure air

Bad results of defective aeration seldom appreciated. Hygiene of the circulation

is shut out, in one case by diminishing the capacity of the chest, and in the other by having the lungs in part occupied by carbonic acid gas.

628. The influence which this defective aeration of the blood, occasioned by these two causes, exerts upon the health, is seldom appreciated. For unless the deficiency be very great, no immediate obvious result is produced. But though the deficiency may be comparatively small, if it be continued from day to day for a long time, the aggregate result of this steady depressing influence is a serious one. The destruction of health and of life that comes from this imperceptible agency in every community is vast in amount. But most persons seem to be insensible to this fact. They need a narrative of such a destruction of life as occurred in the Black Hole at Calcutta, to convince them that a considerable quantity of fresh air is required by every pair of lungs. And it is only by a description of an examination after death of some one who has been killed outright by extreme compression of the chest, that they can be made sensible of the need that the lungs have of the room that nature has given them. And even then the impression seems to be a momentary one. If all the injury that is done by defective aeration of the blood could be visibly traced out, we should then realize the necessity of having just as many of the air-cells, those little chemical laboratories, as nature designed, and of keeping them well supplied with the fresh air which they require for the life-giving work that they perform.

629. The hygiene of the *circulation* need not detain us long. The office of the organs of the circulation is to circulate the blood, the building material, everywhere. They never rest from their work. But they work more actively when the muscular system is in action than when it is at rest. As one lies in bed, the circulation goes on steadily, but quietly. But on rising and moving about, the circulation becomes more active. Not only does the heart beat more quickly, but the capillaries in every part of the body increase their action. And, as more blood is carried to every part, there is more done everywhere. We see this in the skin, in the increase of the perspiration on exercise. When the muscular effort is very great, the excitement of the circulation is violent and tumultuous. The heart beats strongly and rapidly, and the flushed face shows how

active is the circulation in its extreme vessels, the capillaries.

630. The occasional excitement by active exercise is absolutely essential to the proper development of the body. It may sometimes, indeed, maintain its proper bulk in a continued state of muscular inaction; but its textures will not have the requisite strength and tone. That they may have these qualities, it is necessary that the blood be often pumped into their capillaries with the force that is given to the heart by active exercise. It is not the muscles alone that are rendered stronger and firmer by exercise, but the same effect is produced in all the textures, the bones, the ligaments, the veins, the skin, &c. The great internal organs of the body are firmer, more fit to perform their duty, and less liable to disease, if the circulation in them is excited daily by this means. Active exercise makes the stomach digest better, the lungs perform the work of aerating the blood more thoroughly, and the brain serve the mind more easily and effectually; it therefore renders one less liable to dyspepsia, to consumption and other diseases of the lungs, and to apoplexy and other diseases of the brain and the nervous system.

631. But the activity of the circulation may be made so violent by exercise as to do some damage. Though its organs are capable of bearing much in this respect, there is some need of caution. Harm is undoubtedly often done in trials of strength when the effort is both violent and prolonged. Vigorous action answers fully the purpose of developing power and firmness; but violent action is attended with some hazard.

632. In considering the hygiene of *formation and repair*, it must be borne in mind that there is constant change everywhere in the system. Particles that have become useless in the textures are continually taken up and carried away in the veins or the lymphatics, and other particles are put in their places, being taken for this purpose from the blood in the capillaries. This change is going on during all the period of growth, as well as afterwards. The health and vigor of the textures, and therefore of the system as a whole, are dependent upon the proper performance of this constant process of removal and fresh supply.

633. There are two conditions necessary to the due performance of this process. The *first* is, that the blood, the

Necessity of a free discharge of the waste. Functions of the skin.

universal material for building and repairing, shall be of good quality. This is secured when the digestive process, which furnishes the blood, is well performed, and the lungs and other organs, that purify the blood by discharging its refuse matter, are in good condition. The *second* condition is, that the blood shall be often quickened in its course through the organs by the excitement of exercise. This I have already mentioned in speaking of the hygiene of the circulation.

634. The necessity of having the waste matter that is brought back from all parts of the body in the venous blood, effectually discharged by the various organs designed for this purpose (§178), requires a particular notice. The lungs, the skin, the liver, the kidneys, &c., must thoroughly evacuate this waste, or its retention will impair the quality of the blood, and thus interfere with the proper nutrition of the body, or, in other words, with the process of formation and repair. And the retention of this refuse in any considerable amount is immediately productive of disease.

635. The lungs, while they take in oxygen from the air, discharge carbonic acid gas, that part of the waste of which it is their duty to rid the system. If this carbon be retained, the blood is impure in proportion to the degree of retention.

636. It is the duty of the skin to discharge some portion of the refuse of the system in the sensible and insensible perspiration (§180). The skin is not a mere covering of the body, but it is also an active organ, performing very important functions. It continually discharges through its numberless pores a large quantity of matter. Although this matter is mostly in an insensible form, if from inactivity of this organ it fail to be discharged, its retention renders the blood impure, and so does injury to the system. At least two pounds of matter are discharged from the skin in twenty-four hours. This being the case, it is not at all wonderful that activity of this organ should be so necessary to health, and that the suspension of its secretions should have so much influence in the production of disease.

637. In the chapter on respiration, you learned that the heat of the body is produced by the change that takes place in the blood in the capillaries, as it receives the waste particles, and as the new are deposited in their places. This change makes a real combustion in every capillary. The

Animal heat. Conditions. Body comfortable only when giving off heat.

more rapid therefore is the change the greater is the combustion, and of course, the greater is the heat. Hence comes the increased heat of exercise. Exercise makes more wear and tear, and so disengages in the waste more carbon and hydrogen to unite with the increased amount of oxygen that comes in the quickly flowing blood to the capillaries; and just as in combustion that is attended with flame, the greater the amount of fuel the greater is the heat. We have a familiar example of the production of heat by exciting the circulation, in the expedient often resorted to by laborers for warming the hands, of striking them with a swinging motion upon the shoulders.

638. The amount of heat produced in the body depends also on the quality of the blood. The richer it is, the more oxygen it contains, and therefore, the brisker is the fire in the capillaries, and the greater is the heat. You see then why it is that those who have a good state of the blood, and exercise much, maintain the heat of the system better, and so need less clothing than those whose blood is weak, and who exercise but little.

639. The heat of the body is maintained in all temperatures of the atmosphere very nearly at 98° Fahrenheit. This is, you observe, much above even the highest temperature that is agreeable to us. You see then that it is essential to the comfort of the body that it be giving off heat continually to the surrounding atmosphere. If the atmosphere be at 98°, the same temperature with the body, there is great discomfort, from the fact that the heat is given off too slowly. It would not be parted with at all if the skin were not an active organ. It is by the evaporation of the perspiration thrown off by the skin that the extra heat is got rid of when the air is so hot. The temperature in which the body is generally most comfortable is about 70°. When the atmosphere goes below this, we need the ordinary expedients to prevent a too rapid escape of the heat from the body. The clothing and the heated air, with which we surround ourselves to guard against the cold, do not act by communicating heat to the body, but simply by retarding its escape.

640. Cold is a depressing agent, and exerts as such much influence in the production of disease. Statistics show this in a striking manner. The statistics of London, for example, prove that the mortality of a severe winter is much greater than that of a mild one. And this difference is found to be

Means of guarding against cold. Principles to be observed in using them.

chiefly among the very young and the very old, because in them the power of generating heat is feebler than in other classes. The greater is this heat-producing power in the system, the better does the system resist the depressing influence of cold. All those means, therefore, which *promote the vigor of the body*, are the best of the safeguards to be used against this productive cause of disease and death. But, besides thus fortifying the body internally against this depressing agent, we have the means of outer defence alluded to in § 639, clothing and heated air. As there are many errors committed in using these, they require a more particular notice.

641. *Clothing* serves, as I have before said, to shut in partially the heat which is generated in the body. Its amount and character should be regulated by two circumstances—the degree of the cold, and the amount of heat-generating power in the system. The vigorous require less clothing than the weak, because they have more of this power; so, also, the body needs less clothing when it is in exercise than when it is in a state of rest, because in exercise it generates more heat. And the same principles apply to *heated air*, for this is an outer covering for the body, interposed between it and the cold, like clothing, for the purpose of preventing the too rapid escape of the heat generated within.

642. These plain principles are violated in various ways. Many, from carelessness or from mistaken notions, are often unnecessarily exposed to the depressing influence of cold. They are not sufficiently aware of the necessity of guarding *so much more thoroughly against the cold when at rest than when exercising*. And then, on the other hand, they add to the effect by having too much clothing when in action, or when in a warm place. When they thus suffer first from too much heat, an after exposure to cold is exceedingly injurious. The weak especially suffer from exposure to cold when the body is at rest, and therefore, they should take special pains to guard themselves against this depressing agent. Any attempt on their part to harden themselves, as it is expressed, by making use of as little clothing as the vigorous wear, particularly when the body is in a state of inaction, always does harm. The very thin coverings so commonly seen on the feet of delicate females are palpably inconsistent with this rule of hygiene, and are in ridiculous contrast with

Cold sometimes a stimulant. Conditions on which reaction depends.

the stout coverings considered necessary for the feet of vigorous men. Various opinions have been expressed in regard to the warming of houses, so much in vogue at the present day. On the principles developed above, this expedient for comfort is favorable to health if it be judiciously managed, for when the body is at rest, as it commonly is indoors, an exposure to cold is depressing, that is debilitating to the vital powers. Many other points might be noticed in the application of the general principles mentioned, but these will suffice.

643. The depressing influence of cold sometimes produces a marked immediate effect. But this is not generally the case. Commonly no harm is apparently done at the time, and so little is thought of it. But if this influence be continued day after day, its effects accumulate and become established. The vigor of the system is more or less destroyed, and some local disease may make its appearance. The debilitating influence of cold is in this way a fruitful cause of disease, not only in the abodes of poverty, but even among those who have ample means of guarding against it.

644. Although cold is generally a depressing agent, it is often indirectly a stimulating one. It is so when, in consequence of its impression upon the skin, it excites what is termed a *reaction*. Several circumstances are necessary to this result. 1. There must be the power of reaction in the system. There may be so much debility that reaction cannot be awakened. 2. If the system be in a state of rest, the application of cold must be temporary. A continuous application of it would be depressing, and would forbid reaction. 3. In an *active* state of the body, reaction may be produced even when the application is continuous. Thus the mere exercise of dressing may suffice to awaken reaction in a degree of temperature which would chill one through if he were sitting still.

645. The system may be accustomed to react under the impression of cold in two ways. 1. By exercise in the open air in cold weather. Those who have but little outdoor exercise in cold weather, have but little power of reaction, and therefore feel the depressing influence of the cold whenever they are exposed to it. 2. By a judicious use of cold bathing. The object of cold bathing, aside from purposes of cleanliness, is to accustom the system to react under the influence of cold. It is only when reaction occurs

Cold bathing. To be used variously in different cases.

under its use that it does good. It does positive harm when reaction does not occur; and the harm done in this way day after day, by depressing the vital powers, is sometimes at length ruinous to the health.

646. There is a want of proper discrimination in many writers on hygiene in regard to cold bathing. It is a mistaken ultraism to say, as is often said, that the preservation of health requires that the whole body should be bathed every day in cold water. Neither cleanliness nor the other purpose that I have mentioned ordinarily requires so frequent and thorough bathing as this. The water may be applied to only a part of the body at a time, and yet accomplish all that we wish. Indeed, some persons of delicate constitution cannot bathe the whole surface at once with cold water. They may at first be able to apply it to only a small part of the body. But they may, with the aid of friction, after a while come to apply it over a considerable portion of the surface, or perhaps over the whole. In some persons this extension of the limits of the bathing from day to day must be done very cautiously; and there is occasionally one that cannot bear it at all over any considerable extent of surface. It is necessary for some, in accustoming themselves to cold bathing, to begin with using tepid water, making it from day to day a little colder.

647. The best time for cold bathing is commonly in the latter part of the forenoon, for the system is then in its most vigorous state, and is therefore best prepared to react. But in most persons reaction can be secured at the hour of rising, and this is the most convenient time for bathing. Few can use the cold bath with profit in the latter part of the day, for the powers of the system are then more or less exhausted, and full reaction is not easy. The soothing influence of the warm bath is appropriate at that time. There are many other points in regard to bathing that might be noticed, but my limits will not permit it.

648. Thus far I have spoken mostly of the hygiene of the body as a *structure*. But digestion, the circulation, &c., are engaged in constructing and repairing organs for the *use* of the mind. In this use, there is wear and tear, and hence is the necessity of seasons of rest, that the needed daily repair of the organs may be effectually done. The mind uses the muscles and bones for motion, the various organs of the senses in gaining a knowledge of the world around, and the

Exercise necessary to the development of both the muscles and the other organs.

brain in thinking, willing and designing. Any of these organs may be overworked, and after a certain amount of work has been done, there needs to be an interval of rest for repair. The repair is going on continually, while the organs are at work ; but it cannot be done thoroughly without these intervals of rest. Most of the repairing is done in these periods. This simple statement suggests the principles of hygiene in regard to the uses which the mind makes of the organs of the body. These I propose now to develop briefly in regard to the muscles, the senses, and lastly the brain.

649. There is a certain amount of muscular exercise which is essential to firm health. While no one can fall below this amount without impairing the healthy vigor, the laborer goes much beyond it without injury. There is a wide range, therefore, in the amounts of muscular exertion that are consistent with health.

650. The exercise of the muscles is necessary to their full development. When a limb fails to be used, as for example in palsy, the muscles become small and lose their firmness. When, on the other hand, the muscles of any part of the body are much used, they become more developed than the other muscles. For example, the labor of the blacksmith develops the muscles of his arms largely. The same thing is true of the muscles of the leg in the rope-dancer. It is only a general exercise of all the muscles of the body that develops them in all parts of the frame in their due proportion.

651. But muscular exercise is also necessary to the proper development of the other textures as well as the muscles. I have already remarked upon this in another connection (§ 630), and shall not dwell upon it here. There is, however, one illustration of this influence of exercise which deserves a particular notice. I refer to its influence in preventing deformity. In the universal vigor and firmness of the textures which free exercise tends to produce, there is ordinarily a precise equality between the two halves of the body : the muscles on the two sides act with equal power ; the spinal column, the grand pillar of the trunk, is held between the muscles that bind its twenty-four bones together with great exactness, and there is a beautiful symmetry in the whole frame. But when, from lack of exercise, there is want of firmness in the textures, this symmetry is apt to be lost

Curvature of the spine—why more common in females than males

development of the frame, and the spinal column to become deformed.

Two immediate causes of this deformity, muscular action, and irregular pressure.

prone to act irregularly; and structure

of firmness, readily yield to any

them. When there is firmness of

pressure are not apt to produce de-

formity prevents the permanent in-

crease when the pressure ceases,

to its usual shape. The

also tends to the same

of the spinal column, if the

is that it is bent over to one side

when the posture is altered, the

resume their usual shape which has been

changed by the unusual pressure, and the mus-

cles that lie along this pillar of bones bring them at

to their right position. But if the cartilages have lost

some measure their elasticity and the muscles are weak,

this righting up of the spinal column is not fully accomplish-

ed; and a succession of slight failures in this respect will

after a while, produce a permanent deformity in the direction

of the most commonly assumed posture.

653. You can see all this exemplified if you observe the

difference between males and females in regard to deformity

of the spine. This deformity is exceedingly common among

girls, while it is rare among lads. The simple reason is, that

lads have the invigorating influence of free out-door exercise.

Too much influence is attributed to posture in producing this

deformity. Posture is often spoken of as being the chief

cause of it, and this view of the subject is illustrated exten-

sively with cuts, showing how the deformity is occasioned. If

this were the correct view, there should be much less deform-

ity among girls than among boys in our schools, for the former

sit in a crooked posture much less than the latter do.

So far as posture does have an influence, it is quite clear that

the prim, fixed posture enjoined upon the girl has a tendency

to produce deformity, by adding to one of the causes from

which it proceeds, viz., the weakness of the muscles. A fixed

uniform posture wearies the muscles, but variations of posture

relieve them, and so prevent an exhaustion of their power.

654. The muscles of the back in the female are not only

Exercise necessary to the development of both the muscles and the other organs.

brain in thinking, willing and designing. Any of these organs may be overworked, and after a certain amount of work has been done, there needs to be an interval of rest for repair. The repair is going on continually, while the organs are at work; but it cannot be done thoroughly without these intervals of rest. Most of the repairing is done in these periods. This simple statement suggests the principles of hygiene in regard to the uses which the mind makes of the organs of the body. These I propose now to develop briefly in regard to the muscles, the senses, and lastly the brain.

649. There is a certain amount of muscular exercise which is essential to firm health. While no one can fall below this amount without impairing the healthy vigor, the laborer goes much beyond it without injury. There is a wide range, therefore, in the amounts of muscular exertion that are consistent with health.

650. The exercise of the muscles is necessary to their full development. When a limb fails to be used, as for example in palsy, the muscles become small and lose their firmness. When, on the other hand, the muscles of any part of the body are much used, they become more developed than the other muscles. For example, the labor of the blacksmith develops the muscles of his arms largely. The same thing is true of the muscles of the leg in the rope-dancer. It is only a general exercise of all the muscles of the body that develops them in all parts of the frame in their due proportion.

651. But muscular exercise is also necessary to the proper development of the other textures as well as the muscles. I have already remarked upon this in another connection (§ 630), and shall not dwell upon it here. There is, however, one illustration of this influence of exercise which deserves a particular notice. I refer to its influence in preventing deformity. In the universal vigor and firmness of the textures which free exercise tends to produce, there is ordinarily a precise equality between the two halves of the body: the muscles on the two sides act with equal power; the spinal column, the grand pillar of the trunk, is held between the muscles that bind its twenty-four bones together with great exactness, and there is a beautiful symmetry in the whole frame. But when, from lack of exercise, there is want of firmness in the textures, this symmetry is apt to be lost

Deformity of the spine—why more common in females than males

during the development of the frame, and the spinal column is especially apt to become deformed.

652. There are two immediate causes of this deformity, viz.:—irregular muscular action, and irregular pressure. Weakened muscles are prone to act irregularly; and structures that have lost their firmness, readily yield to any pressure that is laid upon them. When there is firmness of texture, irregularities of pressure are not apt to produce deformity, because the elasticity prevents the permanent influence of such pressure. The moment the pressure ceases, the elasticity of the part restores it to its usual shape. The firm regular action of the muscles also tends to the same result. Thus, in the case of the spinal column, if the posture of the body be such that it is bent over to one side for some time, the moment that the posture is altered, the elastic cartilages resume their usual shape which has been temporarily changed by the unusual pressure, and the muscles also that lie along this pillar of bones bring them at once to their right position. But if the cartilages have lost in some measure their elasticity and the muscles are weak, this righting up of the spinal column is not fully accomplished; and a succession of slight failures in this respect will after a while, produce a permanent deformity in the direction of the most commonly assumed posture.

653. You can see all this exemplified if you observe the difference between males and females in regard to deformity of the spine. This deformity is exceedingly common among girls, while it is rare among lads. The simple reason is, that lads have the invigorating influence of free out-door exercise. Too much influence is attributed to posture in producing this deformity. Posture is often spoken of as being the chief cause of it, and this view of the subject is illustrated extensively with cuts, showing how the deformity is occasioned. If this were the correct view, there should be much less deformity among girls than among boys in our schools, for the former sit in a crooked posture much less than the latter do. So far as posture does have an influence, it is quite clear that the prim, fixed posture enjoined upon the girl has a tendency to produce deformity, by adding to one of the causes from which it proceeds, viz., the weakness of the muscles. A fixed uniform posture wearies the muscles, but variations of posture relieve them, and so prevent an exhaustion of their power.

654. The muscles of the back in the female are not only

Exercise should be varied and general. Gymnastics and Calisthenics.

weakened in common with the other muscles by a want of stirring out-door exercise, but there is a special cause of weakness in their case. The tight dress of the girl prevents these muscles from having that free action which the loose dress of the boy permits. You can see this in the difference of movement in the two cases. In the boy, the spine is bent and twisted in all directions freely; but in the girl, both custom and the stiff tightness of the dress require a movement almost as if the spine were a single bone, instead of being made up of twenty-four bones. The muscles in her back, therefore, lose their power and fulness just as the unused muscles of a palsied limb do.

655. Variety should be aimed at in the action of the muscles. A continuous action of any set of muscles is wearisome and painful. This is well exemplified in the punishment once much in vogue in schools, of making the offender hold a book out at arm's length for some time. In the management of the muscles of the voice, the weariness caused by continued sameness of action is often experienced. The monotonous speaker or reader tires out these muscles much sooner than one who has great variety in his tones. For remarks on this and some other kindred points, I refer you to §§ 382 and 383.

656. A general exercise of all the muscles is essential both to symmetrical muscular development, and to the full attainment of the invigorating effects of exercise. Gymnastics and calisthenics, so called, are considered to be particularly beneficial in this respect. This is true of them; and yet they are no better than any other exercises that are so varied as to bring the muscles generally into action. The varied exercises of walking, running, leaping, riding on horseback, dancing, and active sports, are quite as good. And so also are the varied labors of the garden, if they be pursued with interest and pleasure. There is no especial benefit in the *extreme* variety of exercise sometimes aimed at in gymnastics. Variety that is sufficient to bring into general action the muscles of the body is all that is requisite.

657. Gymnastics and calisthenics should always be considered as subsidiary to the common exercises that I have mentioned, and should never be permitted to exclude them. When they are made to do this, a temporary benefit is reaped at the expense of a permanent injury. For after the novelty of the round of exercises has passed away, they

Effect of too severe exercise. Hygiene of the Senses.

are given up, and the common and now despised exercises are not apt to be resumed. Habits of inaction, therefore, are often confirmed, instead of being removed, by a systematic course of exercises under the high-sounding names of gymnastics and calisthenics.

658. It is necessary that some of the exercise taken should be such as to excite strongly the circulation. This I have already remarked upon. Exercise should also be taken daily. It should be habitual, and not occasional. The habits of the English are much better than those of the Americans in this respect. It is no uncommon thing for English ladies to walk off on excursions of such length, that American ladies could not possibly accompany them unless they rode.

659. But there may be too much exercise. The toil of the laborer may be so severe and long continued, that the reparative process in the intervals of rest is not competent to effect a full repair of the muscles. A gradual exhaustion of their power therefore results. Much harm is thus often done by severe unremitting toil. Especially is this the case when the excess of toil is exacted during the period of growth, as it often is among the laboring poor.

660. It is necessary that exercise should be agreeable in order to produce its best effect on the system, on account of the genial excitement which then accompanies it. For this reason exercise should commonly not be solitary, and there should, if possible, be some object connected with it. If the observation of nature were made from the beginning of education as prominent as I claim in my Preface that it should be, there would be no lack of objects in the rambles in field and forest taken both for health and the pursuit of science.

661. What has been said of the muscles may be substantially said of the organs of the senses. They require intervals of rest for thorough repair. And they may be so overworked that complete reparation may be impossible, and so their power may be gradually exhausted. The office of the senses is to receive impressions from things around. Whatever gives an impression to any organ of sense may be regarded as a stimulus to it. If the stimulus be too great or too long continued, injury is done. This is very obvious in regard to the eyes. They are often injured by too much light. A word of caution is needed in regard to the production of near-sightedness. This is often caused in students and others by holding objects too near the eyes.

Necessity of seasons of rest to the brain. Overworking the brain.

662. I come now to the hygiene of the *brain*. This is the great central organ or instrument of the mind, by which it receives the impressions made upon the senses, compares and arranges the knowledge thus gathered, and originates those impressions that are made by it upon the world around through the action of muscles. It is a very compound instrument. It needs, like the muscles, seasons of rest for the full repair of the wear and tear occasioned in its daily use. It may be overworked, and then the repair will not be complete, and gradual exhaustion of its powers will result, occasioning disease in some form. A significant illustration of the importance of seasons of rest for repair in the case of the brain is furnished in the fact, that insanity is not apt to result from mental disturbance, unless the subject of it fail to have his regular sleep. If he sleeps well, the work of repair is so well done in the brain in its nightly seasons of rest, that the disease, which might otherwise occur, is prevented.

663. With proper intervals of rest, the mind can perform a large amount of labor without injury to the brain and nervous system, if there be no undue excitement, and no worrying and depressing anxiety. This is shown in the length of life that so often accompanies the quiet but laborious pursuits of science. While, on the other hand, the excitement and anxiety of a life of business, especially as it is ordinarily pursued in this country, it is well known, is not favorable to longevity.

664. It is especially important that the brain should not be overworked during the period of its growth. The reason is the same as that which we have for the caution, so universally observed, in regard to putting too much labor upon the muscles of a young horse. And yet there is buoyant activity in the child, which is disposed to show itself in the operations of the brain as readily as in the action of the muscles. If this activity be turned into proper channels, and be not too much stimulated, no injury will be done to the delicate textures of the brain.

665. Although much is said of the danger of over-stimulating the brain of the child, the difficulty does not so much lie here, as in the manner in which the mind is led to act. There is commonly too much of mere drudgery, and of storing the mind with unintelligible, and therefore uninteresting matters. The mind, accordingly, is dissatisfied and

Influence of quiet cheerfulness. The passions. Alcoholic stimulants.

wearied. The tedium of the labor exhausts, and so the brain is essentially impaired. When early education shall become in all respects what it ought to be, greater real acquisitions will be made than we witness now, without any injury to the growing brain.

666. It is well known that undue mental excitement and the depression of anxiety are together apt to produce insanity. Though they generally stop short of this result, they always injure the health and shorten life. A firm and cheerful mind is favorable to longevity, but the anxious and fretting are seldom, if ever, long-lived.

667. As the passions must have much influence upon the action of the mind, and therefore upon the state of the brain and nervous system, the proper regulation of them is essential to health and longevity. Much of the positive disease of the brain, and of the general nervous derangement so common among the educated and refined, comes from the bad management of the passions. I cannot dwell upon this point, but remark, in passing, that the fictitious literature of the present day exerts a considerable influence in this way.

668. There are certain articles in common use in the community, which produce so deleterious an influence upon the system, that they demand a more extended notice than I can give them in this chapter. I refer to alcohol and tobacco. They act chiefly upon the brain and nervous system, the former as a stimulant, and the latter as a sedative. The use of opium is so limited compared with these that I shall not dwell upon it, especially as it is never defended.

669. No fact is more thoroughly demonstrated than that the system has no need of alcoholic stimulants while it is in a state of health. So far then as we look at mere necessity, these articles are to be considered simply as medicines, required only in diseased conditions. But it is said by some that they can be used in small quantities without injury to health. This cannot be claimed with any shadow of reason, unless in relation to very small quantities. Entire abstinence is at least safe, and there are so many other things supplied by a bounteous Providence to gratify the taste and the appetite, that we can easily forego the use of alcoholic stimulants; and we ought to be willing to do so, if the good of others require it. The common use of these articles as

Tobacco an active poison. Coffee and Tea—the propriety of their use not settled.

beverages is one of the most prolific of the sources of disease; and it is a significant fact, that the very moderate use, claimed by some to be innocuous, has a strong tendency to pass into a larger use, even so large that its deleterious influence upon health is palpable.

670. The evidence is quite as clear in relation to the injurious effects of tobacco. This has sometimes been erroneously termed a stimulant. The error arises from the well-known discomfort of the habitual user of it when he is deprived of the use of this drug. This discomfort has a depressing influence, and when his system is brought again under the influence of tobacco the depression is removed, not by any direct stimulating effect, but by the relief given to the uncomfortable sensations. Tobacco is really one of the purest sedatives we have. It depresses vital action. It acts chiefly upon the nervous system, and therefore, has a strong tendency to produce nervous diseases. While it is injurious to all, it is especially so to those who have a low vital action, and are disposed to nervous complaints.

671. Tobacco is so active a poison that extreme caution is required whenever it is administered, as it sometimes is, as a medicine. The effects of even a small amount of it upon one that is unaccustomed to its use are of the most decisive character. And that must be an exceedingly artificial condition of the system, in which, by continued use of this drug, large amounts come to be borne with little apparent effect. The evidence of the deleterious influence of tobacco upon the system is as unequivocal as that which we have in regard to the influence of opium, and wonderfully strong is that slavery to appetite that makes one persist in the use of this drug in spite of such evidence.

672. Coffee and tea are often included in the same category with alcohol and tobacco. Granting all that is claimed in regard to the injurious effects of these articles, it is preposterous to class them with such poisons. The evidence in regard to them is conflicting, and all that is settled as yet is, that in some persons they exert a bad influence upon the nervous system. If this should be found to be true of a very large proportion of all who use them, the evidence would be conclusive against the propriety of their use as common beverages. But as yet this has by no means been proved to be true.

673. There are certain poisonous emanations, to which

Poisonous emanations. General view of the causes of disease.

the human system is often subjected, that are largely destructive of health and life. They arise from decomposing filth of various kinds. Besides predisposing the system to the action of contagious and epidemic causes of disease, they also of themselves create disease. It is these emanations that render the close air of a crowded city, especially in its narrow lanes, so impure and fairly poisonous. And this impurity of the air is one of the chief causes of the difference in disease and mortality between the city and the country. The difference is greater than is generally supposed. It has been found by statistics in England, that there are 24 per cent. more deaths from consumption, and 55 per cent. more deaths from typhus, in cities than in the rural districts, and the mortality from the diseases of childhood is twice as great in the city as in the country. In what way these emanations act we know not. But, although much is to be attributed to a mere want of ventilation, that is, to a lack of oxygen, there is no question that these emanations often act as positive poisons to the system.

674. In developing the principles of hygiene, I have noticed many of the prominent causes of ill health and disease. They are chiefly these: 1. A disregard in various ways of the rules relating to the digestive process. 2. Compression of the chest, especially during the period of growth. 3. Deficiency in the supply of pure air to the lungs. 4. Failure to guard properly against the influence of cold and heat, chiefly the former. 5. A lack of active exercise in the open air. 6. Overworking the muscles. 7. Errors in the management of the moral and intellectual powers. 8. The influence of such articles as alcohol and tobacco. 9. Emanations from decomposing filth. It is well thus to look at these causes grouped together, endeavoring to give to each its due prominence. For various and exclusive views are often taken of this subject. Quite commonly some of these causes are kept entirely out of view, while others are strongly pressed upon our attention. Disease is generally a very *compound result*, produced by a concurrence of several of these causes, and sometimes even of all of them.

675. These causes of disease, it will be observed, are more or less under our control. Some of them are entirely so. A knowledge of their operation, and an earnest endeavor to remove them, would, therefore, vastly diminish the amount of ill health and disease.

Our control over the causes of disease. Preventive and curative measures

676. It is true that there are some other causes of disease, of which we know but little, and over which we have little or no control. Such are the causes of various contagious and epidemic diseases. But these really produce a much less amount of disease than the causes which I have mentioned. Their action is occasional, and confined to localities; not continual, and in all places. And besides, they may to a great extent be shorn of their power, by guarding against those causes of disease which are more or less under our control. It is those who neglect to do this that commonly become most readily the victims of contagions and epidemics.

677. There is much interest in the community in regard to the cure of disease, but there is a blind indifference to its prevention. *And yet vastly more can be done in the diminution of disease by preventive than by curative measures.* The ravages of consumption, for example, can undoubtedly be greatly lessened by preventing the operation of its principal causes; and yet what is said about these causes is little heeded, and the public attention is engrossed with the delusions of consumption-curers. It is emphatically true of this malady, that multitudes more can be saved by preventive measures than by curative ones. Against no disease can hygiene achieve greater victories than this. The neglect to use preventive measures against this and other diseases arises chiefly from an ignorance of the principles on which these measures are based. The prevalent indifference, therefore, on this subject can never be fully removed, till the general introduction of Physiology as a study into our schools shall make these principles familiar to the mass of the community.

APPENDIX :

CONTAINING

DIRECTIONS TO TEACHERS FOR THE USE OF THE BOOK. AND QUESTIONS.

IN order to be able to teach from this book properly, the teacher should himself study all of it thoroughly before he begins his instruction. If he merely keep a little in advance of his class, he will fail in his conceptions of the general scope and plan of the book. If the interest of the subject awaken in him and in his pupils a spirit of inquiry, there will be a continual looking forward to points which are explained and illustrated further on in the book. Now if the teacher has made himself master of all the subjects treated of, instead of turning off the inquiry of a scholar without an answer, or even the promise of an answer in the future, or endeavoring to clear up the points about which inquiry is made, which of course he can do, under the circumstances, in an imperfect manner at the best, he can satisfy the scholar by informing him that these points will be found explained in their proper place at a future stage of the investigation. I have aimed to have every topic treated of in its right place in the development of the general subject, and the teacher should be thoroughly master of the whole book at the outset, in order that he may fully carry out my plan in the mode of developing the topics to the minds of his pupils.

It must be obvious to any teacher that he can teach the minutiae of the subject with more of interest, to say nothing of thoroughness, if, while doing it, he takes in the general views presented, and has in mind the relations of the particular topics in hand to other branches of the subject. Indeed it will be profitable occasionally for the teacher to afford the scholar some glimpses of the interesting fields to be explored further on, taking care, however, not to anticipate so much, as to mar the natural method and order of developing the whole subject, which I have taken such especial care to observe in the preparation of the work.

The teacher should read the book through *in course*. If, instead of doing this, he opens to some chapter in the middle or latter part of the book, he may get the impression that too high matters are treated of, and that the minds of his pupils are not competent to understand them. They cannot be understood unless there be a preparation of mind for them; and just this preparation is aimed at in the first part of the book. And besides, it is quite important that the subjects treated of

should be developed to the mind of the teacher in the same order in which they are to be developed to the minds of his pupils.

In the engravings clearness has been aimed at rather than beauty. Yet I should not do the engraver justice if I did not say, that in beauty they are generally quite equal to those which we find in our standard professional works on physiology. It is to be borne in mind that woodcuts cannot represent correctly the beauty and delicacy of living structures. These can be realized only by seeing the structures themselves. Another thing to be kept in mind is, that parts which are represented in engravings with definite lines for the sake of distinctness, are ordinarily not thus distinct in the structures. To make them so, the dissecting-knife must separate them, and take off the cellular substance, which, as the general packing material of the body, everywhere connects adjacent parts together.

The teacher can be aided very much in giving his scholars a correct idea of different organs, by presenting to them organs taken from the bodies of animals. Thus, in giving them an idea of the lungs, the lungs of a calf or a sheep can be used. A pipe may be fastened into the windpipe; and by blowing into this, you can show how the lungs are inflated. An idea of the appearance of the human brain can be given by means of the brain of a calf, or any other animal of sufficient size. An ox's heart may be used in showing the structure and arrangement of the valves and other parts of that organ, for they are essentially the same as in man. A very good idea of the arrangement of the cartilages that make up the larynx, can be obtained from the larynx of an ox or cow. The general shape and arrangement are the same as in man. It is some trouble to clear the parts of muscular substance, but the teacher can get some physician or medical student to do it for him. When the preparation is once made, it can be dried for permanent use. I have one which I made twenty-five years ago. In drying, it will be necessary to keep the wings of the thyroid cartilage apart by a wedge, and the supple epiglottis must be placed in such a position as not to interfere with a view of the interior of the larynx. The large eye of the ox can be made use of to show the various parts of that organ, and also to show the formation of the images of objects on the retina.

One great advantage of thus using parts from different animals is, that a taste is given for the examination of the phenomena of life, with its wonderful mechanisms, wherever they may be seen. All living nature thus becomes full of suggestive interest to the young student.

There are some things of which plates can give no correct idea. Such, for example, is the cellular membrane. The attempt to represent it is made in most books on physiology, but it is an entire failure. I have a plate representing its cells as seen in a dried preparation under the microscope; but to give the scholar an idea of it as it appears to the naked eye in its natural condition, I refer him to it as seen in any common piece of meat between the muscles and between the fibres of each muscle. The teacher can use a piece of meat for this purpose. The difference between muscles, tendons, and ligaments can be shown in the same way.

Those figures which are mere diagrams it will be well for the scholar to draw on the blackboard, and his skill in description and remark may be exercised for his own benefit and for that of the class. He should

be trained in this exercise in such a way, that he will acquire the power of giving well-proportioned and well-arranged descriptions, without the aid of prompting by minute questions from the teacher.

It will be proper to say something of the use which should be made of the questions that I have prepared. I have two reasons for not placing them at the foot of the page. One reason is, that the book is designed for general reading as well as for instruction. But the chief reason is, that I wish to prevent a too free use of questions on the part both of teacher and scholar. The marking with the pencil of parts which contain the answers to the questions, so often done in our schools, should never be permitted by the teacher, for reasons that I need not stop to notice.

The scholar should read the text at first without reference to the questions; and then the questions can be made use of, perhaps with profit, to fix definitely in the mind the principal points that are brought out. It will be a useful exercise for the scholar, after reading a page or two, to think over the main points, and then see by the aid of the questions whether any important point has escaped his recollection, or failed to make the proper impression on his mind.

The questions that I have constructed will, I think, be found to be fitted to the great majority of scholars. But of course the teacher will vary them to suit the different capacities and mental attitudes which he finds in his class.

It is best not to have an uniform mode of asking questions, even with the same scholar. Variety should be given to the mode of hearing the recitation. Sometimes the questions should be minute, and at other times the mind of the scholar should be left to go on with as little leading as possible.

The scholar should be encouraged occasionally to give the substance of a whole paragraph, or even of more than this. In doing so, any failure in arrangement or proportion can be noticed by the teacher, for the benefit not only of the scholar that is reciting, but also of the whole class. The general scope of an argument may also be given in the same way, and the manner of doing it be made the subject of criticism.

The numbers attached to the questions refer to the page. This is more convenient to the scholar than a numbering by paragraph, and it will be, though of course it cannot be quite as definite in all cases.

QUESTIONS.

CHAPTER I.

13. In what respect are a crystal and a plant alike? How do they differ in the modes of their formation? What different offices do the organs in a plant perform? What is meant when we call the plant an *organized* substance, and the crystal an *unorganized* substance?

14. Do the organs in the plant act wholly on *mechanical* principles? Or on *chemical*? What principles control the mechanical and the chemical? What two classes are there of organized living beings? How do they differ as to the complex character of their organization? Under what two grand divisions do you class all the substances of the material world? How do plants and animals differ from minerals as to the parts of which they are composed?

15. What is assimilation? Explain it as it takes place:—First, in the plant, and secondly, in the animal. How do organized and unorganized substances differ as to permanency? Point out the mode and the extent of the change that occurs in the organized.

16. Why is there more change in animals than in plants? How can minerals be changed? Are they productive, as animals and plants are? Contrast organized and unorganized substances in regard to change in the phenomena that you see in the world around you.

17. How do organized and unorganized substances differ as to regularity in form? What does irregularity in the unorganized arise from? How does the law of regularity operate in organized substances? Does the exactness which it sometimes shows appear in straight or in curved lines?

18. In which is the regularity the most wonderful, the organized or the unorganized, and why? Give the four reasons assigned:—First, as to change; secondly, as to variety of form; thirdly, as to its continuance from age to age; and fourthly, as to its preservation in the midst of a certain range of irregularity.

19. Exemplify the last point by reference to the human countenance. How is the law of regularity exemplified in the two halves of the body? Mention some organs which are destitute of this symmetry; mention also some animals that do not exhibit it. What is the distinction between organized and unorganized substances as to limit of size?

20. How do organized and unorganized substances differ as to their structure? How do they differ as to the number of elements of which they are composed? What are the four principal elements of organ

ized bodies? Which one of these is solid? In what form are the other three? How many elementary substances are there in the material world? How many of these are found in plants and animals?

CHAPTER II.

21. Point out the difference between the plant and the animal as to locomotion. How does this difference make it necessary that the animal should have a stomach? Trace the analogy between the stomach in the animal and the roots in the plant. What is the difference between most animals and plants as to central organs? What is their difference as to the effect of mutilation upon them?

22. What is the distinction between animals and vegetables as to sensation and spontaneous motion? Have all animals consciousness and thought? Name some exceptions to the distinction as to locomotion. What is the difference between the motions of such plants as the sensitive-plant and catch-fly, and those of animals? Make the comparison in relation to the hydra, which describe.

23. Can the distinction as to a digestive cavity always be made out? If it could be, should it be considered an essential distinction? What is the really essential distinction between animals and plants? What part of the structure of animals is peculiar to them? Has this structure ever been discovered in any plant? Why ought we to be able to discover it in the sensitive-plant and catch-fly, if it were the cause of their motions?

24. Is the nervous system necessary to the carrying on of nutrition? What are the functions of *organic* life? What of *animal* life? What is the order of action in the nervous system? In what respect is this order not observed in some cases? Give some examples of instinctive and automatic motion. How does the heart differ from the muscles of breathing as to the influence of sensation and of the will on its action?

25. What is the office of the central organs of the nervous system in sensation and motion? In proportion to what is the chief central organ, the brain, found developed? Describe in general the difference in development between the nervous system and the system of nutrition in different animals. Does the nervous system undoubtedly exist in those animals in which it cannot be found?

26. What reason have we to attribute to such animals the exercise of thought, will, and consciousness? Illustrate by reference to the Hydra.

27. What is the distinction between animals and plants as to their chemical composition? In which is carbon the characteristic element, and in which is it nitrogen? From what organs in animals is carbon thrown off? In what organs in plants is it absorbed?

CHAPTER III.

27. How is man commonly classed in the animal kingdom? On what ground can the classification be claimed to be correct? Does this classification recognize at all the essential distinctions between man and other animals? What are those distinctions?

28. Should the received classification be considered as giving man his true position in the scale of being? What bearing has man's immor-

ality on this subject? Is the difference between man and other animals like that which we see between different animals? Is it a mere difference of *degree*? What notice should the naturalist take of the difference?

29. What is the distinction made in the common classification between man and such animals as apes and monkeys? Can these animals be properly said to have four hands? How do the hands which they are said to have resemble the hand of man, and how do they differ from it?

30. What is said by Sir Charles Bell about the hand? What by Aristotle, and by Anaxagoras? State some particulars in which the structure of man differs from that of the inferior animals.

31. What relation have the peculiarities of man's organization to his mental peculiarities? Why is it important that the essential distinctions between man and animals should be prominently taught? What is the theory of Robinet?

32. What is the teaching of a true science in regard to the Creator's agency? What is the theory of gradations in nature? What are the objections fatal to this theory, as stated in § 49?

33. What are the real gradations in nature? Are these gradations in each of the kingdoms regular? Is man inferior to some animals in certain endowments? Give some examples. Is it strictly true that man is the most perfect of animals? In what respect is there a gradation in the three kingdoms of Nature? Is all Nature *wholly* tributary to man?

CHAPTER IV.

35. Of what advantage is it to the student, in studying *human* physiology, to observe the analogies in the processes of life between man and other living beings or things? What is the difference between Anatomy and Physiology?

36. What functions distinguish animals from plants? Into what two classes of subjects is Physiology naturally divided? Remark on the wide range of subjects presented in Physiology. In what respect does this study differ from all others?

37. Of what two parts is bone composed? What are the proportions of these parts in childhood—in adult age—and in old age? How can you obtain these parts separate from each other? What is the animal part of bone? What relation does this sustain to the mineral part? What is the arrangement of the two parts of bone in the very young child? What is true of the skeleton of many fishes?

38. Mention some cartilages that never have any mineral matter deposited in them. With what are the bones joined together? By what are they moved? How do muscles act? What is the office of the tendons? What is their structure? What is the most common texture or tissue of the body? Why is it called *areolar* or *cellular*? How can you get the best idea of this texture? Mention its different uses?

39. In what portions of the body is this tissue most abundant? In what ways does the free communication between the cells of this tissue become manifest to us? How is its elasticity affected by dropsy in it?

40. What are the uses of the fat deposited in the cells of this tissue?

What fact is stated in regard to hibernating animals? How is the fat kept from oozing through the pores of its cells? What cavities does the *mucous* tissue line? How is the secretion of mucus effected? What is its chief use?

41. What parts of organs are lined by the *serous* tissue? In what important respect do serous membranes differ from mucous? What is the appearance of the serous membranes? How is dropsy produced in them? Are the organs of the body composed of many tissues? Take the stomach as an example, and describe its structure. Give a summary of the nutritive functions as described in § 69.

CHAPTER V.

42. Give a summary of the processes of digestion.

43. Of what substances is the body of a tooth composed, and how are they arranged? What are the different shapes of teeth, and for what different purposes are they fitted? How do the teeth of carnivorous animals differ from those of the herbivorous? How does the motion of the lower jaw differ in the two classes?

44. What is the shape of the teeth in the insectivorous? What in the frugivorous? What is the peculiar arrangement of the enamel in the teeth of the herbivorous, and for what purpose? What can be inferred about an animal from an examination of his teeth? Why is man said to be an *omnivorous* animal? Why are his tearing teeth less in length and in power than those of carnivorous animals?

45. What has the common whale in place of teeth? What is the purpose of the arrangement? What supplies the place of teeth in birds? What is the use of the saliva? Describe the situation and arrangement of the glands that supply this fluid.

46. How much saliva is secreted by the salivary glands during a meal? Why is more saliva than usual needed when one is speaking? What effect does motion of the mouth have on the secretion? How are these salivary glands affected by tobacco-chewing?

47. Explain the influence of sympathy in the secretion of saliva. What are the two kinds of fluid secreted by the salivary glands, and what is the purpose of each kind? Describe the various parts engaged in the act of swallowing, as represented in figs. 10 and 11.

49. Describe the arrangement of muscular fibres in the œsophagus.

50. What is the character of the gastric juice? By what is it formed? Describe the appearance of the mucous membrane of the stomach, as seen by Dr. Beaumont, in the case of Alexis St. Martin. To what is the amount of gastric juice proportioned? What is the effect of stimulating the stomach to too large a secretion of it from day to day? What is the nature of its action on the food? How is the application of it to all portions of the food secured?

51. Describe the arrangement of the muscular fibres of the stomach, and the manner of their action. What is the chyme? What is the arrangement of the valve called the *pylorus*?

52. When is the *pylorus* especially in action? If there be difficulty in digesting the food, what is the effect on the action of this valve?

53. What are the different theories in regard to the process of digestion? What is the true character of the process? What is the conse-

quence if fresh food be introduced into the stomach while the process is going on? Why is the practice of eating between meals a bad one? Why does eating fast, do harm? What effect has great variety in food? How does exercise affect digestion? Relate the experiment with the two dogs, and state what it proves.

54. What shows that hunger does not arise from emptiness? What that it does not arise from the irritation of the gastric juice? What is the *cause* of hunger? What is the *seat* of the sensation? Upon what does the degree of hunger depend? What must be the state of the stomach to have this sensation exist?

55. How do mental impressions sometimes destroy the sensation of hunger? How does food remove it so much before any nourishment is diffused through the system? What is the *cause* of thirst? Where is its *seat*?

57. Describe the arrangement of the digestive organs as seen in fig. 16. What are the uses of the mesentery? Where are the bile and the fluid secreted by the pancreas mingled with the chyme? What is one of the offices which they execute?

58. What is the chyle? What are the lacteals? What glands do they enter? After passing on from these glands, into what duct do they empty the chyle? What is the size of this duct, and where does it pour its contents?

59. Describe the operation of the suction power at the mouth of the thoracic duct. What becomes of the chyle thus forced into the blood? Why is the mucous coat of the intestine full of folds?

60. What is the general rule by which the variation in the digestive apparatus in different animals is governed? Exemplify by a comparison between herbivorous and carnivorous animals. What is the length of the alimentary canal in the lion? What in the sheep? What in man? In what animals is the stomach most complicated? Describe the apparatus of digestion in the sheep, and its successive processes.

62. Which of the four cavities in the sheep's stomach is the real stomach? Into which cavity does fluid matter always go? What is the arrangement when the animal is suckling? Describe the digestive apparatus of birds as exemplified in the turkey.

63. What circumstances govern the variations of the digestive organs in different animals? What is true of the stomach in the lower orders of animals? What peculiarity is there in the Hydra in regard to its stomach?

CHAPTER VI.

64. What are the different parts of the apparatus of the circulation? Describe the agency of each in circulating the blood.

65. What relation does the heart bear to the rest of the circulating apparatus? What is the difference between the arteries and the veins in their structure? What two reasons are there for this difference? What is the pulse?

66. How do the arteries and veins differ in the mode of their division? How does the venous system differ from the arterial in capacity? How in regard to rapidity of flow of the blood? Describe the valves in the veins.

67. Why are these valves needed? Why is it more dangerous to wound an artery than a vein? Give some examples, showing how on this account the arteries are seated more deeply than the veins.

68. Where are the arteries superficially situated, and why? Describe the common mode of bleeding from the arm. What is the proper way to stop bleeding from an artery?

69. What is an aneurism? When a ligature is tied around the artery above an aneurism in a limb, how is the limb to be supplied with blood? What is the chief agent in the circulation of the blood? How can you illustrate the contraction and the dilatation of the heart?

70. What phenomena show that the blood-vessels exert an active agency in circulating the blood? How does the circulation through the liver show that the capillaries are active agents in circulating the blood?

71. Why are the veins generally full of blood after death, while the arteries are nearly empty?

72. What is the origin of the term artery? Why do we not in common language speak of the blood as running in the arteries as well as in the veins? When did Harvey discover the circulation of the blood? What is the color of the blood in the arteries? What color has it in the veins? Where is it changed from red to purple? What other changes besides that of color take place? What would be the consequence if the dark venous blood should be sent to the brain?

73. Where is the change in the blood from purple to red effected? How is the apparatus arranged so as to send the purple blood to the lungs to be changed? Explain the diagram showing the plan of the two circulations.

74. What is the difference in the two circulations as to the color of the blood in the veins and the arteries? What is the difference between the change of the blood in the capillaries of the lungs, and that which takes place in the capillaries of the general system? Describe the parts of the right half of the heart as represented in Fig. 26.

75. Describe the manner in which the auricle and ventricle, with the valves, act. Give the illustration as represented in Fig. 27.

76. What is the difference in size and strength, between the auricle and ventricle? What is the size of the heart? Describe the arrangement of the valves of the aorta.

77. Describe the special provision to prevent leaking in these valves. How are the walls of the heart supplied with blood?

78. Describe the valves between the auricles and the ventricles. Why are they regulated by muscles?

79. Why are there no valves where the blood pours into the auricle from the *vena cava*? Describe the parts of the heart as represented in Fig. 31.

81. Describe the circulation as given in the map of the heart in Fig. 32.

82. Describe the situation of the heart and its blood-vessels, as represented in Fig. 33.

83. How do the four parts of the heart act without disturbance? What is the difference between the two sounds of the heart? What is the cause of the first sound? What of the second? How is the pulse produced? Explain the impulse of the heart against the chest.

84. Explain the plan of the pericardium.
 85. Has the heart any repose? Give some calculations as to the amount of work it does in a lifetime.

CHAPTER VII.

86. What two objects are effected by the respiration? Of what are the lungs composed? To what is their spongy lightness owing? How minute are the air-cells or vesicles? In what way is the change produced by the air in them upon the blood?

87. Describe the arrangement of the larynx, the trachea, the bronchi, and the lungs, as exhibited in Fig. 36. How are the heart and the lungs arranged in the chest?

88. What is the pleura? Why are the lungs not fastened to the walls of the chest? Describe the manner in which the air is made to enter the chest in breathing. Describe the framework of the chest, as represented in Fig. 37. How are both lightness and strength secured in this structure?

89. Why are the ribs joined to the breastbone by means of cartilages? What is the chief connecting material of this framework? What is the diaphragm, and how is it arranged?

90. How does the diaphragm act? Describe inspiration and expiration as illustrated by Figs. 38 and 39.

92. In what way do other muscles, besides the diaphragm, act in respiration? Describe their arrangement and action, as represented in Fig. 40.

93. What is the arrangement of the muscular fibres between the ribs, and their mode of action? In what directions are the ribs moved by the muscles in the neck and between the ribs? Do these muscles act much, if at all, in ordinary easy respiration? Under what circumstances do they act strongly?

94. If air were admitted to the outside of the lungs by openings in the walls of the chest, what would be the result? How are the blood and the air kept from mingling in the lungs, while they are brought so near together that the air changes the blood? What experiment shows that blood can be acted upon by air through pores? How important is the office of the air-cells? What provisions are made for securing to them sufficient room under all circumstances? Illustrate by reference to the state of things in violent exercise.

95. If the expansion of the chest be restrained in any way, what influence is exerted upon the air-cells? In what two ways does violent exercise injure the lungs when the chest cannot be well expanded? What is said of the influence of compression of the chest in the production of disease in the female sex?

96. What is said of the extent to which compression of the chest is often carried?

97. What is said of the gradual moulding of the chest by continued compression during its growth? How is death produced in drowning? How is water prevented from getting into the lungs in any quantity? If arterial blood could be supplied to all the organs while the breathing is stopped, what would be the result? What contrivance has the whale for this purpose?

98. What is the arrangement of the gills of a fish? By what experiment can you prove that it is the air in the water that acts on the blood in the gills, and thus keeps the fish alive? Why cannot the fish use air that is not mingled with water? What provision in the land-crab enables him to live in air as well as in water? Describe the arrangement of the gills in the lob-worm, and the larva of the May-fly.

99. How are the respiratory organs arranged in insects? What is the effect of covering their stigmata with varnish?

100. For what two purposes is the apparatus of respiration largely developed in birds? What special arrangement is there for securing lightness?

101. By what experiment can you show that carbonic acid is thrown off from the lungs? What are the components of the air, and what is their proportion? Which of these is essential to life? Why would it not be well to breathe pure oxygen alone? Where has it been supposed till recently that the oxygen of the air unites with carbon to make carbonic acid? Where does this union take place?

102. What facts settle the last question? Does the change effected by the air upon the blood in the lungs take place to some extent, when blood drawn from a vein is exposed to air? What experiment illustrates the manner in which the air acts on the blood in the lungs?

103. How much carbon is contained in the carbonic acid thrown off from the lungs in twenty-four hours? What effect does this gas produce upon the health if ventilation be imperfect?

104. What becomes of the carbonic acid thrown off from the lungs of animals? How is the air replenished with oxygen? How is the equilibrium preserved in different climates? What effect has light upon the discharge of oxygen from the leaves of plants? By what process is the heat of the body maintained? Trace its analogy to ordinary combustion.

105. What was formerly supposed in regard to the place of the production of animal heat? What objection was made to this supposition? Where was it at length discovered that the heat is made? What are the three sources of *fuel* for keeping up the animal heat? Why is so large a quantity of oily food eaten in cold climates? How do cold and tropical climates differ in the provisions of nature in this respect?

106. How is the use of fat in maintaining heat exemplified in hibernating animals? Whence comes the heat produced by exercise? Why is heat in different animals proportioned to their degree of activity? Contrast the warm and cold-blooded animals in this respect.

107. What is the ordinary temperature of the human body? What is essential to comfort as to temperature in man? Detail experiments which show how high a degree of temperature can be borne.

108. How are the evil effects of excessive heat in such cases chiefly prevented? How much does the state of torpidity vary in different animals? On what does the degree to which a deprivation of air can be borne depend?

109. How are some strange recoveries from drowning to be explained? How far are the chemical changes described in this chapter dependent on nervous action?

CHAPTER VIII.

109. By what is the building and repairing of the body done? Have the vessels by which this is done, the power of selecting their material from the blood?

110. Illustrate the variety of structures formed from the blood by taking the eye as an example. Give examples of the co-operation of the formative vessels in their work.

111. How is the concert of action in these vessels illustrated in the definite but various shapes of the structures which they make? How is the wonderfulness of this co-operation shown by comparison with the formation of a crystal?

112. Illustrate the agreement necessary between different neighboring sets of formative vessels in the process of growth. Illustrate the wonderfulness of the concert of action in the formative vessels, when there is a change of action. How is this exemplified in certain animals, as the frog and the silkworm?

114. How is this change of action exemplified in the enlargement of communicating arteries, after tying an artery in case of an aneurism?

115. Describe the agreement of action seen in the successive changes that take place in the formation, discharge, and healing of an abscess.

116. Notice the agreement of action between the formative vessels and the absorbents in the cases mentioned. Are the secretions of organs made from the same material that the organs themselves are? What exception is there?

117. How many kinds of waste particles are there? By what absorbents are those particles taken up that can be used again? What organs probably fit them to be used again as a part of the building material? Where is the *lymph*, which they compose, mingled with the blood?

118. By what are the particles that are wholly useless absorbed? By what organs are they excreted or thrown off from the body? Do these various organs excrete different parts of this waste? Do we know why this waste matter is introduced into the blood, instead of being thrown off in some more direct manner? Give some examples in which other functions besides excretion are performed by the same organ.

119. What are the various functions of the skin? Describe its structure to show how well it is fitted for these functions.

120. How extensive is the tubing of the sweat-glands? In what two respects is the excretion from them important? What is the difference between insensible and sensible perspiration? What are the sebaceous glands? What purpose do they serve? Where are they most abundant?

121. Upon what does the rapidity of the change constantly going on in the body chiefly depend? Which has the most influence on this change, mental or bodily labor? Illustrate the influence of activity on this change by a comparison between the frog and the canary bird.

122. Illustrate the same influence by a comparison between different parts of the body. Why does the change of the particles vary much in rapidity at different times? What is said of the mingling of life and death in the changes of the particles?

CHAPTER IX.

123. What has been the common idea about what are called formative vessels? By what are all the minute operations of the system performed? How do the cells differ from the cells in the cellular tissue?

124. What do these cells contain? What is to be said of their form? Describe them as seen in the blood. Of what are the solid parts of the body composed?

125. How do the cells appear as seen in the Hydra? Upon what does the character of many of the textures of the body depend? What is the chief difference between the various glands of the body? Upon what do the colors of various parts depend? How are the colors of flowers varied in kind and in degree?

126. Illustrate the selecting power of the cells. Can we account for this power? What is said of the idea that the selection is the result of affinity? What is said of the changes that take place in the contents of the cells? In what two ways do cells produce other cells?

127. How many kinds of cells are there in the blood? What gives the red color to the blood? What are two of the offices of the colored cells? How does their amount vary in different animals, and in different individuals of the human race?

128. Describe by the figure the manner in which absorption is performed on the surface of the mucous membrane in the bowels.

129. Describe in like manner secretion by Fig. 63.

130. Of what is the cuticle or scarfskin composed? How many fibrillæ are there in a muscular fibre? What is each one of these fibrillæ? What takes place in them when the muscle contracts? What is the cause then of the swelling out of a muscle when it acts? How minute are the cells in muscles?

131. What solid animal deposits are made by cells? Describe the arrangement in the enamel of the teeth. Of what are the nerves composed?

132. What has been found in regard to combinations between the tubuli of the nerves? How are these tubuli made from cells? In what other parts of the nervous system besides the nerves, are they found? What is the office of the tubuli? What is the office of the gray substance of the brain? Of what is this substance chiefly composed? What is said of the form of its cells? Where does the microscope show us is the beginning of life?

133. What is the extent of the agency of the cells? In the formation of every animal what precedes the appearance of any diversity of parts?

134. Describe the arrangement of the contents of an egg.

135. Describe the succession of processes that take place in the yolk preparatory to the formation of the bird. From what material are all the parts of the bird made?

136. What is the *allantois*, and what is its office? How can you prevent it from performing its office, and thus arrest the development of the animal? When the bird is fully formed, how is he enabled to burst the shell? What is the grand distinction between organized and unorganized substances?

137. What comparison is made between gravitation and cell-life? Compare the exhibition of the Creator's power in the minute and in the large operations of nature. What comparison can you make between the beauty of nature as seen by the naked eye, and its inner beauty revealed by the microscope!

CHAPTER X.

139. How far are the functions of nutrition alike in animals and plants? How has the microscope shown formation to be essentially the same in both? Through what system are the uses for which the body is constructed secured?

140. Why are the functions that are performed through the nervous system, called functions of *animal* life? Why are they also called functions of *relation*? Through what intermediate instruments does this system perform its functions? How does this system vary in complication in different animals?

141. How much is learned through the nerves and their subordinate organs, the organs of the senses? Mention the subjects to be treated of in this third part of the book. What are the three parts into which the nervous system may be divided?

142. What three things are necessary to sensation? Illustrate the necessity of each. What three things are necessary to voluntary motion? Describe the arrangement of the parts of the nervous system as represented in Fig. 72.

144. Describe the arrangement and structure of the brain as represented in Fig. 73.

145. What part of the nervous system is most immediately essential to the continuance of life? And why? Illustrate by facts. What are the convolutions of the brain? Describe the membranes of the brain—the *pia mater*—the *dura mater*—the *arachnoid*.

146. What is the consistence of the brain? What is the arrangement of the gray and the white substance?

147. Does the arrangement of the convolutions favor the idea of the phrenologist? Of what is the white substance of the brain composed? What function is performed by it? What tubuli transmit impressions from the brain? What transmit to it? What is said of the size of the tubuli?

148. What is the function of the gray substance? In proportion to what does its amount vary in different animals? Is there gray matter at the extremities of the nerves?

149. With what are the cells in the gray substance mingled? What is said of the necessity of a supply of arterial blood to this substance? How does the arrangement of the gray and the white substance differ in the brain, in the spinal marrow, and in the ganglions? What are ganglions? What are plexuses?

150. Why is the gray matter so largely supplied with blood? What has the microscope shown in regard to the changes going on in this substance? What is said of the manner in which the nerves terminate in the organs of the body?

151. Where are the Pacinian corpuscles mostly found? Describe their structure. What do we know of their use?

152. What is there that is wonderful in the healing of a divided nerve? What do the observations of M. Sèquard show? What fact was proved by the experiments of Dr. Haighton? What does this fact show?

153. What nervous changes occur when a union takes place between parts that do not belong together? Do the same nerves answer for sensation and for motion? In what part of the body are nerves of different kinds kept separate? How is it in all other parts? What is the arrangement of the nerves that branch out from the spinal marrow? What two purposes do the two roots of each nerve serve? How is this ascertained?

154. Are there different nerves for different kinds of sensation? How is it in the eye? How in the nose? What is a nerve of *common* sensation? What is a nerve of *special* sensation? Is each nerve fitted for its own peculiar office? Illustrate by reference to the nerves of the eye. Notice particularly the effects produced, if the nerve of common sensation in the eye be paralyzed.

155. Why are different parts of the body endowed with different degrees of sensibility? What organ is more sensitive than any other? How much sensibility have the muscles? How much have the bones? What fact is related to show the use of the sensibility of the skin in preventing injury? What change takes place in the sensibility of internal parts when they become inflamed? What benevolent purpose is there in this? Does a nerve, as a matter of course, have sensibility?

156. What is true of the brain in relation to sensibility? What of the heart? Relate the case given in illustration. Is the heart well endowed with nerves? With what nerves is it endowed? What is said of the nerves of motion in the face? What are the appearances when the nerve of expression in the face is paralyzed? Why is this nerve called the *respiratory* nerve of the face?

157. How are the motions of expression in the face connected with the motions of respiration? Describe the results when this connection is broken by a paralysis of the respiratory nerve of the face.

158. How many different nerves are devoted to the eye? What are their different offices? Of nerves going to the same part may one be palsied while another is not? Give some illustrations. Give the case related by Sir C. Bell.

159. Are the nerves of different kinds all alike in their structure and composition? Why cannot the impression producing sensation be transmitted by the same nerve with the impression producing motion?

160. What has been till recently the most common theory in regard to the action of the nerves? Upon what circumstances is the opinion, that nerve-force is identical with electricity, based? Mention the facts and experiments that disprove this.

161. In what direction is nervous action in sensation? In what direction is voluntary motion? Does voluntary motion occur sometimes in consequence of sensation, and sometimes not? Illustrate this. Give the resemblance of the nervous system to a telegraphic apparatus. What is true of motion caused by mental emotions?

162. Give some examples of muscles that are wholly involuntary, and of muscles that are partially so. What is the difference between an *excitor* and a *motor* nerve? Illustrate by reference to the respiration—

the contraction of the iris—and the action of the muscular coat of the stomach.

163. Why is the action of these two classes of nerves called a *reflex* action? Do we know what is transmitted through the trunk of a nerve? Does reflex action ordinarily occur without positive sensation? Under what circumstances is sensation connected with it? Illustrate by reference to the action of the respiratory muscles, and the muscular action of the stomach. In relation to what class of muscles does the spinal marrow act for the most part independently of the brain?

164. What is the relation of the spinal marrow to the brain in regard to the voluntary muscles? What is true therefore of injuries of the spine? State now the two separate functions of the spinal marrow. By what arrangement are they performed? Illustrate the modes of effecting sensation—motion—and reflex action.

165. How does the brain differ from the spinal marrow as to intervals of rest? Illustrate the continuous action of the spinal marrow, as seen in the operations that go on in the system when the brain is asleep, or is torpid with disease. Besides these operations, mention some of the motions that can be excited through the agency of the spinal marrow independent of the brain. Explain the agency of the spinal marrow in convulsions.

166. What is said of the fact, that in convulsions there is an involuntary action of muscles that are ordinarily under the control of the will? Cite some facts to show that voluntary muscles act involuntarily more often than is commonly supposed.

167. Explain the involuntary action of muscles in walking and other like acts. How is it with one who is walking in a reverie? What was formerly supposed in relation to the importance of the brain as a central organ of the nervous system? How do we know that the brain is not directly essential to the maintenance of life?

168. What are the functions most essential to life? Upon what part of the spinal marrow do these depend? Illustrate the extent to which the different parts of the spinal marrow are independent of each other. Is there any sensation independent of the brain?

169. Why is the system of nerves, of which I have treated in this chapter, called the *cerebro-spinal* system? What other system is there? What are its purposes? What are its arrangements? How does it differ in its general arrangement from the cerebro-spinal system?

CHAPTER XI.

170. What two different purposes do the bones fulfil? What benevolent purpose is manifest in the predominance of the animal portion of bone over the mineral in the child? In what two forms is bony substance deposited? How are these arranged in the flat bones? How in the long?

171. How are both lightness and strength secured in a long bone—first, in the body of the bone, and then, in its ends? Why are the ends not made like the shaft? What is the marrow of the bone?

172. How is a bone nourished? What is the *periosteum*? Do arteries enter the solid substance of the bone? Describe the manner in which circulation is carried on in every point, as shown by the microscope.

173. What fluid circulates in the minute channels in bone, shown to us by the microscope? What is said of the sensibility of bone? Give a general description of the skeleton, noticing the variety of shape in the bones, and the purposes which they answer.

175. How many bones are there in the head? How many of these belong to the face? How many to the cranium? Describe the latter, as represented in Fig. 87.

176. Why is the box (as the cranium may be called) holding the brain, composed of so many bones? Describe the structure of the principal bones of the cranium. What is the difference between the joinings of the outer and those of the inner tables of these bones? What is the reason of this difference?

177. How are the principles seen in the construction of domes illustrated in the cranium? Of what bones is the dome of the cranium made up? Describe the different ways in which strength is secured around the base of this dome. Describe especially the arrangement between the parietal and temporal bones.

178. When violence is inflicted upon the head, what is the direct cause of the injurious effects felt by the brain? On what principle do the guards of the brain defend against this cause of injury? Mention now in their order the different textures through which the vibration of a blow must pass before it reaches the brain, pointing out their agency in lessening the vibration.

179. What arrangement is there of the lower part of the frontal bone as a special guard against injury at that point? How is the side of the head, so peculiarly exposed to violence, especially guarded? What other organs, beside the brain, are protected by the cranium?

180. Describe the arrangement of some of the bones of the face. Describe the cavities of the nostrils, and the sinuses connected with them. What is the object of the great extent of surface in these cavities?

181. Describe the lower jaw. How many distinct structures are there in the teeth? What is their arrangement?

182. How does a tooth differ from a bone? What is the reason for this difference? What is the necessity for having a second set of teeth?

183. Describe the hyoid bone, its position, and its connections. Mention other bones which, like this, are not directly connected with the bones of the skeleton. Of how many bones is the spinal column composed? Acting as the great pillar of the body, what does it support? What is the pedestal on which it stands, and in what manner is this pedestal made firm? While this column is thus firm, it needs to be flexible—how is this accomplished? Notice its different degrees of flexibility in different portions of it. Why is there so little motion in that portion that supports the framework of the chest?

184. Besides serving as a firm pillar and a flexible chain, what other purpose does the spinal column fulfil? Describe a vertebra. By what are the vertebrae bound together?

185. Describe the canal in this column for the spinal marrow. What is the arrangement for the nerves that pass from it? How are the cartilages arranged? What two purposes do they subserve?

186. What is there in the shape of the spinal column that acts as a

safeguard against shocks to the brain? . What are now the three objects secured in the structure of the spine? Describe the contrivance at the top of it, as represented in Figs. 95, 96 & 97. Compare this with the mounting of a telescope. What is the difference in the two cases?

188. By what arrangement is the freeness of motion in the neck of birds made consistent with the security of the spinal marrow? What is there peculiar in the spinal column of quadrupeds?

189. What is the *pazy-ray*? How are the vertebrae of fishes constructed and arranged? How is the great flexibility of the spine in reptiles secured? How in the neck of the giraffe?

190. Describe the arrangement of the breast-bone, the collar-bone, and the shoulder-blades. What is the use of the collar-bone, and what are its variations in different animals? How does the shoulder-blade differ from all other bones in the body?

192. Why is the socket of the shoulder-joint so shallow? Describe the arrangement of the radius and ulna, and the manner in which such free and varied motion is given to the arm. Describe the three parts of the hand.

193. Describe the ligaments that bind the bones of the hand together. What is the principal object aimed at in the construction of the lower extremity? What in the upper?

194. Describe the thigh-bone. What is the patella? What purposes does it answer? What part of the foot is formed by the *tarsus*? What part by the *metatarsus*?

195. How many bones are there in the toes? How many in the whole foot? What object is secured by having so many bones in the foot? Why is the foot arched? Describe its movement in walking. With what are the ends of the bones tipped, and why? What is the arrangement of the membrane that lines the ends of the bones?

196. What contrivance is there in the knee-joint, and in the articulation of the lower jaw?

CHAPTER XII.

196. Give the summary in § 294, in regard to the action of the muscles, and their nervous connections.

197. What are the tendons? What is said of the relation they bear to the muscles—their shape—their mode of union with muscles and with bones—their strength—and their size? How are the muscles and tendons arranged in reference to convenience and beauty? Illustrate by the arm and the hand.

198. Illustrate the application of the first kind of lever in the action of muscles—so also of the second kind.

199. And of the third kind. Which kind is most frequently used in the body?

200. What two different objects are aimed at in the application of these two levers? Illustrate by examples of the second kind of lever.

201. Illustrate the same by examples of the third kind. What is the difference between the motion of the forearm on the arm, and the motion of the lower jaw, in the application of the principles alluded to.

203. Show how quickness is secured at the sacrifice of power in the case of the biceps muscle, as illustrated in Fig. 114. Under what me-

chanical disadvantage do most of the muscles act, as represented in Fig. 115?

204. Show by this figure how quickness of movement is gained in this case. Why is the muscle, the deltoid, whose action is represented in this diagram, so large?

205. How is the mechanical disadvantage, which thus results from the oblique action of the muscles, in part obviated? Illustrate by Figs. 116 & 117. Describe the agency of the patella in this respect. To what extent is the pulley used in the arrangement of muscles?

206. Show the application of the pulley, as seen in the ankle

207. Describe the pulley arrangement of the *digastric* muscle. What is the necessity for such an arrangement? What other office does this muscle perform, besides drawing down the lower jaw, and how does it do it?

208. Describe the muscles that move the ball of the eye.

209. What is said of the actions of opponent muscles? What is Paley's comparison? Is it strictly correct? Give some examples of the *tonic contraction* of muscles. What is the cause of wry neck, and of squinting? Illustrate the compound action of muscles by Fig. 113.

210. How does variation in the *degree* of the contraction of muscles affect the variety of motion? What organ peculiarly exemplifies variety in muscular action? Give a general description of the muscles of the body, as exhibited in Figs. 122 & 123.

214. What is said of the variety of size in muscles? What other parts besides the bones are moved by muscles? How are the muscles arranged in reference to convenience and symmetry?

215. Describe a peculiar arrangement of tendons and muscles in the sole of the foot. Describe the arrangement of tendons represented in Fig. 124.

216. Describe the complicated action of the muscles in swallowing—and in speaking and singing. How are the epiglottis and the larynx used in these acts? What is said of the ease and quickness of the change from the one act to the other?

217. Show how the variety and complication of muscular action are illustrated in some of the general movements of the body:—as walking, pulling with the feet braced, and balancing. Describe the operation of the toggle-joint.

218. Give examples of the application of this operation in the action of muscles.

219. How many muscles are there in the hand and arm? What is said of the extent of the variety of their action? Contrast the hand, as doing light and heavy work. Give a summary of the endowments of the hand.

220. Give a description of various muscular movements that may be going on in the body at the same time. What is the muscular sense?

221. Illustrate the operation of it in various ways. Is this sense a source of enjoyment?

CHAPTER XIII.

222. By what alone are thought and feeling expressed? What subordinate modes of expression are there? Illustrate the fact that these

require to be interpreted by muscular action. By what mode of muscular action are thought and feeling mostly communicated? What relation has writing to this mode of communication? What other parts beside the face are brought into action in the language of the muscles?

223. Illustrate the extent of this language. How can we get the best idea of its extent? How do other animals differ from man in regard to the parts used in the language of the muscles? What passion is almost the only one that can be expressed by them in the countenance? What distinction is sometimes made on this ground between man and other animals?

224. What are the principal muscles that give the face expression? How is a smile produced? How is sadness expressed? How do smiling and laughing differ in the action of the muscles?

225. How does weeping differ from mere sadness in muscular action? What peculiarity is there in muscular action in weeping from pain?

226. To what is to be attributed the apparent expression of the eye? How can it be proved that the eye has no active agency in expression?

227. What is the common notion in regard to the eye as a means of expression? How far is expression a result of *combined* muscular action?

228. Describe the muscles of the face, with the action of each, as exhibited in Fig. 130.

229. Describe the muscles about the mouth, as shown in Fig. 131.

230. In what way is the expression of the face made the same in its two halves? What nerve governs all the muscles of expression in the face? What results when one of this pair of nerves is paralyzed?

231. Is there commonly any one muscle devoted to the expression of any one emotion or passion? Does the same muscle often take a part in the expression of various emotions? Explain the agency of various muscles—the frontal—the corrugator supercilii—the superbus. Illustrate the *combination* of muscular action in expression, as shown in Fig. 132, and also in Fig. 127—giving the differences in them. What is the action of the muscles in quiet sorrow?

233. What is their state in the expression of a calm pleasure? What in the expression of admiration? How does temperament affect the state of the muscles in the two last-mentioned expressions? Describe the action of the muscles in the expression of rage. By what combination of the action of muscles are the canine teeth exposed?

234. Describe the action of the muscles in fear. Show how it differs from their action in rage.

235. Illustrate the agency of the muscles of the eyeball in expression. What is said of the action of the oblique muscles?

236. Why is the intoxicated man apt to squint and to see double? Why does he raise his eyebrows in the effort to keep his eyes open? What muscles of expression are found in the faces of animals? In regard to what muscles is the horse specially endowed? What is said of the muscles that distend the nostrils in the case of man?

237. What muscles of expression are wholly peculiar to man? Remark on each. What are almost the only passions that can be expressed by the faces of animals? What special provisions are there in some for the expression of rage—about the mouth, and the eye? What peculiar

phenomenon in the reflection of light is seen in the eye of the cat tribe, and what is the explanation of it?

238. Give the substance of § 348 in regard to the combination of muscular action in the expression of the countenance. What is said in § 349 of the action of the rest of the body in expression?

239. What muscles of the body sympathize most with those of the face in expression? Give examples in illustration. What effects are produced by mental emotions on the circulation? What is the explanation of blushing? What is said of the adaptation of the countenance to the mind as an instrument of expression? Draw the analogy between the hand and the face in this respect.

240. What is said of the importance of training the muscles of the face? How far does beauty of countenance depend upon muscular action? What difference is there in this respect between the living countenance, and the face of a statue? Give the remark of Addison.

241. What is said of skill in the use of the muscles of the face as compared with those of the hand? In what cases may you see this skill? What is said of mistakes in interpreting the language of the muscles? What is said of the influence of moral and mental cultivation upon the countenance?

242. Explain the expression of the countenance, as seen after death.

CHAPTER XIV.

243. What principles apply to the construction of the apparatus of the voice? Illustrate its superiority to other instruments as a musical instrument. What most particularly distinguishes it from them?

244. What is said of its power of fascination? What comparison is made in this respect between the voice of conversation and that of song? What is said of the variety of voices in the brute creation?

245. Into what two kinds are wind-instruments divided? Explain the manner in which the variation of note is produced in those of the first kind, by reference to the flute and the trombone.

246. Illustrate the same point in the operation of the flute-stop of the organ. What influence does the width of the vibrating column of air have upon the note? How is the note varied in those wind-instruments in which the length of the column of air cannot be altered? How are the variations of note produced in whistling?

247. What are some of the wind-instruments of the second class? How is the sound produced in these? How is the note varied? Illustrate by reference to the reed-stops of the organ. How are the various notes produced in the clarionet? Trace the analogy, in the application of the principles of musical sounds, between the vibrating column of air, the reed, and the strings in such instruments as the piano and violin. Explain the relation of the *tube* of the reed-instrument to the reed, as stated in § 366.

248. What is the trachea, and of what is it composed? Why are its rings of cartilage not perfect rings? What is the larynx?

249. Describe the parts of the larynx as represented in Fig. 136. Describe particularly the arrangement of the arytenoid cartilages and the vocal ligaments, as represented in Figs. 137 & 138.

250. Describe, by means of Fig. 137, the manner in which the differ

ent notes of the voice are produced. Describe the apparatus of the voice, as represented in Fig. 139.

252. What is the arrangement of the two pairs of ligaments?

253. How do we know that the lower ligaments are the true vocal chords? Apply now the principles regulating the variation of note in common musical instruments to the vocal apparatus.

254. Give Magendie's experiment. What is said of the question as to what kind of musical instrument the larynx most resembles? Give the general conclusion as to the application of the great principle of musical sounds. What is the tube of the vocal apparatus, which answers to the tube of a reed-instrument? How many outlets has it? From which does the voice generally issue? How is it in humming?

255. What influence do the cavities of the nose have on the voice? In what way is the reverberation in them regulated? In what two ways is the size of the vibrating column of air in the tube of the vocal instrument varied? What influence does this tube have on the character of the voice? How would the voice sound if it should come directly from the larynx, instead of passing through the tube attached to it?

256. What is the cause of alterations in the voice, as hoarseness? Where is the difficulty when the voice is lost? In what two ways does the epiglottis affect the voice?

257. What is said of the variety and precision of the action of the muscles in the modulation and articulation of the voice? How much do the ligaments vary in length in producing all the variety of notes of which the voice is capable? Give the calculation in regard to the minuteness of the muscular action in passing from one note to another. How does the vocal-instrument differ from others in the mode of passing from one note to another? With what instrument can the voice be imitated in this respect? How does the voice of speech differ from that of song?

258. What is said of the training of the muscles of the vocal apparatus? What is the analogy between the training of the muscles moving the vocal ligaments, and the training of the lips in playing on a reed-instrument? What is said of skill in managing the muscles of the chest in speaking and singing? Give the illustration of the bag-pipe.

259. What is one of the chief causes of "throat disease" in public speakers? What circumstances tend to produce this disease? Where is the voice formed in birds? How is the vocal tube in their case altered in its length for the different notes?

260. Describe the various parts of the vocal tube, that have an agency in articulation. In the articulation of how many letters is the tongue the chief agent? State some facts to show that the tongue is not so essential to the power of speech as is commonly supposed.

261. What letters are chiefly formed by the teeth? What is lisping? What letters are chiefly formed by the lips?

262. Why do children use labials so early and so freely? Of what are their terms of endearment composed in most languages? Give other facts stated in this paragraph in relation to the use of labials. Illustrate the agency of the nasal cavities in articulation. What constitutes a distinguishing peculiarity of many consonants?

263. Explain the difficulty called speaking through the nose. What is said of articulation in whispering?

264. How is the variation of note in whispering caused? How can you observe the mechanism of the parts necessary in producing any of the alphabetic elements? What is said of the common definition of consonants? Mention some of the attempts that have been made to imitate the articulation of the voice by mechanism.

265. How many alphabetic elements are there, as reckoned by Rush? By what is the adjustment of the articulating apparatus for each one of them effected? What is said of the training of the muscles of the voice? Describe the process of learning to talk in the child.

266. What is the chief instructor of the voice? What other organ assists in this instruction? Illustrate the fact that it is difficult for any but the young to acquire accurately the pronunciation of a language. What is said of skill in the use of the vocal apparatus? Compare this with skill in the use of other muscles.

267. What is stammering? What facts are stated in regard to it? In deaf mutes what is the cause of the dumbness in almost every case? What cases may be cited in proof? Give the case related by Magendie.

268. What other cases may be cited that are more common? Can deaf mutes be taught to talk? What objections are there to doing it?

269. Explain the difference between the voice of speech and that of song. Illustrate the uses of the vanishing movement in speech.

270. What effect does the use of the vanish on the interval of a semi-tone produce? Illustrate this. What two reasons are given for the fact that, while every one learns to talk, there are many that do not learn to sing?

271. How is musical talent compared with other talents? What is the explanation of ventriloquism?

CHAPTER XV.

271. How is sound produced? When is sound musical, and when discordant?

272. What is said of the transmission of sound? What of its reflection? Illustrate the influence of the reflection of sound in accumulating it.

273. How can you prove that sound, unlike light, cannot be transmitted through a vacuum? What is true of the facility of the transmission of sound through solids and fluids as compared with air? Illustrate it by facts. How is the fact, that sonorous vibration does not readily pass from one medium to another, illustrated? Upon what does the degree to which the vibration is lessened in passing from one substance to another, depend?

274. In what cases is the intervention of a membrane of essential service, and why? Give a general description of the process of hearing. Describe the apparatus of hearing, as represented in Fig. 148.

275. What is the object of the external ear? What is the use of its ridges and prominences?

276. What is said of the external ears of animals in comparison with man? Describe the tube of the ear. By what two means is it guarded against intruders? Describe the drum of the ear and the little bones.

277. What is the arrangement of these bones? What are their connections, and how do their muscles act upon them? How does the cav-

ity of the tympanum communicate with the mouth, and why? What part of the ear is the essential part of the apparatus? How much of the apparatus may be destroyed without entire loss of hearing? Give the case related by Sir Astley Cooper.

278. Describe the parts of the labyrinth. In what different ways may deafness be produced by defects in this part of the apparatus?

279. Why is it better that the vibrating substance in the labyrinth be a fluid than a solid or a gaseous substance? What is the use of the chain of bones? Describe the chalky concretions, and their use.

280. What is the use of the *fenestra rotunda*? Describe the arrangement of the *cochlea*.

281. In what two directions is the vibration of the fluid in the labyrinth transmitted? What is the course of the vibration in the *cochlea*? What is the arrangement of the membranes in the cavities of the labyrinth? What is the arrangement of the nerves in the semicircular canals?

283. Describe the distribution of the nerve in the *cochlea*. In what two ways does the nerve here receive impressions from the vibration of the fluid?

284. Describe now, step by step, the process of hearing. Is all our hearing done in this way? Give examples of hearing through the bone enclosing the labyrinth. How does the apparatus of hearing in fishes differ from that of man? Why is it less complicated than in animals that live in air?

285. Mention some particulars in which the ear of birds differs from that of man. What is the simplest form of the hearing apparatus found in animals? What are some of the suppositions in regard to the offices of particular parts of the labyrinth? What is true of them? What part of the process of hearing can we trace and understand? How much do we know about the transmission of the impression from the fluid through the nerve to the mind?

286. Is it true that the eye is a more wonderful organ than the ear? What is said of the mingling of the spiritual and the simply mechanical in the process of hearing? What are to be considered the two ends of the apparatus of hearing?

CHAPTER XVI.

287. Into what two parts may the process of seeing be divided? What principles govern the construction of the mechanical part of the apparatus? What is the object of its arrangements? How is the second part of the process executed? How does the transmission of light resemble that of sound? What is the *refraction* of light? Illustrate by Fig. 156.

288. How are the rays bent in relation to a perpendicular when they pass from a denser into a rarer medium? How, when they pass from a rarer into a denser? How are the rays refracted when they pass through a medium that presents a *convex* surface?

289. How are the rays refracted when they pass through a medium which has a *concave* surface?

290. How many coats has the eye? Describe the arrangement of the parts of the eye, as represented in Fig. 159. What is the use of the sclerotic coat? How is the cornea fitted into it? What is the color

of the choroid coat, and to what is it owing? Of what is the retina chiefly composed? What are the three humors of the eye? Describe the chamber in which the aqueous humor is. What is the consistence of the crystalline humor or lens? Describe the vitreous humor. Why is it called vitreous?

291. Describe the various parts as they are more minutely delineated in Fig. 160. How is the aqueous humor formed? How is it continually changed? Describe the membrane called the conjunctiva. What are the ciliary processes? Describe their arrangement.

292. What is their use? How are images of objects formed upon the retina? How can the fact, that such images are formed, be proved?

293. Why are these images inverted? What is the plan of a camera obscura? Compare the eye in its arrangements to an instrument of this kind.

294. What qualities are needed in the cornea? How is its transparency secured? Why is it more convex than the sclerotic coat? On what does the color of the iris depend? What is the principal office of the iris? By what arrangement of its muscular fibres are its motions effected? How does the pupil differ in carnivorous and herbivorous animals?

295. What is the office of the crystalline lens? What is its shape? Its structure? What disease has its seat here? What are the three modes of remedying the difficulty? What two purposes does the choroid coat serve? Why is its color dark?

296. What is the state of the choroid coat in the albino? What gives the bright red or pinky hue to the iris in his case? How does the color of the choroid coat vary in different animals? What is the character of the retina, and its office? Trace the analogy between the optic nerve and the other nerves of sense? What resemblance is there to the nerve of touch in its termination? What is the defect in the operation of optical instruments, called spherical aberration, and how is it obviated in the eye?

297. What is the difficulty in the operation of a common lens, called chromatic aberration? How is this obviated in the lens? How in the eye?

298. Contrast the eye with the telescope in regard to the facility with which the eye accommodates itself to objects at different distances. In what two ways is this accommodation effected?

299. By what defects in the structure of the eye in the near-sighted is this power of adjustment counteracted? How is this difficulty obviated? In what way is near-sightedness often produced? What is the difficulty in the far-sighted? How is it obviated? At what different periods of life are these two defects apt to appear, and why? How is the fact, that objects appear in their right position, although their images are inverted on the retina, sometimes accounted for?

300. What objection is there to this explanation? Upon what erroneous idea are such explanations based? Do we really know how the mind gets the right idea of the relative position of objects?

301. What is necessary to single vision in regard to the two images formed in the two eyes? Why do you see double when you press one of the eyes a little out of its place? What is necessary to single vision in the action of the muscles? Why does the intoxicated man often see

confusedly, or even sometimes double! Relate and explain the case given to show how disease may produce double vision. Why is there not double vision ordinarily in squinting?

302. When are the two images in the eyes alike? In what cases are they unlike? Relate the experiment given in explanation. How is it that in such a case, while there are two images, and therefore two impressions sent along the two optic nerves, yet the impression on the mind is single? How does a person who has but one eye, acquire the idea of solidity?

303. Explain Professor Wheatstone's stereoscope on the principles developed in § 454.

304. Mention the particulars in which the harmony of action in the two eyes is wonderful.

305. Notice the correspondence between the two eyes in that part of the process which belongs to the optic nerves. What peculiarity is there in the arrangement of these nerves? Do we instinctively perceive the size, distance and figure of objects, or is it an acquired power? Relate in illustration the case given by Cheselden.

306. How does the experience thus related compare with the experience of the child in learning to see? Give the analogy between learning to see and learning to walk or talk. In learning to appreciate the sizes, shapes and distances of objects, what sense acts as the educator of vision? What is said of the frequency of mistakes in vision? What of skill in seeing? What is the *visual angle*?

307. Can we get a correct idea of magnitude by the visual angle alone? Illustrate by the Figure. What circumstance must be known in regard to an object, in order to have our estimate by the visual angle correct? Mention another means that we use in connection with the visual angle. Give examples of mistakes that we are apt to make in the use of this means.

308. Illustrate the manner in which we get ideas of the magnitude of objects by comparison. Show how we sometimes are made aware of our dependence on this source of evidence. Why does the moon appear so large when rising? Explain the use of the muscular sense in acquiring an idea of the size and distance of objects. What use is made of it in looking at very near objects? What is said of our consciousness of the effort in doing this?

309. Why can you not judge accurately of the locality of very near and minute objects when you use but one eye? What do we observe in regard to the use of the convergence of the eyes, when we look at the eyes of others? How far is seeing a mental process? What is said of the common notion, that it is a simple and easy process? What is said of the training required for its performance?

310. Do all the images formed on the retina transmit impressions to the mind? Illustrate by reference to squinting. Also illustrate in reference to ordinary vision by an experiment. Explain this by Fig. 175.

311. Show now *how* it is that, notwithstanding the facts stated in § 464, we are not conscious of seeing double. Show too how we can by an effort of the will have this consciousness.

312. What is the *point of distinct vision*, as it is called? Show how the mental attention makes use of this—how in looking at an object.

In reading—in looking at a prospect? Why do we seem to see the whole of a page or of a prospect at once with equal distinctness? How far do we see the whole of a page or a prospect at once? What is said of the minuteness and correctness of the pictures formed on the retina?

313. How do we in part estimate the motion of objects? What is said of the delicacy of the process by which this is done? Illustrate the frequent erroneousness of our impressions in regard to motion.

Why is it that when we are moving rapidly, near objects seem to fly back, and distant objects seem to go along with us? Illustrate by the Figure.

314. What is said of the rapidity with which impressions received from the images on the retina succeed each other? Show how this may be measured by experiment. To what is the difference in time required for distinct transmission in different individuals owing? Trace the analogy between this difference and that which we see in different individuals in regard to the use of the muscles.

315. Explain the Thaumatrope. How is the eye *situated* so as to protect against injury? How does the cushion of fat on which it rests serve to protect it? In what two ways does the muscle that closes the eyelids serve as a protection to the eye?

316. How is it protected by the eyelashes? How by the eyebrows? How are the eyelids constructed in reference to the protection of the eye? How do the tears serve as a protection? Why do fishes have no tear-apparatus?

317. Describe the arrangement of the tear-apparatus. Why do the tears overflow the edges of the eyelids when they are abundant? What arrangement of glands is there on the eyelids? What two purposes does the oily substance formed by them serve? How are the tears conducted into the mouths of the ducts when the eyelids are closed? Describe the nictitating membrane in the eyes of birds.

CHAPTER XVII.

318. Give the recapitulation presented in § 476.

319. What is said of the brain as the organ of the mind? What facts show that motion and sensation are dependent on the brain? How does it appear that the mind thinks only by means of the brain? How is life continued when sensation, motion, and thought are stopped by compression of the brain? How does the variation of the degree of compression vary the effect on the mental functions? How is the dependence of the mind on the brain shown in disease?

320. Of what is insanity always the result? How do moral causes produce it? If the mind were separate from the body, could insanity be produced in it? Can the disease in the organization in insanity, be always discovered in an examination after death? Describe the situation of the brain and its immediate connections.

321. What is said of the face? Illustrate the rapidity of the communication between the mind and the different parts of the body. In executing muscular motion skilfully, is any assistance derived from a knowledge of the particular muscles? By what arrangement is the mind enabled to excite so accurately the motion of the muscular fibres?

322. Upon what besides combined action in the muscles does the endless variety in motion depend? Mention some cases in which we best realize the variety and accuracy of the messages sent from the brain to the muscles. What is said of the training of the organs of sense and of motion? What of the amount of knowledge acquired by the child in the first years of his life?

323. Describe the training of the muscles in the child. What is true of what is called native grace? What is said of the training of the muscles of the face?

324. What is said of skill in the use of the muscles? What is said of the training of the senses? How do other animals differ from man at the first in the use of the muscles and the senses? How do they differ from him in the amount of skill that training gives?

325. Illustrate the fact, that the senses and muscles are mutual teachers in their training. How does the dependence of the muscles on the senses differ from that of the senses on the muscles? What fact illustrates the absolute dependence of the muscles on the senses? In the education of the muscles and the senses, what is, strictly speaking, educated or trained? Illustrate by reference to the idiot and the deaf mute.

326. What is said of the muscles of the face in the idiot? Why does not the education of the muscles extend to those that are involuntary?

327. What difference is there in the different stages of the training of the muscles in the degree of cognizance which the mind takes of their action? Illustrate by reference to learning to walk, to read and to sing. What has been the general belief in regard to the means of communication between different minds?

328. What is claimed by some on this point in regard to what is called animal magnetism? What has always been found to be true of this when its pretensions are properly tested? Illustrate the manner in which this was done in one case.

329. What is said of the illustrations afforded by animal magnetism of the influence that can be exerted upon the body through the mind? To what diseased states is the condition produced in the subject analogous? Does the explanation of the phenomena show that there is any true magnetic influence in the case?

330. What is said of the mingling of moral and physical perversion in the subjects of animal magnetism? What is said of suggestive influences?

331. What is said of the exaltation of the powers of the senses in the subjects of animal magnetism? What is true of clairvoyance, so called? What is said in the note of test evidence? Give the fact stated in illustration.

332. What part of the brain has an especial connection with the mind? What is the chief office of the cerebellum? Give the evidence from comparative anatomy on which this point is settled. What experiments lead to the same conclusion? What two reasons are given why the evidence on this point from disease is defective? What fact has been observed in cases of disease of the cerebellum? What negative testimony is sometimes afforded by disease in regard to the office of the cerebellum?

333. Give the summary of results arrived at by studying the comparative physiology of the nervous system, as stated in § 502. What is said of the comparative amounts of the white and the gray substance in the brain? What are the two sources of evidence in regard to the function of the gray substance?

334. What evidence is there in regard to phrenology from the arrangement of the gray substance? What is the conclusion from all the facts collected in relation to the external examination of the head? What evidence is the real test of the pretensions of phrenology?

335. What is true of the pretended locality of organs in the region of the frontal sinus? What of the organs said to be in that part of the head where the cerebellum is? What is the only fact that seems to give countenance to phrenology? Why does this fact fail to prove that the special seat of the intellectual faculties is in the upper and front part of the head? What evidence have we on this point from the phenomena furnished by disease and injuries?

336. What is the *facial angle*? What is the difference in regard to this between the skull of the European and that of the African? What between the skull of animals and that of man? What is the common measure of this angle in ancient statues of deities and heroes? What is said of the rule, that the amount of intelligence, both in man and in animals, is proportioned to the amount of the cerebrum?

337. What facts show that size is far from being the only measure of power in case of the brain? In studying the comparative physiology of the brain, what significant fact do we find when we come to pass from the higher animals to man? Of what character is the mental difference between them and man? What is said of the definiteness of the distinction between man and animals?

338. What note ought to be made of this distinction by the comparative physiologist? What is said of the intimacy of the union between the mind and the body? What might we infer from the closeness of this union in regard to death, if we had no Revelation?

339. What is said of the supposed independence of the mind on the body? Is there proof that mind is of itself indestructible? What are the three sources of our knowledge in relation to the connection of the mind and the body? What is the consequence if we rely upon any one of these alone? What is the alternative to which one is driven, if he confine himself to the evidence which physiology furnishes? What course is commonly pursued by those who take this narrow view of the subject?

340. What is said of the distinction between organized and unorganized matter? What are the common suppositions in regard to the endowment of organized or living matter? What is said of those endowments of living matter that are connected with the nervous system? What question now arises in relation to intelligence in its connection with matter?

341. What does physiology show us in regard to this connection? Point out the deficiencies of its teaching in relation to the *nature* of this connection. What is the tendency of its presumptive evidence? Looking at the subject solely in the light of physiology, what would be the conclusion in regard to the dependence of mind on organization, when we observe the origin and growth of a thinking animal? What bear-

ing on this point has the fact, that the intellect grows with the brain, and appears at last to perish with it?

342. What is said of the evidence that may be drawn by the physiologist from the design obvious in the efforts of the mind? Trace the analogy, in this respect, between mental phenomena and those that we see in the common operations of life, both animal and vegetable. Show how the analogy holds good in the accommodation to varying circumstances in the cases cited. What is the extent of the analogy seen in the phenomena alluded to? To what idea has the contemplation of this analogy sometimes led?

343. Give examples of phenomena in vegetable life, that are often called instinctive. What fact in comparative physiology is strongly adverse to materialism? In which direction, however, on the whole, does the evidence from physiology, taken alone, preponderate?

344. State the ground of the great need which the physiologist has of the evidence from other sources beside his physiology. What is the testimony of consciousness in relation to the independence of the soul in its action? What in regard to its responsibility for its acts? How far is this testimony acted upon by all, when physiological speculations are left out of view?

345. What does the evidence from consciousness show us in relation to the connection of the mind with the material organization? To what alternative does it drive us? How is this testimony of consciousness treated by the Bible? Illustrate our dependence on the Bible for the proof of the soul's immortality.

346. How may the discrepancies in the evidence from physiology in regard to the connection of the mind and the body be cleared up?

347. What is said of the character of the evidence drawn from consciousness and Revelation? What is said of the presumptive evidence from physiology in comparison with it? What is said of the present moral tendencies of physiological investigations?

CHAPTER XVIII.

347. What was Lord Monboddo's idea of the development of man?

348. What recent theory has an analogy to this? What is true of man and animals in relation to instinct and reason? Do we know what the nature of instinct is? Which can be understood best, the actions of instinct or those of reason? Illustrate this point.

349. What seems to produce the actions of instinct? What influence does the intelligence of the animal exert upon them? What is said of the invariableness of the actions of instinct?

350. Describe the nests of the Baya and the Tailor Bird.

351. What is said of the perfection of the actions of instinct? Why are the cells of the honeycomb made hexagonal? Describe the arrangement of the ends of these cells. Give the fact stated in regard to the angle made by the surfaces at their ends.

352. How is the perfection of the actions of instinct seen in animals that live in communities? Describe the structure of a wasp's nest. Give the description of the habits of the beaver.

354. In what respect may instinct be said to be blind? Illustrate by

reference to animals that provide for a progeny which they are never to see.

355. Why is it often difficult to distinguish between the results of reason and those of instinct? What would be true of instinct if it were at all rational? Under what circumstances is there perfection in the actions of instinct? Under what circumstances does it fail? Contrast instinct and reason in this respect. Give some illustrations of the characteristics of instinct alluded to.

356. Give Mr. Broderip's account of the beaver. If the beaver in this case had been guided by reason, what would he have done? How far is the care that animals take of their progeny governed by a blind instinct? What is said of the temporary character of parental affection in their case? In what case is there no affection at all?

357. What degree of intelligence is shown in the power of imitation in animals? How do animals show that they reason? How far did the beaver, whose story is given in § 541, reason? How does the character of the inferences made by animals differ from that of those made by man? Illustrate by reference to Newton and his dog. Of what are the inferences made by animals the results?

358. When the processes of thought in animals are extended and complicated, what is true of them? Illustrate by examples the extent to which mental association may be carried in the animal.

359. How do animals learn the relation of cause and effect? Illustrate by examples. How does this knowledge of cause and effect differ in man and in animals? Is the mental difference between man and animals one of degree only?

360. What attribute constitutes the great superiority of the human mind? Show how this attribute is the origin of language in man. What is the character of the language of animals? Why cannot they have a language of arbitrary signs? What is the source of man's belief in a Creator? Illustrate this point. Is this belief implanted in the mind? What two suppositions have been offered in relation to conscience?

361. What is said of the doubts which some entertain as to the existence of conscience? What is true of those cases in which animals seem to some to have a moral sense? Illustrate the fact that in common language we recognize the difference between man and animals as to the possession of a conscience. Give a summary of the mental differences between man and animals.

362. Give the gradations which we find in the nervous system as we trace the animal kingdom upward. Why does instinct collect no experience? What is the difference between the two kinds of reasoning, before spoken of, in collecting experience? What is said of the amount of improvement of which some animals are capable by means of the lower order of reasoning?

363. What is the basis of improvement in man? What ordinarily constitutes the intellectual superiority of one man to another? In what consists the merit of an inventor or discoverer? Illustrate by reference to Jenner. What is the difference between the capabilities of instinct and those of reason in the rapidity of their development? Which form of reasoning is developed first?

364. Is the higher reasoning to some extent developed quite early?

What is said of its deficiency in those cases in which the organization is defective? What is said of the achievements of this reasoning power? What of the separation it makes between man and animals? What is said of the slowness of development of man's physical structure? What is the general law as to the development of capabilities, both mental and physical?

365. What is said of the prominence generally given to the difference between man and animals in regard to physical endowments? Illustrate by reference to the hand. In all animals, to what are bodily endowments suited? Mention some bodily endowments in which some animals excel man, and state the reason. In what respect is man most signally superior to animals in physical endowment? Illustrate this by reference to the hand and the vocal organs.

366. Illustrate the same point by the general motions of the body. What is said of the human form in repose? How do we get the most perfect idea of the superiority of the human organization?

CHAPTER XIX.

367. Mention some of the contrasts which we find on looking over the human race. How many varieties of the race are commonly reckoned? What are the characteristics of the Caucasian variety?

368. What are the characteristics of the Ethiopian varieties—the Mongolian—the American—the Malay? What is said of the extent to which the race may be divided into varieties?

369. What is said of the way in which national differences are produced? What is the opinion of most naturalists in regard to the production of the races? What is the doctrine of Professor Agassiz and others? State the grounds on which he bases his doctrine.

370. What is his opinion in regard to climatic and other influences? What is his opinion of the history given in Genesis? Are the different branches of the race in his view different species, or mere varieties? What is the distinction between a species and a variety?

371. Mention the influences included in the expression, *climatic and other influences*. What is said of the influence of climate? What is the circumstance which has most influence in producing varieties in man and in animals? What is included in the term *domestication*? What is the precise question in regard to climatic and other influences?

372. Mention some facts that show that climate has a great influence on the color of the race. What influence do intellectual and moral causes exert upon the shape of the head?

373. What is said of certain changes in form produced by causes, the operation of which we do not understand? What are the three different types of form in the head stated by Dr. Pritchard, and by what causes are they produced? State in regard to each:—the *prognathous*—the *pyramidal*—the *oval*. Give some facts showing that these types are convertible into each other.

374. What is said of the insensible gradations by which the varieties of the race pass into each other? What two objections are brought against the alleged competency of climatic and other influences to produce the varieties of the race? What great fact is a sufficient reply to these objections? State and illustrate this.

375. Apply this fact in explanation of the production of the varieties of the human race. What is said of the analogy thus drawn between man and animals, in comparison with that which Professor Agassiz has tried to establish? What consideration weakens his analogy?

376. If the climatic and other influences appear to any one incompetent to produce the varieties of the race, is he driven necessarily to admit its multiple origin? What is said of the occasional introduction of new causes by the Creator? Upon what do our calculations upon the regularity of nature depend? What is said of the change in the age of man effected at the time of the flood? What is said of the occasional appearance of new diseases?

377. What is said of the convulsions which have evidently taken place in the earth? Does it make any difference to the argument, whether the results came directly from causes, or from a chain of causes? Apply the argument to the production of the varieties of the race. What is said of the objection to the argument, that it is supposing a miraculous interposition?

378. Is the supposition thus made needed? What is said of it in comparison with the supposition of Agassiz? On what principles is the testimony of the Bible as to the origin of the race to be interpreted? What are the main facts which it gives in relation to it? How is the truth of its testimony confirmed?

379. Of what force is analogical and presumptive evidence in opposition to it? Is any fear to be entertained in regard to bringing the Bible to the test of ascertained facts? If the account in Genesis be true, to what alternative are the advocates of the multiple origin of the race driven? How does it appear that the truth of the Bible and the unity of the race must stand or fall together? Does the argument hold good, even if the Mosaic account be considered a myth?

380. What is the general conclusion in view of the whole subject? What moral bearing has the doctrine of the unity of the race? What is said of the pretended resemblance between the Ethiopian variety and the monkey tribe of animals?

CHAPTER XX.

381. What is said of the diversity in the manifestations of life? How is life always the same in relation to its origin? Remark on the wonderful variety of results worked out by the vital force beginning in a simple cell. How is life always essentially the same in its processes as well as in its origin?

382. Do we know what life is? How does the vital force differ from such forces as light, heat, and electricity, in regard to its power of diffusion? How in regard to self-generation? How in regard to the variety of its effects?

383. Do we know whether life is one thing? What is said of the supposition, that the principle of life resides chiefly in the blood? What are the relations that exist in living bodies between the laws of chemistry and mechanics and those of life? Illustrate this point. What is said of the materials of which the human body is composed, and of the degree of heat in which they are kept?

384. Show the difference in the operation of heat on dead and on liv

ing matter, as seen in the egg. How is the power of the vital force exhibited in the uniformity of the heat of the body? What is said of the changes going on by the operation of the vital force? Remark on the dormant condition of this force in the case of seeds.

385. Remark on the analogy between the hibernation of animals and the state of most of the vegetable world in winter. What portions of the human system are some of the time dormant, and why? What is the most mysterious circumstance in regard to the vital force? Show how the soul and the vital force are two distinct, and, in some measure, opposing forces. In what different senses are they both present everywhere in the system?

386. What is said of the development of the soul in the body? What of the mystery of this connection? What is said of the limit of the vital force? What facts show that the endowments of life are not commonly all destroyed at the moment of death?

387. What is the distinction between *systemic* and *molecular* death? What three great systems of the body are each essential to the continuance of life? How may death begin in the *circulating* system? Give the three classes of causes by which death may begin in the *respiratory* system.

388. Give examples of death beginning in the nervous system. Illustrate the fact, that death is commonly a complex event. What is said of the signs of death?

389. What is said of the clearness of the evidence in all ordinary cases in regard to the fact of death? In the very few cases in which there is any doubt, what course should be pursued? What light can physiology give us in relation to what is beyond this life? What is said of the conjectures on this subject which its investigations may prompt?

CHAPTER XXI.

390. From what two sources are the rules of hygiene to be learned? How far is a knowledge of physiology necessary to a proper understanding of these rules?

391. What division of topics should be made in the subject of hygiene? What points in the hygiene of digestion have been before noticed? What is said in regard to the amount of food needed by the body? How can we know what this amount is?

392. What errors are committed in regard to quantity of food? From what causes is too little food sometimes taken? What is said of the intervals between our meals?

393. What is said of eating regularly? What of the different kinds of food? What of fruits? What influence has the mind on digestion?

394. What is the general statement in § 625 in regard to the hygiene of respiration? In what two ways is the free access of the air to the lungs interfered with? What general rule is given as to dress in regard to the chest? In what ways does compression of the chest occasion disease?

395. Why ordinarily is the influence of defective aeration (or airing) of the blood not appreciated?

396. What influence has muscular exercise on the development of

the organs of the body? How is it a preservative against disease? What is said of violent exercise? What is the change going on continually in all parts of the body? What two conditions are necessary to the proper performance of this change?

397. What is said of the discharge of waste matter from the system? What organs effect this discharge? How much matter is discharged from the skin?

398. How is the animal heat produced? How does exercise increase it? What influence has the quality of the blood upon it? What is essential to a comfortable temperature of the body? When one is too much heated how is the extra heat disposed of? What is the object in covering the body with clothing and in surrounding it with heated air? What is said of cold as a cause of disease?

399. What are our means of guarding against cold? How should we regulate the amount of clothing? What is said of guarding against cold when the body is in a state of rest?

400. What is said of warming houses? Why is the influence of cold in producing disease commonly so little appreciated? Under what circumstances does cold act as a stimulant?

401. What rules should be observed in the use of cold bathing? What are the best times for using it? What occasions the wear and tear of the system?

402. When is most of the repairing of the system done? What is said of the relation of exercise to health? What effect has it on the muscles themselves? What on the other textures? How does it prevent deformity?

403. What are the two causes of the common deformity of the spine? Explain their action. Why is this deformity found so much more often in females than in males? How much influence has posture in producing it?

404. What especially debilitates the muscles of the back in the female? Illustrate the necessity of having exercise varied—also of having it general. What is said of gymnastics and calisthenics?

405. What is said of having the exercise habitual? How does too much exercise do harm? What is said of having the exercise agreeable? What is said of the hygiene of the senses?

406. What is said of the necessity of seasons of rest for the brain? What significant fact in regard to insanity shows this? What is said of the conditions under which the mind can perform much labor without harm? What is said of overworking the brain during its growth? What of the manner in which the child's mind is ordinarily exercised?

407. What two mental causes acting together injure the health and sometimes produce insanity? What influence has the regulation of the passions on the health? On what portions of the system do alcohol and tobacco chiefly act? What is said of alcoholic stimulants?

408. Show how tobacco may act indirectly as a stimulant. What are its effects on the system? To what class of persons is it especially injurious? What is the evidence in regard to the influence of tea and coffee?

409. What is said of emanations from filth as producing disease? Give a summary of the chief causes of disease. Is disease commonly

produced by any one of these causes alone ! What is said of our control over these causes !

410. What other causes of disease are there ! To what extent do they act compared with those mentioned in § 674 ! How may we often escape their influence ! What is said of the comparative value of preventive and curative measures ! Illustrate the prevalent error on this point by reference to consumption. From what does the common neglect of preventive measures arise, and how can this be obviated !

INDEX.

(The numbers refer to the pages.)

- Aberration, spherical 296
 - chromatic 297
 - avoided in the eye 297
- Absorption 3
 - by lacteals 58
 - by lymphatics 117
 - by veins 118
 - by cells 128
- Abscess, concert of action in 115
- Aeration of the Blood, how
 - done 86, 102
 - how interfered with 394
- Agassiz, his doctrine of the
 - multiple origin of the hu-
man race 369
- Air, composition of and changes
 - in it by respiration 101
 - agency of plants in keeping
it pure 104
 - necessity of a good supply of
it to health 394
- Air-cells of the lungs 86
 - importance of their function 94
 - harm done in compressing
them 95
- Air-sacs in birds 100
- Alcoholic Stimulants, their in-
fluence on health 407
- Alimentary Canal, meaning of
the term 15
 - of different lengths in differ-
ent animals 60
- Allantois 136
- Aneurism 65, 69
- Animals, distinctions between
 - them and plants 21
 - intelligence of 357
 - their associations of ideas 358
 - their mode of learning rela-
tion of cause and effect 359
- Animal Magnetism 63
- Aorta 63
 - valves of 76
- Arm, bones of 192
- Arteries, why so called 72
 - why made strong 65
 - situation of 67
 - how to stop their bleeding 69
- Articulation of the voice 259
- Arytenoid Cartilages 249
- Assimilation 15
- Balancing, action of muscles in 217
- Bathing, how it should be
practised 401
- Baya's nest 350
- Beaver, habits of 350
- Beauty, regard to in the ar-
rangement of the muscles 197,
207, 214
- Birds, respiration of 100
 - spinal column of 188
 - vocal apparatus of 259
- Blood, its changes 72
 - its course 73
 - variety of textures made
from it 110
 - cells in it 125, 127
 - life in 383
- Bones, composition of 37
 - uses of 170
 - insensibility of 173
 - very sensible when inflamed 155
 - marrow in 171
 - various shapes of 173
 - of the head 175
 - of the nose 180
 - of the leg 194
 - of the foot 195
- Bony socket of the eye 179

- Brain**.....144-146
 how guarded from violence..178
 organ of the mind.....319
 its situation and connections 320
 size of as measure of the intellect.....336
 its development influenced by mental activity.....372
 hygiene of.....406
Breast Bone.....88
Buccinator Muscle.....229
Calisthenics.....404
Capillaries.....65
 their agency in keeping up the circulation.....70
Carnivorous Animals.....43, 60
Carbonic Acid Gas, thrown off from the lungs.....101
 where formed.....102
 quantity of it discharged from the lungs.....103
 absorbed by plants.....104
Cartilage.....37
 Cartilages joining the ribs to the breast bone.....88
 between the vertebræ.....185
Camera Obscura.....293
Carpus.....192
Cataract.....295
Causes, evidence that new ones have been introduced since the original creation.....376
Cells, the true formative vessels.....123
 their shape.....124
 seen both in fluids and solids.124
 their contents.....125
 their selecting power.....125
 their operation incomprehensible.....126, 137
 some make other cells.....126
 two kinds in the blood.....127
 cells perform absorption....128
 and secretion.....129
 fibres of muscles made up of cells.....130
 cells make teeth, nails, &c..131
 how they make nerves.....132
 cells in the gray substance of the brain.....132
 all living things built by cells.....132, 136
 operation of cells in the egg during incubation.....133
Cellular tissue, structure of....38
Cementum.....181
Cerebellum, functions of.....332
Change, constant in the system.121
Chemical laws controlled by vital.....383
Chest, framework of.....88
 compression of.....95, 394
Chin, possessed only by man..30
Choroid coat of the eye.....295
Chyle.....58
Chyme.....51
Ciliary processes.....292
Circulation, its apparatus.....64
 double.....73
 affected by emotions of the mind.....239
 hygiene of.....395
Climate, influence of in causing the varieties of the race...371
Cochlea.....281
Coffee, influence of on health..408
Cold, depressing influence of.398
 sometimes a stimulant.....400
Cold-blooded animals.....106
Collar bone.....88, 190
Concert of action in formative and other vessels....110-116
Conscience, not possessed by animals.....27, 360
Consciousness, its evidence against materialism.....344
Consonants, incorrectness of the common definition...264
 nasal reverberation the peculiarity of some of them...262
Convolutions of the brain....145
Convulsions.....165
Coracoid process.....190
Coronary arteries.....80
Corrugator supercilii.....228
Cranium, bones of.....175
Creator, belief in and knowledge of result of the power of abstract reasoning....360
Cricoid Cartilage.....249
Crystalline lens.....395

- Article**.....119
 made up of cells.....130
Daisy.....18
Deaf and Dumb.....223
 why they are dumb.....267
 teaching them to talk.....268
Death.....387
Deformity, how produced.....402
Deglutition.....47
Dentals.....261
Dentine.....181
Diaphragm.....89
Digastric muscle.....206
Digestion.....42
 hygiene of.....53, 391
Disease, summary of its causes.....409
 prevention of.....410
Distinct vision, point of.....312
Dog, his muscles of expression.....237
 sagacity of.....358
Dome, principles of seen in the
 cranium.....177
Domestication, influence of.....371
Drowning explained.....97
 explanation of some cases of
 restoration.....109
Ear, its shape.....275
 its bones.....276
 its winding passages.....277
Egg, section of.....134
 how cells develop the bird.....135
Electricity not nerve force.....160
Elementary substances in ani-
 mals and vegetables.....20
Elbow joint.....194
Emphasis some of the princi-
 ples of.....269
Enamel, structure of.....131, 182
Epiglottis.....48, 216, 256
Erect posture of man.....30
Ethiopian variety of the race ;
 evidence of its existence
 in early ages.....374
Excretion, by what organs per-
 formed.....118
Exercise, influence of on diges-
 tion.....54
 on the circulation.....395
 on the development of the
 body.....396
 on the heat of the body.....398
Experience, no transmission of
 it in animals as in man...362
Expiration, mode of perform-
 ing.....90
Expression, nerve of in the
 face paralyzed.....157
Expression effected by muscles.....222
 its principal muscles in man.....224
 in animals.....236
Eye, optical instrument.....287
 nerves of.....158
 muscles of.....208
 in itself inexpressive.....226
 its parts.....290-292
 how it accommodates itself
 to objects at different dis-
 tances.....298
 its defences.....315
Eye-brow, its agency in expres-
 sion.....225, 228
Face, muscles of.....202, 228
 its capabilities in expression.....239
 training of its muscles.....240
 state of its muscles after
 death.....242
Facial angle.....336
Far-sightedness.....299
Fat, uses of.....40
Fear, action of muscles of face
 in.....235
Fibrillæ muscular.....130, 196
Fingers, arrangement of ten-
 dons in.....215
Fishes, respiration of.....98
 spinal column in.....189
Food, quantity needed.....391
 regularity in taking.....393
Foot, bones of.....195
Fordyce, his experiments on
 heat.....107
Formation and repair, by what
 done.....109
 hygiene of.....396, 401
Formative vessels, selecting
 power of.....110
 their concert of action illus-
 trated in various ways.....110-116
 are really cells.....123
Frog, changes from the tadpole
 state.....113

- cells seen in the circulation
in web of the foot.....124
- Frontal sinus.....179
- different sizes of.....335
- Functions, distinctions between nutritive and animal. 36
- Ganglions.....149
- Gastric juice.....50
- Gills, truly lungs.....98
- Gizzard, in birds.....62
- Grace, in the action of the muscles.....242, 366
- Gradations, doctrine of.....32
- Grasshopper, respiration in.....99
- Gray substance of brain...132, 147
amount of compared with
the white substance.....333
dependence of mind on.....334
- Gymnastics.....404
- Hand, really possessed only by
man.....29
variety of its motions.....218
- Harvey, discoverer of the circulation.....72
- Head, bones of.....175
- Hearing, apparatus of.....274
nerves of.....282
organ of in fishes.....284
in birds.....285
- Heart, a forcing and suction
pump.....65
its action illustrated.....69
double.....73
valves in.....74
its auricles and ventricles 74-79
front view of.....80
map of.....81
situation of.....82
sounds of.....83
its sac.....84
its number of beats.....85
insensibility of to touch.....156
- Heat of the body, how maintained.....104, 397
where made.....105
sources of the fuel for it.....105
on what its amount depends.106
effect of exercise on it.....106
degrees of heat in the air
which the body will bear..107
- its uniformity in man...107, 399
- Herbivorous animals.....43, 60
- Hibernation.....108
- Hoarseness, cause of.....256
- Honeycomb, the perfection of
it as a structure.....351
- Human race, varieties of.....367
- Humerus.....190
- Hunger, cause of and seat....54
- Hydra.....23, 26
cells in.....125
- Hygiene, how its principles are
learned.....390
- Hyoid bone.....183, 248
- Ilium.....175
- Images on retina, inverted...293
why the mind sees them erect.299
rapidity of their succession..314
minuteness of.....312
- Immortality of man.....28
known only from Revelation.345
- Insanity, result of disease in
the organization.....320
some of its causes noticed..407
influence of sleeplessness in
producing it.....406
- Inspiration, mode of performing. 90
- Instinct, more mysterious than
reason.....348
uniformity of its action....349
its perfection.....351
exhibited in communities of
animals.....352
blindness of it.....354-356
- Involuntary muscles.....162
not trained like voluntary...326
- Iris.....294
- Iron, in the blood.....20
carried in cells.....127
- Jaw, lower.....181
its digastric muscle.....207
- Joints, lining of.....195
- Knowledge, communicated only
by muscles.....222
- Labials.....261
- Lacteals.....58
- Language, result of the power
of abstract reasoning.....360

- Larynx**.....248-252
Laughter, by what muscles done.....224
Leaves, discharge oxygen and absorb carbonic acid gas...104
Lever, the three kinds of exemplified in the muscles....198
Ligaments, of the hand.....193
 of the wrist and ankle.....206
 vocal.....250
Life, its origin and processes...381
 its nature unknown.....382
 differs from other forces....382
 controls chemical forces....383
 sometimes dormant.....384
 its connection with the soul.385
Light, refraction of.....287-289
Lips, their agency in speech...261
Lime, in animals and vegetables.....20
Lobworm, respiration of.....98
Locomotion, distinguishing animals from plants.....21
Lungs, structure of.....86
Lymphatic absorbents.....59
 what they absorb.....117
Man, distinctions between him and animals...27-31, 347, 365
 their definiteness.....337
Mastication.....43
Materialism, tendency to in some physiologists, and why.....339
Meals, intervals between.....393
Mechanical disadvantage under which muscles act.....203
Mesentery, plan of.....57
Metacarpus.....192
Metatarsus.....194
Mind, dependence of on the brain.....319
 rapidity of its communication with all parts of the body....321
 training of in the use of the senses and muscles....322
 its supposed indestructibility.339
 sources of evidence as to the nature of its union with the body.....339-347
 intimacy of its union with the body.....338
 influence of mind on digestion.....393
Miracle, supposition of in causing the varieties of the race.....377
Monbodo's notion.....347
Motion, spontaneous.....22, 142
 automatic.....24
 involuntary.....162
Mouth, agency of in expression.224
Mucous membranes.....40
Muscles.....38
 their structure.....130
 mode of action.....196
 of arm.....199
 of face and neck.....202
 of the eye.....208
 of larynx.....251
 various shapes of.....210
 combined motions of 210, 216, 220
 variety of size of.....214
 constant change in action of.217
 all knowledge communicated by muscles.....222
 skill in their use.....324
 their associated action.....327
Muscular sense.....220, 308
Nails, made by cells.....131
Nasal sounds.....262
National differences.....369
Nature, its inner beauty greater than its outer.....137
Near sightedness.....299
Nerves made from cells.....131
 terminations of.....150
 healing of.....152
 different sets of for different purposes.....153
 for different sensations.....154
 for different motions.....156
 nerves of the eye.....158
 of the ear.....281
Nervous system, distinguishing animals from vegetables..23
 its different parts.....141, 143
Nerve-force, not identical with electricity.....160
Nitrogen, how far peculiar to animals.....27

- Nictitating membrane**.....317
Noae, bones of.....180
 nerves of.....154
Note, variations of, how produced in wind instruments.....246
 in reed.....247
 in the vocal instrument.....257
Oesophagus described.....49
Objects, how they are pictured on the retina.....292
 how the eye is adjusted to their different distances...298
 how we estimate their motion.....313
Optic nerves, crossing of.....305
Organ, flute stop of.....245
Organic life, distinguished from animal life.....24, 139
Organized and unorganized substances.....13
 difference between in permanency.....15
 in regularity.....17
 in size.....19
 in structure.....20
 organized built by cells.....136
Ostrich, respiratory apparatus of.....100
Oval form of head.....373
Oxygen, absorbed by the lungs.....101
 exhaled by plants.....104
Pacian corpuscles.....151
Pain, a warning of danger.....154
 expression of the countenance in.....225
Papillae of the skin.....120, 150
Patella.....183, 194
 action of the muscles on.....205
Pelvis.....173
Perspiration, influence of in enabling the body to bear very hot air.....108, 398
Petrous (rock-like) bone...180, 275
Pharynx.....47
Phrenology.....334
Plants, distinctions between them and animals.....21
Pleura.....88
Plexuses of nerves.....149
Prognathous type of head.....373
Pulse, cause of.....65
Pylorus.....51
Pyramidal type of head.....372
Quickness of action the chief object in most muscles.....200
Radius.....192
Rage, action of muscles of face in.....234
Reaction against cold, how produced.....400
Reason, not confined to man of a lower order in animals...362
Reasoning abstract, peculiar to man.....27, 359
 source of language.....360
 of a belief in a creator.....360
 of knowledge of right and wrong.....360
Reed instruments.....247
Reflex action explained.....162
Respiration, its apparatus.....86
 mechanism of.....88
 hygiene of.....394
Respiratory apparatus of fishes...98
 of insects.....99
 of birds.....100
Retina, structure of.....296
 images formed on.....292
Revelation, its evidence against materialism.....345
 testimony of in regard to unity of origin of the race.....378
Reverie, involuntary action of muscles in.....167, 327
Ribs, arrangement of.....88
 movement of in respiration...92
Ringentes (muscles).....237
Robinet, his doctrines.....31
Sacrum.....173
Salivary glands.....45
Scapula.....190
Scintillantes (muscles).....237
Secretions, formed from the blood.....116
 by cells.....129
Sebaceous glands.....120
Seeing, a process that is learned.....305
Semicircular canals.....278, 282
Sensation, distinguishes animals from plants.....22

- a compound act.....141
 what is necessary to it.....142
 special and common.....154
 Sensibility, various in different
 parts.....155
 Serous membranes.....41
 Silex in plants.....20
 Silkworm, its changes illus-
 trating concert of action
 in the formative vessels.....113
 Skeleton, description of.....173
 Skin, structure and functions of.....119
 hygiene of.....397
 great sensibility of.....155
 Somnambulism.....330
 Song, how it differs from speech.....268
 why more difficult.....270
 Soul, its connection with the
 vital force.....385
 Sound, how produced and trans-
 mitted.....272
 difference in transmission
 through solids, liquids and
 gases.....273
 Sound musical, how it differs
 from noise.....271
 how its note is varied in wind
 instruments.....246
 how in reed.....247
 how in the vocal instrument.....253
 Speech, instruments for imita-
 ting it.....264
 Species, how it differs from
 variety.....371
 Spinal column...88, 173, 183-187
 of birds.....188
 of fishes and reptiles.....189
 deformity of, how caused...403
 Spinal cord or marrow.....153
 its functions.....164, 167
 Squinting.....209, 301
 Stammering.....267
 Stereoscope.....302
 Stomach, used in two senses...15
 distinguishing animals from
 plants.....21
 its three coats.....41
 its muscular coat.....51
 difference of this organ in
 different animals.....60
 Stigmata.....99
 Superbus muscle.....230
 Sutures of the skull.....177
 Sweat glands.....120
 Sympathetic system of nerves...169
 Talking, how learned.....265
 Tarsus.....194
 Tailor-bird's nest.....350
 Tea, influence of on health...408
 Tear apparatus.....316
 Teeth, different kinds.....43
 structure of.....131, 181
 nerves in.....151
 why second set needed.....182
 Tendons.....38, 197
 Temporal bone.....177
 Thaumatrope.....315
 Thigh bone.....194
 Thirst, cause of and seat.....55
 Thoracic duct.....59
 Throat disease.....259
 Thyroid cartilage.....248
 Tobacco, its influence on health.....408
 Toggle-joint, exemplified in the
 joints of the body.....217
 Tongue, its variety of motion.....210
 its agency in speech.....260
 Training of the muscles and
 the senses.....325
 Tubuli of the nerves.....147, 152
 Ulna.....192
 Valves of the heart.....74, 78
 of the aorta.....77
 of the veins.....67
 Vanishing movement in the
 voice.....269
 Veins, structure and situation
 of.....65
 why the blood accumulates
 in them at death.....71
 what they absorb.....118
 Ventilation, effects of, defective.....103
 Ventriloquism.....271
 Vertebrae described.....184
 Violin, imitation of the voice
 with.....257
 Vision, apparatus of.....287
 why commonly single.....300
 sometimes double.....301
 vision mostly a mental pro-
 cess.....309-311

- how the figure, size and distances of objects are known.....305-308
 mistakes in, how rectified...308
 Visual angle.....305
 Vitreous table of the bones of the skull....176
 Vocal ligaments.....250
 Vocal muscles, education of...258
 trained by the ear.258, 266
 Voice, chief means of communicating knowledge....222
 its apparatus a masical instrument.....243
 articulation of.....259
 Waste of the system, by what organs thrown off....118, 297
 influence of its retention...397
 Wasp's nest.....352
 Water-scorpion, respiration of. 99
 Weeping, action of the muscles in.....225
 Whale, arrangement for catching its food.....45
 its reservoirs for containing arterial blood.....97
 Whispering, how done.....263
 White substance of the brain..147
 office of.....334
 Wind instruments.....245
 Zoological provinces.....370
 Agassiz's analogy in this respect fails in regard to man.....375

SHELDON & COMPANY'S

School and Collegiate Text-Books.

*We would call the Especial attention of Teachers,
and of all who are interested in the subject of
Education, to the following valuable list of School
Books:*

BULLIONS' SERIES OF GRAMMARS, Etc.

A Common School Grammar.

Being an Introduction to the Analytical and Practical
English Grammar, \$0 50

This work for beginners has the same Rules, Defini-
tions, etc., as the

Analytical and Practical English Grammar.

A complete work for Academies and higher classes in
Schools, containing a complete and concise system of
Analysis, etc., 1 00

Progressive Exercises in Analysis and Parsing.

Adapted to both Grammars, 0 25

Latin Lessons, with Exercises in Parsing. . . 1 00

Prepared by GEORGE SPENCER, A.M., as Introd. to
Bullions'

Principles of Latin Grammar. New Edition. \$1 50

Bullions & Morris's Latin Lessons.

For beginners, with simple lessons to be learned each
day, and Vocabulary, etc., 1 00

Bullions & Morris's New Latin Grammar. . . 1 50

Latin Reader.

With Introduction on Latin Idioms, and Improved
Vocabulary, etc., \$1 50

Exercises in Latin Composition.

Adapted to the Latin Grammar, 1 50

Key to Do.

Separate, for Teachers only, 0 60

Cæsar's Commentaries.

With Notes, Vocabulary, and Lexicon, 1 50

Sallust.

With Notes and References, 1 50

Cicero's Orations.

With Notes and References to Andrews' and Stoddard's,
as well as to Bullions' Grammar, 1 50

Latin-English Dictionary.

With Synonyms. 1014 pages, 4 50

First Lessons in Greek.

Introduction to the Grammar, 1 00

Principles of Greek Grammar. New Edition, 1 75

Bullions and Kendrick's New Greek Grammar, 2 00

Greek Reader.

With Introduction on Greek Idioms, Impr. Lex., etc., 2 25

Cooper's Virgil.

With valuable English Notes, 2 50

Long's Classical Atlas.

Containing Fifty-two Colored Maps and Plans, and
forming the most complete Atlas of the Ancient World
ever published. 1 vol., 4to, 4 50

Baird's Classical Manual. 1 vol., 16mo, 0 90

**Kautschmidt's English-Latin and Latin-English
Dictionary.**

For Schools. 900 pages, 16mo, 2 50

